

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: **0429**  
Version: **2.0 en**  
Replaces version of: 2018-03-20  
Version: (1)

date of compilation: 2018-03-20  
Revision: 2022-06-03

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l**

Article number 0429

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical  
Laboratory and analytical use

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

## 2.2 Label elements

### Labelling

#### Signal word

Warning

#### Pictograms

GHS05, GHS07



#### Hazard statements

H290 May be corrosive to metals  
H315 Causes skin irritation  
H319 Causes serious eye irritation  
H335 May cause respiratory irritation

#### Precautionary statements

##### Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

**Hazardous ingredients for labelling:** Hydrochloric acid .... %

## 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrochloric acid .... %	CAS No 7647-01-0  EC No 231-595-7	≤ 10	Met. Corr. 1 / H290 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		B(a) GHS-HC IOELV

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

Name of sub-stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2	1 – < 3	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV

### Notes

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub-stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Hydrochloric acid .... %	CAS No 7647-01-0  EC No 231-595-7	Met. Corr. 1; H290: C ≥ 0,1 % Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 %	-	-	
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2  EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 mg/l/4h	inhalation: va- pour

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l**

article number: **0429**

**4.3 Indication of any immediate medical attention and special treatment needed**  
none

## SECTION 5: Firefighting measures

**5.1 Extinguishing media**



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

### Unsuitable extinguishing media

water jet

**5.2 Special hazards arising from the substance or mixture**

Non-combustible.

### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>)

**5.3 Advice for firefighters**

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**



### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

**6.2 Environmental precautions**

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

**6.3 Methods and material for containment and cleaning up**

### Advice on how to contain a spill

Covering of drains.

### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

**6.4 Reference to other sections**

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	platinum	7440-06-4	IOELV		1						91/322/EEC
EU	hydrogen chloride	7647-01-0	IOELV	5	8	10	15				2000/39/EC
EU	nitric acid	7697-37-2	IOELV			1	2,6				2006/15/EC
GB	tellurium	13494-80-9	WEL		0,1						EH40/2005
GB	platinum	7440-06-4	WEL		5						EH40/2005
GB	antimony	7440-36-0	WEL		0,5						EH40/2005
GB	hydrogen chloride	7647-01-0	WEL	1	2	5	8			ga	EH40/2005
GB	nitric acid	7697-37-2	WEL			1	2,6				EH40/2005

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

ga As gases and aerosols

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Notation

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Hydrochloric acid ... %	7647-01-0	DNEL	8 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Hydrochloric acid ... %	7647-01-0	DNEL	15 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	faintly perceptible
Melting point/freezing point	~0 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 mPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	1,047 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Substance or mixture corrosive to metals.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH<sub>3</sub>), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

### 10.4 Conditions to avoid

Keep away from heat.

### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 mg/l/4h



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2,65 mg/l/4h	rat

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

May cause respiratory irritation.

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation

#### • Other information

This information is based upon the present state of our knowledge.

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l**

article number: **0429**

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

### Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### SECTION 14: Transport information

#### 14.1 UN number or ID number

ADRRID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

#### 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Hydrochloric acid .... %, Palladium

#### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADRRID	II
IMDG-Code	II
ICAO-TI	II

#### 14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

##### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Hydrochloric acid .... %, Palladium), 8, II, (E)
Classification code	C1
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E2

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: **0429**

---

Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	80
<b>Emergency Action Code</b>	2X

### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information

<b>Classification code</b>	C1
<b>Danger label(s)</b>	8



<b>Special provisions (SP)</b>	274
<b>Excepted quantities (EQ)</b>	E2
<b>Limited quantities (LQ)</b>	1 L
<b>Transport category (TC)</b>	2
<b>Hazard identification No</b>	80

### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Hydrochloric acid .... %, Palladium), 8, II
Marine pollutant	-
<b>Danger label(s)</b>	8



Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	B
<b>Segregation group</b>	1 - Acids

### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Hydrochloric acid .... %, Palladium), 8, II
<b>Danger label(s)</b>	8



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

### SECTION 15: Regulatory information

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

##### Relevant provisions of the European Union (EU)

###### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

###### Deco-Paint Directive

VOC content	0 % 0 <sup>9</sup> / <sub>1</sub>
-------------	--------------------------------------

###### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>9</sup> / <sub>1</sub>

###### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

###### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

###### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid ...% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

###### Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

### Regulation on drug precursors

Name of substance	CAS No	Classification	CN Code	Threshold level
Hydrochloric acid .... %	7647-01-0	Category 3	2806 10 00	

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Hydrochloric acid .... %	7647-01-0	Table II	2806.10

### National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AIIC Australian Inventory of Industrial Chemicals  
CICR Chemical Inventory and Control Regulation  
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Legend

DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Hydrochloric acid .... %		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
91/322/EEC	Commission Directive on establishing indicative limit values by implementing Council Directive 80/1107/EEC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CN Code	Combined Nomenclature
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value



# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 % HCl, 1 % HNO<sub>3</sub> - 10 mg/l

article number: 0429

Abbr.	Descriptions of used abbreviations
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

# Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Multi-Element ICP-MS - Standard Solution ROTI®Star 10 elements in 10 %  
HCl, 1 % HNO<sub>3</sub> - 10 mg/l**

article number: **0429**

---

## **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.