according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



#### article number: **1314** Version: **1.0 en**

date of compilation: 2021-08-18

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

ROTI®Garose - His/Ni Columns for biochemistry

1314

not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

#### Supplemental hazard information

Code	Supplemental hazard information
EUH208	contains Nickel powder. May produce an allergic reaction

according to Regulation (EC) No. 1907/2006 (REACH)





article number: **1314** 

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

#### **Pictograms**

GHS02, GHS07



#### **Hazard statements**

H226	Flammable liquid and vapour
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210	Keep away from heat. No smoking
FZ10	Reep away norn neat. No shloking
P280	Wear protective gloves/ove protection
PZ0U	Wear protective gloves/eye protection

#### **Precautionary statements - response**

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Supplemental hazard information

EUH208 Contains Nickel powder. May produce an allergic reaction.

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)

EUH208

Contains Nickel powder. May produce an allergic reaction.

#### 2.3 Other hazards

Special danger of slipping by leaking/spilling product.

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



#### **ROTI®Garose - His/Ni Columns for biochemistry**

#### article number: 1314

## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethanol	CAS No 64-17-5 EC No 200-578-6 Index No 603-002-00-5 REACH Reg. No	≤20	Flam. Liq. 2 / H225 Eye Irrit. 2 / H319		GHS-HC IARC: 1
Nickel powder	01-2119457610- 43-xxxx CAS No 7440-02-0 EC No 231-111-4 Index No 028-002-01-4	< 0,25	Skin Sens. 1 / H317 Carc. 2 / H351 STOT RE 1 / H372 Aquatic Chronic 3 / H412	<u>(!)</u>	GHS-HC IARC: 2B
	REACH Reg. No 01-2119438727- 29-xxxx				

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

IARC:

2B:

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### **Description of first aid measures** 4.1



**General notes** 

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

**ROTI®Garose - His/Ni Columns for biochemistry** 



#### article number: **1314**

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions

## 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

#### Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin, eyes and clothes. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 1314

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Keep container tightly closed.

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

#### 7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



٦

#### **ROTI®Garose - His/Ni Columns for biochemistry**

#### article number: 1314

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	ethanol	64-17-5	WEL	1.00 0	1.920						EH40/ 2005
GB	nickel	7440-02- 0	WEL		0,1						EH40/ 2005

Notation

STEL TWA

Г

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ethanol	64-17-5	DNEL	1.900 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Ethanol	64-17-5	DNEL	343 mg/kg	human, dermal	worker (industry)	chronic - systemic effects
Ethanol	64-17-5	DNEL	950 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
Nickel powder	7440-02-0	DNEL	0,05 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Nickel powder	7440-02-0	DNEL	0,05 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Nickel powder	7440-02-0	DNEL	11,9 mg/ m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ethanol	64-17-5	PNEC	0,79 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	marine water	intermittent re- lease
Ethanol	64-17-5	PNEC	2,75 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	air	intermittent re- lease
Ethanol	64-17-5	PNEC	3,6 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater sedi- ment	intermittent re- lease
Ethanol	64-17-5	PNEC	580 <sup>mg</sup> / <sub>cm³</sub>	unknown	sewage treatment plant (STP)	intermittent re- lease

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



#### article number: 1314

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Ethanol	64-17-5	PNEC	0,63 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	soil	intermittent re- lease	
Ethanol	64-17-5	PNEC	0,96 <sup>mg</sup> / <sub>cm<sup>3</sup></sub>	unknown	freshwater	intermittent re- lease	
Nickel powder	7440-02-0	PNEC	7,1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)	
Nickel powder	7440-02-0	PNEC	8,6 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)	
Nickel powder	7440-02-0	PNEC	0,33 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Nickel powder	7440-02-0	PNEC	109 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Nickel powder	7440-02-0	PNEC	109 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)	
Nickel powder	7440-02-0	PNEC	29,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)	

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



article number: 1314

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65  $^{\circ}$ C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

FormviscousColourlight greenOdourschwach LösungsmittelMelting point/freezing pointnot determinedBoiling point or initial boiling point and boiling range>80 °CFlammabilityflammable liquid in accordance with GHS criteriaLower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositymiscible in any proportionPartition coefficientmiscible in any proportionPartition coefficient n-octanol/water (log value):not determinedVapour pressurenot determinedDensity0,85 - 0,95 %/cm³ at 20 °C	Physical state	liquid
Odourschwach LösungsmittelMelting point/freezing pointnot determinedBoiling point or initial boiling point and boiling range>80 °CFlammabilityflammable liquid in accordance with GHS criteriaLower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)water solubilityWater solubilitymiscible in any proportionPartition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Form	viscous
Melting point/freezing pointnot determinedBoiling point or initial boiling point and boiling range>80 °CFlammabilityflammable liquid in accordance with GHS criteriaLower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)wiscible in any proportionPartition coefficientruscular viscosityVapour pressurenot determined	Colour	light green
Boiling point or initial boiling point and boiling range>80 °CFlammabilityflammable liquid in accordance with GHS criteriaLower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)wiscible in any proportionPartition coefficientPartition coefficient n-octanol/water (log value):Vapour pressurenot determined	Odour	schwach Lösungsmittel
rangeFileStrandFlammabilityflammable liquid in accordance with GHS criteriaLower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)water solubilityWater solubilitymiscible in any proportionPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Melting point/freezing point	not determined
Lower and upper explosion limitnot determinedFlash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)miscible in any proportionPartition coefficienthis information is not availableVapour pressurenot determined		>80 °C
Flash point>50 °CAuto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilitythis information is not availablePartition coefficienthot determinedVapour pressurenot determined	Flammability	flammable liquid in accordance with GHS criteria
Auto-ignition temperature>455 °CDecomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilityhis information is not availablePartition coefficient Partition coefficient n-octanol/water (log value):his information is not availableVapour pressurenot determined	Lower and upper explosion limit	not determined
Decomposition temperaturenot relevantpH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilitymiscible in any proportionPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Flash point	>50 °C
pH (value)6 - 8Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilitymiscible in any proportionPartition coefficientthis information is not availableVapour pressurenot determined	Auto-ignition temperature	>455 °C
Kinematic viscositynot determinedSolubility(ies) Water solubilitymiscible in any proportionPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Decomposition temperature	not relevant
Solubility(ies)miscible in any proportionWater solubilitymiscible in any proportionPartition coefficient+Partition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	pH (value)	6 – 8
Water solubilitymiscible in any proportionPartition coefficientPartition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Kinematic viscosity	not determined
Partition coefficient         Partition coefficient n-octanol/water (log value):         this information is not available         Vapour pressure         not determined		
Partition coefficient n-octanol/water (log value):this information is not availableVapour pressurenot determined	Solubility(ies)	
Vapour pressure not determined		miscible in any proportion
	Water solubility	miscible in any proportion
	Water solubility Partition coefficient	
Density $0.85 - 0.95.9/$	Water solubility Partition coefficient	
Density $0.85 - 0.95  g/_{\text{m}^2}$ at 20 °C	Water solubility Partition coefficient Partition coefficient n-octanol/water (log value):	this information is not available
	Water solubility Partition coefficient Partition coefficient n-octanol/water (log value):	this information is not available

United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



#### **ROTI®Garose - His/Ni Columns for biochemistry**

#### article number: 1314

	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Flammable liquids	
	Sustained combustibility	no data available
	Other safety characteristics:	
	Miscibility	completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

No known hazardous reactions.

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH)



#### **ROTI®Garose - His/Ni Columns for biochemistry**

article number: 1314

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethanol	64-17-5	inhalation: va- pour	LC50	95,6 <sup>mg</sup> / <sub>l</sub> /4h	rat
Ethanol	64-17-5	oral	LD50	7.060 <sup>mg</sup> / <sub>kg</sub>	rat
Nickel powder	7440-02-0	oral	LD50	>9.000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### **Respiratory or skin sensitisation**

Contains Nickel powder. May produce an allergic reaction.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

#### • If on skin

May produce an allergic reaction, pruritis, localised redness

#### • Other information

none

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



article number: **1314** 

## **11.3** Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Ethanol	64-17-5	LC50	8.140 <sup>mg</sup> / <sub>l</sub>	orfe (Leuciscus idus)	96 h		
Ethanol	64-17-5	EC50	9.000 – 14.000 <sup>mg</sup> /l	daphnia magna	48 h		
Nickel powder	7440-02-0	LC50	15,3 <sup>mg</sup> / <sub>l</sub>	fish	96 h		

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Nickel powder	7440-02-0	EC50	≤108 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

#### **Biodegradation**

Data are not available.

#### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Ethanol	64-17-5	biotic/abiotic	94 %	d		

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance         CAS No         BCF         Log KOW         BOD5/COD						
Ethanol	64-17-5		-0,31			
Nickel powder	7440-02-0	45				

#### 12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 1314

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number ADR/RID/ADN UN 1170 IMDG-Code UN 1170 ICAO-TI UN 1170 14.2 UN proper shipping name ADR/RID/ADN ETHANOL SOLUTION IMDG-Code ETHANOL SOLUTION ICAO-TI Ethanol solution 14.3 Transport hazard class(es) ADR/RID/ADN 3 3 IMDG-Code ICAO-TI 3 14.4 Packing group III ADR/RID/ADN IMDG-Code III ICAO-TI III 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulátions

according to Regulation (EC) No. 1907/2006 (REACH)



#### **ROTI®Garose - His/Ni Columns for biochemistry**

article number: 1314

# **14.6** Special precautions for userProvisions for dangerous goods (ADR) should be complied within the premises.

## **14.7 Maritime transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail information	and inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	ETHANOL SOLUTION
Particulars in the transport document	UN1170, ETHANOL SOLUTION, 3, III, (D/E)
Classification code	F1
Danger label(s)	3
Special provisions (SP)	144, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	2Y
International Maritime Dangerous Goods (	Code (IMDG) - Additional information
Proper shipping name	ETHANOL SOLUTION
Particulars in the shipper's declaration	UN1170, ETHANOL SOLUTION, 3, III, >50°C c.c.
Marine pollutant	-
Danger label(s)	3
Special provisions (SP)	144, 223
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



article number: 1314

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
Proper shipping name	Ethanol solution				
Particulars in the shipper's declaration	UN1170, Ethanol solution, 3, III				
Danger label(s)	3				
Special provisions (SP)	A3, A58, A180				
Excepted quantities (EQ)	E1				
Limited quantities (LQ)	10 L				

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
ROTI®Garose - His/Ni	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Ethanol	flammable / pyrophoric		R40	40	
Ethanol	substances in tattoo inks and perman- ent make-up		R75	75	
Nickel powder	nickel	7440-02-0	R27	27	

Legend R27

Shall not be used:

(a) in any post assemblies which are inserted into pierced ears and other pierced parts of the human body unless the rate of nickel release from such post assemblies is less than 0,2 μg/cm2/week (migration limit);
 (b) in articles intended to come into direct and prolonged contact with the skin such as:

- earrings,

- necklaces, bracelets and chains, anklets, finger rings,
 - wrist-watch cases, watch straps and tighteners,
 - rivet buttons, tighteners, rivets, zippers and metal marks, when these are used in garments,

if the rate of nickel release from the parts of these articles coming into direct and prolonged contact with the skin is greater than 0,5 µg/cm2/week.

(c) in articles referred to in point (b) where these have a non-nickel coating unless such coating is sufficient to ensure that the rate of nickel release from those parts of such articles coming into direct and prolonged contact with the skin will not exceed 0,5 µg/cm2/week for a period of at least two years of normal use of the article. 2. Articles which are the subject of paragraph 1 shall not be placed on the market unless they conform to the require-

ments set out in that paragraph.
The standards adopted by the European Committee for Standardisation (CEN) shall be used as the test methods for

demonstrating the conformity of articles to paragraphs 1 and 2.

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



#### article number: 1314

#### Legend

R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black

opaque containers not exceeding 1 litre by 1 December 2010.

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,
- silly string aerosols, - imitation excrement,

horns for parties,
decorative flakes and foams,

artificial cobwebs,
 stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

 By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

ROTI®Garose - His/Ni Columns for biochemistry



#### article number: 1314



graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes. according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Garose - His/Ni Columns for biochemistry

#### article number: **1314**

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)							
Νο	Dangerous substance/hazard categories	Qualifying quantity plication of lower a quiren		Notes				
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)				

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	20 % , 265,1 <sup>g</sup> / <sub>1</sub>
	/=/-

#### Industrial Emissions Directive (IED)

VOC content	20 %
VOC content	472,7 <sup>g</sup> / <sub>l</sub>
VOC content Water content was discounted	265,1 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)					
Name of substance CAS No Remarks Threshold for releases to air (kg/year)					
Nickel powder         7440-02-0         (8)         50					

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



#### article number: 1314

#### Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Nickel powder	nickel	7440-02-0	B)	
Nickel powder	nickel compounds		B)	
Nickel powder	nickel compounds	7440-02-0	C)	
Nickel powder	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Nickel powder	Metals and their compounds		A)	

#### Legend

A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH)

#### **ROTI®Garose - His/Ni Columns for biochemistry**



#### article number: 1314

#### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTI®Garose - His/Ni Columns for biochemistry



#### article number: **1314**

Abbr.	Descriptions of used abbreviations	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
COD	Chemical oxygen demand	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ident fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
Eye Dam.	Seriously damaging to the eye	
Eye Irrit.	Irritant to the eye	
Flam. Liq.	Flammable liquid	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IARC	International Agency for Research on Cancer	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
log KOW	n-Octanol/water	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTI®Garose - His/Ni Columns for biochemistry

#### article number: **1314**

Abbr.	Descriptions of used abbreviations
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H351	Suspected of causing cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.