

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: **1965**  
Version: **1.0 en**

date of compilation: 2021-04-07

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance	<b>Silicone oil TT 2, 2 cSt, low viscosity, dried</b>
Article number	1965
Registration number (REACH)	01-2119970218-33-xxxx
EC number	205-492-2
CAS number	141-63-9
Alternative name(s)	Dodecamethylpentasiloxane

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory and analytical use Laboratory chemical
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:** +49 (0) 721 - 56 06 0

**Telefax:** +49 (0) 721 - 56 06 149

**e-mail:** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

**Website:** [www.carlroth.de](http://www.carlroth.de)

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

**e-mail (competent person):** [sicherheit@carlroth.de](mailto:sicherheit@carlroth.de)

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### 2.3 Other hazards

This material is combustible, but will not ignite readily.

#### Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

Name of substance	Silicone oil
Molecular formula	$C_{12}H_{36}O_4Si_5$
Molar mass	384,8 g/mol
REACH Reg. No	01-2119970218-33-xxxx
CAS No	141-63-9
EC No	205-492-2

#### Impurities and additives, classification acc. to GHS

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Dodecamethylcyclhexasiloxane	CAS No 540-97-6  EC No 208-762-8	< 1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Wash with plenty of soap and water.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Special danger of slipping by leaking/spilling product.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

#### Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Data are not available.

##### Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	102 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	102 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	1.449 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	1.449 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

Relevant DNELs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	11 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	1,22 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Dodecamethylcyclohexasiloxane	540-97-6	DNEL	6,1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects

### Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	3,77 mg/kg	terrestrial organisms	soil	short-term (single instance)

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	1 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	13 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	1,3 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Dodecamethylcyclohexasiloxane	540-97-6	PNEC	3,77 mg/kg	terrestrial organisms	soil	short-term (single instance)

## 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

- **type of material**

NBR (Nitrile rubber)

- **material thickness**

>0,11 mm


- **breakthrough times of the glove material**

>480 minutes (permeation: level 6)

- **other protection measures**

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown). Usually no personal respiratory protection necessary.

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	87 °C (c.c.)
Auto-ignition temperature	350 °C at 101,3 kPa (ECHA)
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	1,8 – 2,2 mm <sup>2</sup> /s at 25 °C
<u>Solubility(ies)</u>	
Water solubility	(insoluble (< 1 mg/l))
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	9,268 – 9,508 (ECHA)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

Soil organic carbon/water (log KOC)	6,3 (ECHA)
Vapour pressure	7,8 Pa at 25 °C
Density	0,872 g/cm <sup>3</sup> at 25 °C
Particle characteristics	No data available.

### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T2  
Maximum permissible surface temperature on the equipment: 300°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### **If heated**

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### SECTION 11: Toxicological information

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

##### Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.

##### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 mg/kg	rat		ECHA
dermal	LD50	>2.000 mg/kg	rat		ECHA

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2.000 mg/kg	rat
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2.000 mg/kg	rat

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

##### Carcinogenicity

Shall not be classified as carcinogenic.

##### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

##### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

##### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

##### Symptoms related to the physical, chemical and toxicological characteristics

###### • If swallowed

Data are not available.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

- **If in eyes**

Data are not available.

- **If inhaled**

Data are not available.

- **If on skin**

Data are not available.

- **Other information**

Health effects are not known.

### 11.2 Endocrine disrupting properties

Not listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	ErC50	>2 µg/l	algae	72 h

Aquatic toxicity (chronic)			
Endpoint	Value	Species	Exposure time
EC50	>100 mg/l	microorganisms	3 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclohexasiloxane	540-97-6	EC50	>100 mg/l	microorganisms	3 h

### Biodegradation

Data are not available.

### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,58 mg/mg

Theoretical Carbon Dioxide: 1,372 mg/mg

Process of degradability		
Process	Degradation rate	Time
carbon dioxide generation	0 %	28 d

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Dodecamethylcyclohexasiloxane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA

### 12.3 Bioaccumulative potential

The substance fulfils the very bioaccumulative criterion.

n-octanol/water (log KOW)	9,268 – 9,508 (ECHA)
BCF	1.430 (ECHA)

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)	

### 12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	6,3 (ECHA)
--	------------

### 12.5 Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

### 12.6 Endocrine disrupting properties

Not listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

#### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**Silicone oil TT 2, 2 cSt, low viscosity, dried**

article number: 1965

## SECTION 14: Transport information

- 14.1 UN number or ID number** not subject to transport regulations
- 14.2 UN proper shipping name** not assigned
- 14.3 Transport hazard class(es)** none
- 14.4 Packing group** not assigned
- 14.5 Environmental hazards** non-environmentally hazardous acc. to the dangerous goods regulations
- 14.6 Special precautions for user**  
There is no additional information.
- 14.7 Maritime transport in bulk according to IMO instruments**  
The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

**Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information**

not assigned

**International Maritime Dangerous Goods Code (IMDG) - Additional information**

Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information**

Not subject to ICAO-IATA.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

**Relevant provisions of the European Union (EU)**

**Restrictions according to REACH, Annex XVII**

not listed

**List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list**

Not listed.

**Seveso Directive**

**2012/18/EU (Seveso III)**

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

**Deco-Paint Directive (2004/42/EC)**

<b>VOC content</b>	100 % 872 g/l
--------------------	------------------

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### Directive on industrial emissions (VOCs, 2010/75/EU)

VOC content	0 %
VOC content	0 g/l

### Directive 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS) - Annex II

not listed

### Regulation 166/2006/EC concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

not listed

### Regulation 98/2013/EU on the marketing and use of explosives precursors

not listed

### Regulation 111/2005/EC laying down rules for the monitoring of trade between the Community and third countries in drug precursors

not listed

### Regulation 1005/2009/EC on substances that deplete the ozone layer (ODS)

not listed

### Regulation 649/2012/EU concerning the export and import of hazardous chemicals (PIC)

not listed

### National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Silicone oil TT 2, 2 cSt, low viscosity, dried

article number: 1965

Abbr.	Descriptions of used abbreviations
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.