according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

date of compilation: 2020-04-02 Revision: 2021-09-10 article number: 1A9N Version: 3.0 en

Replaces version of: 2020-05-19

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance **Trichloromethane** ROTIDRY® plus ≥99,9 % (≤30

ppm H₂O), with molecular sieve, stabilized

Article number 1A9N

Registration number (REACH) 01-2119486657-20-xxxx

Index number in CLP Annex VI 602-006-00-4 EC number 200-663-8 CAS number 67-66-3

Alternative name(s) Trichloro-methane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word	Danger
-------------	--------

Pictograms

GHS06, GHS08





Hazard statements

H302	Harmful if swallowed
H315	Causes skin irritation
H319	Causes serious eye irritation
H331	Toxic if inhaled
H351	Suspected of causing cancer
H361d	Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P202	Do not handle until all safety precautions have been read and understood
P260	Do not breathe mist/vapours/spray

United Kingdom (en) Page 2 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)





H331 Toxic if inhaled.

H351 Suspected of causing cancer.

H361d Suspected of damaging the unborn child.

H372 Causes damage to organs through prolonged or repeated exposure.

P202 Do not handle until all safety precautions have been read and understood.

P260 Do not breathe mist/vapours/spray.

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P308+P313 IF exposed or concerned: Get medical advice/attention.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Trichloromethane

Molecular formula CHCl₃

Molar mass $119,4\,^{9}/_{mol}$

REACH Reg. No 01-2119486657-20-xxxx

CAS No 67-66-3
EC No 200-663-8
Index No 602-006-00-4

To stabilise:

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms
Amylene	CAS No 513-35-9 EC No 208-156-3	< 0,015	Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Muta. 2 / H341 Carc. 2 / H351 STOT SE 3 / H336 Asp. Tox. 1 / H304 Aquatic Chronic 2 / H411	

United Kingdom (en) Page 3 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus \geq 99,9 % (\leq 30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Substance, Specific Conc. Limits, M-factors, ATE							
Specific Conc. Limits M-Factors ATE Exposure route							
-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: vapour				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

United Kingdom (en) Page 4 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus \geq 99,9 % (\leq 30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

United Kingdom (en) Page 5 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	chloroform	67-66-3	IOELV	2	10						2000/39/ EC
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005

Notation

Ceiling-C STEL

TWA

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	2,5 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	333 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	2,5 mg/m³	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	0,94 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

Environmental values

Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,146 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,015 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			

United Kingdom (en) Page 6 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0,048 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,45 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0,09 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0,56 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Amylene	513-35-9	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Amylene	513-35-9	PNEC	0,37 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Amylene	513-35-9	PNEC	5,77 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Amylene	513-35-9	PNEC	8,1 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Amylene	513-35-9	PNEC	8,1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Amylene	513-35-9	PNEC	1,44 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply

United Kingdom (en) Page 7 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM (fluoro rubber)

material thickness

≥0,4 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour characteristic
Odour threshold 85 – 202 ppm

Melting point/freezing point -63 °C

Boiling point or initial boiling point and boiling 61 °C at 1.013 hPa

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not determined
Kinematic viscosity 0,38 mm²/s at 20 °C

Solubility(ies)

Water solubility $8,7^{\circ}$ l at 23 °C (ECHA)

United Kingdom (en) Page 8 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,97 (25 °C) (Experimental data)

Soil organic carbon/water (log KOC) 1,8 – 2,6 (ECHA)

Vapour pressure 211 hPa at 20 °C

Density $1,48 \, {}^{9}/_{cm^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density 4,25 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides, => Explosive properties

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different plastics, Rubber articles, Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 9 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	908 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

If in eyes

Causes serious eye irritation

If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in

United Kingdom (en) Page 10 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

dermatitis (skin inflammation), causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
EC50	152,5 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
ErC50	13,3 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Amylene	513-35-9	LC50	4,99 ^{mg} / _l	fish	96 h
Amylene	513-35-9	EC50	3,84 ^{mg} / _l	aquatic invertebrates	48 h
Amylene	513-35-9	ErC50	12 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	0,48 ^{mg} / _l	microorganisms	ECHA	24 h

Biodegradation

Not readily biodegradable.

12.2 Process of degradability

Theoretical Oxygen Demand: 0,134 $^{\rm mg}/_{\rm mg}$ Theoretical Carbon Dioxide: 0,3686 $^{\rm mg}/_{\rm mg}$ Biochemical Oxygen Demand: 20 $^{\rm mg}/_{\rm g}$ at 5 d

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	0 %	14 d

United Kingdom (en) Page 11 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Amylene	513-35-9	oxygen deple- tion	7 %	28 d		ECHA

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	1,97 (25 °C) (Experimental data)
---------------------------	----------------------------------

12.4 Mobility in soil

Henry's law constant	14.084 ^{Pa m³} / _{mol}
The Organic Carbon normalised adsorption coefficient	1,8 – 2,6 (ECHA)

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 12 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

SECTION 14: Transport information

14.1 UN number or ID number

ADR/RID/ADN UN 1888 IMDG-Code UN 1888 ICAO-TI UN 1888

14.2 UN proper shipping name

ADR/RID/ADN CHLOROFORM
IMDG-Code CHLOROFORM
ICAO-TI Chloroform

14.3 Transport hazard class(es)

ADR/RID/ADN 6.1
IMDG-Code 6.1
ICAO-TI 6.1

14.4 Packing group

ADR/RID/ADN III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name CHLOROFORM

Particulars in the transport document UN1888, CHLOROFORM, 6.1, III, (E)

Classification code T1

Danger label(s) 6.1



Special provisions (SP) 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2

United Kingdom (en) Page 13 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 2Z

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CHLOROFORM

Particulars in the shipper's declaration UN1888, CHLOROFORM, 6.1, III

Marine pollutant -

Danger label(s) 6.1



Special provisions (SP) Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-A, S-A

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Chloroform

Particulars in the shipper's declaration UN1888, Chloroform, 6.1, III

Danger label(s) 6.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

angerous substances with restrictions (REACH, Annex XVII)						
Name of substance	Name acc. to inventory	CAS No	Restriction	No		
Trichloromethane	chloroform	67-66-3	R32-38	32		
Trichloromethane	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3		
Trichloromethane	substances in tattoo inks and permanent make-up		R75	75		

United Kingdom (en) Page 14 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Legend

R3

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,
 tricks and jokes,
 games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 2. Articles not complying with paragraph 1 shall not be placed on the market.
 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

- can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.

 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- (CEN).

 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are more

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black

opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Shall not be placed on the market, or used,

R32-38

as substances.

- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight,

where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applications such as in surface cleaning and cleaning of fabrics.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows: indelibly marked as follows:

'For use in industrial installations only'.

By way of derogation this provision shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC.

Page 15 / 22 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator;
(ii) 0,01 % by weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:

(i) "Pierse off products":

(ii) "Rinse-off products";
(iii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

making a mark or design on his or her body

making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such

stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-

plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

(a) the statement "Mixture for use in tattoos or permanent make-up";

(b) a reference number to uniquely identify the batch;

(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "PH regulator" for substances falling under point (d)(i) of paragraph 1;

(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.
The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise.

Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph graph.

Page 16 / 22 United Kingdom (en)

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	plication of lower	(tonnes) for the ap- and upper-tier re- ments	Notes			
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)			

Notation

- 41) Category 2, all exposure routes
 - category 3, inhalation exposure route

Deco-Paint Directive

VOC content	100 % , 1.480 ^g / _l
-------------	--

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.480 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR) Name of substance CAS No Remarks Threshold for releases to air (kg/year) Trichloromethane 67-66-3 500

United Kingdom (en) Page 17 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Trichloromethane	trichloromethane (chloroform)	67-66-3	B)	
Trichloromethane	trichloromethane	67-66-3	C)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		A)	

Legend

A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Trichloromethane	chloroform	67-66-3	i(2)	b

Legend

Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use b i(2)

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 18 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI IECSC Domestic Substances List (DSL)

Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substances Inventory

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure.	yes

United Kingdom (en) Page 19 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus \geq 99,9 % (\leq 30 ppm H_2O), with molecular sieve, stabilized

article number: 1A9N

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations

United Kingdom (en) Page 20 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

Abbr.	Descriptions of used abbreviations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 21 / 22

according to Regulation (EC) No. 1907/2006 (REACH)



Trichloromethane ROTIDRY® plus ≥99,9 % (≤30 ppm H₂O), with molecular sieve, stabilized

article number: 1A9N

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H336	May cause drowsiness or dizziness.
H341	Suspected of causing genetic defects.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 22 / 22