acc. to Regulation (EC) No. 1907/2006 (REACH)





article number: **1HP5** Version: **2.0 en** Replaces version of: 2021-04-06 Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1HP5

200-835-2

75-05-8

#### 1.1 Product identifier

Identification of the substance Article number EC number CAS number

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

**ure and uses advised against** Laboratory chemical

Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

**Acetonitrile** ROTISOLV<sup>®</sup> Pestilyse<sup>®</sup> plus ≥99,9 %

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### **Classification acc. to GHS**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312

date of compilation: 2021-04-06 Revision: 2022-12-15

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



#### article number: 1HP5

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### Pictograms

GHS02, GHS07



#### **Hazard statements**

H225	Highly flammable liquid and vapour
H302+H312+H332	Harmful if swallowed, in contact with skin or if inhaled
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 Wear protective gloves/eye protection

#### **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### **Precautionary statements - storage**

P403+P235 Store in a well-ventilated place. Keep cool

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

## **SECTION 3: Composition/information on ingredients**

3.1	Substances	
	Name of substance	Acetonitrile
	Molecular formula	$C_2H_3N$
	Molar mass	41,05 <sup>g</sup> / <sub>mol</sub>
	CAS No	75-05-8
	EC No	200-835-2

Substance, Specific Conc. Limits, M-factors, ATE					
Specific Conc. Limits	M-Factors	ATE	Exposure route		
-	-	469 <sup>mg</sup> / <sub>kg</sub> 1.100 <sup>mg</sup> / <sub>kg</sub> 11 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: vapour		

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Irritant effects, Conjunctival redness of the eyes, Following skin contact: Localised redness, oedema, pruritis and/or pain, Following ingestion: Vomiting, Irritation, Headaches and dizziness may occur, Following inhalation: Cough, pain, choking, and breathing difficulties

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)

Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

## **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### National limit values

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetonitrile	75-05-8	IOELV	40	70					Н	2006/15/ EC

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV<sup>®</sup> Pestilyse<sup>®</sup> plus ≥99,9 %



#### article number: 1HP5

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	acetonitrile	75-05-8	WEL	40	68	60	102				EH40/ 2005

Notation

Н

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

#### Human health values

#### **Relevant DNELs and other threshold levels**

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	68 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	68 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	68 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
DNEL	68 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
DNEL	32,2 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

#### **Environmental values**

Relevant	Relevant PNECs and other threshold levels								
End- point	Threshold level	Organism	Environmental com- partment	Exposure time					
PNEC	10 <sup>mg</sup> /l	aquatic organisms	freshwater	short-term (single instance)					
PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)					
PNEC	32 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)					
PNEC	40,5 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)					
PNEC	4,05 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)					
PNEC	2,23 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)					

#### 8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

#### **Eye/face protection**



Use safety goggle with side protection.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: **1HP5** 

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,5 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic - mild sweet
Melting point/freezing point	-45,7 °C at 101.325 Pa (ECHA)
Boiling point or initial boiling point and boiling range	81,65 °C at 1.013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	50 g/m³ (LEL) - 274 g/m³ (UEL) / 4,4 vol% (LEL) - 16 vol% (UEL)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



#### article number: 1HP5

	Flash point	2 °C at 1.013 hPa (c.c.)
	Auto-ignition temperature	524 °C at 101.325 Pa (ECHA) (auto-ignition tem- perature (liquids and gases))
	Decomposition temperature	not relevant
	pH (value)	9 – 10 (20 °C)
	Kinematic viscosity	0,443 <sup>mm²</sup> / <sub>s</sub> at 20 °C
	Dynamic viscosity	0,35 mPa s at 20 °C
	Solubility(ies)	
	Water solubility	miscible in any proportion
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	-0,34 (pH value: ~7, 25 °C) (ECHA)
	Soil organic carbon/water (log KOC)	0,654 (ECHA)
	Vapour pressure	94,51 hPa at 20 °C
	Density and/or relative density	
	Density	0,79 <sup>g</sup> / <sub>cm³</sub> at 20 °C (ECHA)
	Relative vapour density	1,42 (air = 1)
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	
	Miscibility	completely miscible with water
	Refractive index	1,344

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

#### If heated

Risk of ignition.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Peroxides, Strong acid

## **10.4 Conditions to avoid** Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

- **10.5 Incompatible materials** Rubber articles
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### **11.1** Information on toxicological effects

#### **Classification acc. to GHS**

#### Acute toxicity

Harmful if swallowed. Harmful in contact with skin. Harmful if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	469 <sup>mg</sup> / <sub>kg</sub>	mouse		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

vomiting, nausea, dizziness

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

cough, pain, choking, and breathing difficulties

#### • If on skin

Prolonged or repeated contact with skin or mucous membrane result in irritation symptoms such as redness, blistering, dermatitis, etc

#### Other information

none

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	1.640 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
ErC50	9.696 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

#### Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	30 min

#### 12.2 Persistence and degradability

#### Biodegradation

The substance is readily biodegradable.

#### Process of degradability

Process	Degradation rate	Time	
biotic/abiotic	98 %	28 d	
carbon dioxide generation	70 %	21 d	

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,34 (pH value: ~7, 25 °C) (ECHA)
---------------------------	------------------------------------

#### 12.4 Mobility in soil

Henry's law constant	3,5 <sup>Pa m³</sup> / <sub>mol</sub> at 20 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,654 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

14.1	UN number or ID number			
	ADRRID	UN 1648		
	IMDG-Code	UN 1648		
	ICAO-TI	UN 1648		
14.2	UN proper shipping name			
	ADRRID	ACETONITRILE		
	IMDG-Code	ACETONITRILE		
	ICAO-TI	Acetonitrile		
14.3	Transport hazard class(es)			
	ADRRID	3		
	IMDG-Code	3		
	ICAO-TI	3		
14.4	Packing group			
	ADRRID	II		
	IMDG-Code	II		
	ICAO-TI	II		
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations		
14.6	Special precautions for user			
	Provisions for dangerous goods (ADR) should			
14.7	Maritime transport in bulk according to IMO instruments			
	The cargo is not intended to be carried in bul	к.		
14.8	Ine cargo is not intended to be carried in bui			
14.8	Information for each of the UN Model Reg			
14.8	Information for each of the UN Model Reg Agreement concerning the International C	ulations		
14.8	Information for each of the UN Model Reg Agreement concerning the International C information	ulations Carriage of Dangerous Goods by Road (ADR)Additional		
14.8	Information for each of the UN Model Reg Agreement concerning the International C information Proper shipping name	ulations Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE		
14.8	Information for each of the UN Model Regu Agreement concerning the International C information Proper shipping name Particulars in the transport document	<u>ulations</u> Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE UN1648, ACETONITRILE, 3, II, (D/E)		
14.8	Information for each of the UN Model Regard Agreement concerning the International Conformation Proper shipping name Particulars in the transport document Classification code	<u>ulations</u> Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE UN1648, ACETONITRILE, 3, II, (D/E) F1		
14.8	Information for each of the UN Model Regard Agreement concerning the International Conformation Proper shipping name Particulars in the transport document Classification code	<u>ulations</u> Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE UN1648, ACETONITRILE, 3, II, (D/E) F1		
14.8	Information for each of the UN Model Regar Agreement concerning the International Conference Proper shipping name Particulars in the transport document Classification code Danger label(s)	ulations Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE UN1648, ACETONITRILE, 3, II, (D/E) F1 3		
14.8	Information for each of the UN Model Regard Agreement concerning the International Conference Proper shipping name Particulars in the transport document Classification code Danger label(s) Excepted quantities (EQ)	ulations Carriage of Dangerous Goods by Road (ADR)Additional ACETONITRILE UN1648, ACETONITRILE, 3, II, (D/E) F1 3		

acc. to Regulation (EC) No. 1907/2006 (REACH)

# ® Roth

### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %

article number: 1HP5

Hazard identification No	33
Emergency Action Code	2YE
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	33
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	ACETONITRILE
Particulars in the shipper's declaration	UN1648, ACETONITRILE, 3, II, 2°C c.c.
Marine pollutant	-
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	В
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Acetonitrile
Particulars in the shipper's declaration	UN1648, Acetonitrile, 3, II
Danger label(s)	3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
• • •	

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



#### article number: **1HP5**

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements			
P5c	flammable liquids (cat. 2, 3)	5.000	50.000	51)

#### Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

#### **Deco-Paint Directive**

VOC content	100 % 790 <sup>g</sup> /l
	790 57

#### Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	790 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

strictions according to GB REACH, Annex 17				
Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Acetonitrile	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3	
Acetonitrile	flammable / pyrophoric		40	

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

#### Legend

AIICAustralian Inventory of Industrial ChemicalsCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: **1HP5** 

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
14.8		Proper shipping name: ACETONITRILE	yes
14.8		Particulars in the transport document: UN1648, ACETONITRILE, 3, II, (D/E)	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 3	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 33	yes
14.8		Proper shipping name: ACETONITRILE	yes
14.8		Particulars in the shipper's declaration: UN1648, ACETONITRILE, 3, II, 2°C c.c.	yes
14.8		Proper shipping name: Acetonitrile	yes
14.8		Particulars in the shipper's declaration: UN1648, Acetonitrile, 3, II	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



#### article number: 1HP5

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1	VOC content: 100 % 782 <sup>g</sup> / <sub>l</sub>	VOC content: 100 % 790 <sup>g</sup> / <sub>l</sub>	yes
15.1	VOC content: 782 <sup>g</sup> / <sub>l</sub>	VOC content: 790 <sup>g</sup> / <sub>l</sub>	yes
15.1		Regulation on persistent organic pollutants (POP): not listed	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV<sup>®</sup> Pestilyse<sup>®</sup> plus ≥99,9 %



#### article number: **1HP5**

Abbr.	Descriptions of used abbreviations	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
IOELV	Indicative occupational exposure limit value	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
LEL	Lower explosion limit (LEL)	
NLP	No-Longer Polymer	
РВТ	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	
UEL	Upper explosion limit (UEL)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetonitrile ROTISOLV® Pestilyse® plus ≥99,9 %



article number: 1HP5

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.