acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

date of compilation: 2021-05-03 Revision: 2022-10-17 article number: 1K38 Version: 2.0 en

Replaces version of: 2021-05-03

Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Multi-Element ICP - Standard Solution CR-01

ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

Article number 1K38

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

Classification acc. to GHS

United Kingdom (en) Page 1 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1K38

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317

#### **Supplemental hazard information**

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS07



#### **Hazard statements**

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

**Hazardous ingredients for labelling:** Nitric acid ...% [ $C \le 70$  %], Nickel dinitrate

United Kingdom (en) Page 2 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5-<10	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	0,007	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Silver nitrate	CAS No 7761-88-8 EC No 231-853-9 Index No 047-001-00-2	0,003	Ox. Sol. 2 / H272 Met. Corr. 1 / H290 Skin Corr. 1B / H314 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(E)	GHS-HC

#### Notes

The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist

United Kingdom (en) Page 3 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Silver nitrate	CAS No 7761-88-8 EC No 231-853-9	-	M-factor (acute) = 100 M-factor (chronic) = 100	-	

For full text of abbreviations: see SECTION 16

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions

# **4.3** Indication of any immediate medical attention and special treatment needed none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

United Kingdom (en) Page 4 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

United Kingdom (en) Page 5 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 **Control parameters**

**National limit values** 

**Occupational exposure limit values (Workplace Exposure Limits)** 

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
EU	arsenic acid	7778-39- 4	IOELV		0,01					i, As- limit	2019/ 983/EU
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	titanium dioxide	13463- 67-7	WEL		10					i	EH40/ 2005
GB	titanium dioxide	13463- 67-7	WEL		4					r	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005
GB	arsenic compounds	7778-39- 4	WEL		0,1					As	EH40/ 2005

Notation

As Calculated as As (arsenic)
As-limit For the copper smelting sector, the limit value shall apply from 11 July 2023
Ceiling-C Ceiling value is a limit value above which exposure should not occur cmr\_NicompThe limit value shall apply from 18 January 2025 cmr\_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.

Inhalable fraction

United Kingdom (en) Page 6 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

Notation

Calculated as Ni (nickel) Pb Calculated as Pb (lead) Respirable fraction

r STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** 

hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture Name of sub-**CAS No Used in Exposure time** End-**Threshol Protection** stance point d level goal, route of exposure Silver nitrate 7761-88-8 DNEL 0,016 mg/ human, inhalatworker (industry) chronic - systemic m³ effects ory

elevant PNECs of components of the mixture												
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time						
Silver nitrate	7761-88-8	PNEC	0,04 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)						
Silver nitrate	7761-88-8	PNEC	0,86 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)						
Silver nitrate	7761-88-8	PNEC	0,025 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)						
Silver nitrate	7761-88-8	PNEC	438,1 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)						
Silver nitrate	7761-88-8	PNEC	438,1 <sup>mg</sup> /	aquatic organ- isms	marine sediment	short-term (single instance)						
Silver nitrate	7761-88-8	PNEC	1,41 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)						

#### 8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection. Wear face protection.

### Skin protection





United Kingdom (en) Page 7 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour stinging

Melting point/freezing point 0 °C

Boiling point or initial boiling point and boiling 100 °C

range

Flammability non-combustible

Lower and upper explosion limit not determined Flash point not determined

Auto-ignition temperature not determined

Decomposition temperature not relevant

pH (value) <2 (in aqueous solution: 50,6 g/1, 20 °C)

United Kingdom (en) Page 8 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density  $\sim 1 \, {\rm g/cm^3}$  at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

United Kingdom (en) Page 9 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1K38

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h
nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat
Silver nitrate	7761-88-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Silver nitrate	7761-88-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

United Kingdom (en) Page 10 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silver nitrate	7761-88-8	LC50	1,2 <sup>µg</sup> / <sub>l</sub>	fish	96 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Silver nitrate	7761-88-8	EC50	0,8 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	7 d

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

United Kingdom (en) Page 11 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $HNO_3$ - mg/l

article number: 1K38

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Silver nitrate	7761-88-8	70		

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP 6** acute toxicity **HP 8** corrosive

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 12 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1K38

## **SECTION** 14: Transport information

#### 14.1 UN number or ID number

ADRRID UN 2031 IMDG-Code UN 2031 ICAO-TI UN 2031

14.2 UN proper shipping name

ADRRID NITRIC ACID IMDG-Code NITRIC ACID ICAO-TI Nitric acid

14.3 Transport hazard class(es)

ADRRID 8
IMDG-Code 8
ICAO-TI 8

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name NITRIC ACID

Particulars in the transport document UN2031, NITRIC ACID, 8, II, (E)

Classification code C1
Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) E

United Kingdom (en) Page 13 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1K38

Hazard identification No 80

Emergency Action Code 2R

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code C1

Danger label(s) 8

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 80

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name NITRIC ACID

Particulars in the shipper's declaration UN2031, NITRIC ACID, 8, II

Marine pollutant Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
EmS F-A, S-B

Stowage category D

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Nitric acid

Particulars in the shipper's declaration UN2031, Nitric acid, 8, II

Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

United Kingdom (en) Page 14 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 %  $HNO_3$  - mg/l

article number: 1K38

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

#### **Deco-Paint Directive**

VOC content 0 % 0 9/1
-----------------------

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

List of pollutants (WFD)

#### Water Framework Directive (WFD)

#### Name of substance Name acc. to inventory **CAS No** Listed in **Remarks** nickel dinitrate nickel compounds b) nickel dinitrate nickel compounds 7440-02-0 c) nickel dinitrate Substances which contribute to a) eutrophication (in particular, ni-trates and phosphates) nickel dinitrate Substances and preparations, or a) the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment nickel dinitrate Metals and their compounds a)

United Kingdom (en) Page 15 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Silver nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Silver nitrate	Metals and their compounds		a)	

#### Legend

A) B) C) Indicative list of the main pollutants

List of priority substances in the field of water policy

Environmental Quality Standards for Priority Substances and certain other pollutants

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/w

#### Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### National regulations(GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

#### Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

United Kingdom (en) Page 16 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Multi-Element	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

**TSCA** 

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory AIIC CICR CSCL-ENCS DSL ECSI IECSC

INSQ

ISHA-ENCS

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

## **Chemical Safety Assessment**

Chemical safety assessments for substances in this mixture were not carried out.

United Kingdom (en) Page 17 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % HNO<sub>3</sub> - mg/l

article number: 1K38

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Alignment to regulation: Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Nitric acid%, Nickel dinitrate	Hazardous ingredients for labelling: Nitric acid% [C ≤ 70 %], Nickel dinitrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nitric acid%, Nickel dinitrate		yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard

United Kingdom (en) Page 18 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1K38

Abbr.	Descriptions of used abbreviations
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

United Kingdom (en) Page 19 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/l$

article number: 1K38

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

United Kingdom (en) Page 20 / 21

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution CR-01 ROTI®Star 19 elements in 5 % $\rm HNO_3$ - $\rm mg/I$

article number: 1K38

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 21 / 21