Karl Fischer ROTI®Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN** Version: **1.0 en**

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Karl Fischer ROTI®Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

1KPN

Registration number (REACH)

not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)



date of compilation: 2021-06-16

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI ${\ensuremath{\mathbb R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.2	Skin corrosion/irritation	1C	Skin Corr. 1C	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	1B	Repr. 1B	H360Df
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H226	- Flammable liquid and vapour
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H331	Toxic if inhaled
H351	Suspected of causing cancer
H360Df	May damage the unborn child. Suspected of damaging fertility
H372	Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P260	Do not breathe mist/vapours/spray

P280 Wear protective gloves/eye protection

article number: **1KPN**

Precautionary statements - response

P303+P361+P353IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
with water [or shower]P304+P340IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF INHALED: Remove person to fresh air and keep comfortable for breathing
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing

For professional users only

Hazardous ingredients for labelling:

Trichloromethane, Imidazole, 2,2,2-trifluoroethanol, Ethylene glycol

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger Symbol(s) H314 Causes severe skin burns and eye damage. H331 Toxic if inhaled. H351 Suspected of causing cancer. May damage the unborn child. Suspected of damaging fertility. H360Df H372 Causes damage to organs through prolonged or repeated exposure. P260 Do not breathe mist/vapours/spray. P280 Wear protective gloves/eye protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsina contains: Trichloromethane, Imidazole, 2,2,2-trifluoroethanol, Ethylene glycol

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ethylene glycol	CAS No 107-21-1 EC No 203-473-3 Index No 603-027-00-1 REACH Reg. No 01-2119456816- 28-xxxx	25 - 50	Acute Tox. 4 / H302 STOT RE 2 / H373	!	GHS-HC IOELV



according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Trichloromethane	CAS No 67-66-3	25 - 50	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315		GHS-HC IARC: 2B IOELV
	EC No 200-663-8		Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d		ICLLV
	Index No 602-006-00-4		STOT RE 1 / H372		
	REACH Reg. No 01-2119486657- 20-xxxx				
2,2,2-trifluoroethanol	CAS No 75-89-8	10 – 25	Flam. Liq. 3 / H226 Acute Tox. 3 / H301 Acute Tox. 4 / H312		
	EC No 200-913-6		Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Dam. 1 / H318		
	REACH Reg. No 01-2119488763- 23-xxxx		Repr. 2 / H361f STOT RE 2 / H373	\checkmark	
Imidazole	CAS No 288-32-4	5 – 10	Acute Tox. 4 / H302 Skin Corr. 1C / H314 Eye Dam. 1 / H318		GHS-HC
	EC No 206-019-2		Repr. 1B / H360D		
	Index No 613-319-00-0				
	REACH Reg. No 01-2119485825- 24-xxxx				
Iodine	CAS No 7553-56-2	1 – 5	Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332	(!)	GHS-HC
	EC No 231-442-4		Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335		
	Index No 053-001-00-3		STOT RE 1 / H372 Aquatic Acute 1 / H400		
	REACH Reg. No 01-2119485285- 30-xxxx				

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IARC: IARC group 2B: possibly carcinogenic to humans (International Agency for Research on Cancer)

2B: IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ethylene glycol	CAS No 107-21-1 EC No 203-473-3 Index No 603-027-00-1	-	-	500 ^{mg} / _{kg}	oral

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Trichlorometh- ane	CAS No 67-66-3	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: va- pour
	EC No 200-663-8				pour
	Index No 602-006-00-4				
2,2,2-trifluoro- ethanol	CAS No 75-89-8	-	-	240 ^{mg} / _{kg} 1.680 ^{mg} / _{kg} 2,9 ^{mg} / _l /4h	oral dermal inhalation: va-
	EC No 200-913-6			7- 1	pour
Imidazole	CAS No 288-32-4	-	-	970 ^{mg} / _{kg}	oral
	EC No 206-019-2				
	Index No 613-319-00-0				
Iodine	CAS No 7553-56-2	-	-	1.500 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} >4,588 ^{mg} /∣/	oral dermal inhalation: dust/
	EC No 231-442-4			24,388 377 4h	mist
	Index No 053-001-00-3				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.



article number: **1KPN**

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Cough, Dyspnoea, Spasms, Nausea, Vomiting, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia, Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources. Provide adequate ventilation.

® Roth

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo AK, for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	ethylene glycol	107-21-1	IOELV	20	52	40	104				2000/39/ EC
EU	chloroform	67-66-3	IOELV	2	10						2000/39/ EC
GB	ethane-1,2-diol	107-21-1	WEL		10					particl e	EH40/ 2005
GB	ethane-1,2-diol	107-21-1	WEL	20	52	40	104			vap	EH40/ 2005
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005
GB	iodine	7553-56- 2	WEL			0,1	1,1				EH40/ 2005

Notation

Ceiling-C particle STEL Ceiling value is a limit value above which exposure should not occur As airborne particles

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) As vapours

vap

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Ethylene glycol	107-21-1	DNEL	35 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Ethylene glycol	107-21-1	DNEL	106 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects				
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects				
2,2,2-trifluoroethan- ol	75-89-8	DNEL	0,1 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Imidazole	288-32-4	DNEL	10,6 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects				



article number: **1KPN**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure tin
Imidazole	288-32-4	DNEL	1,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - syster effects
Iodine	7553-56-2	DNEL	0,07 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - syster effects
Iodine	7553-56-2	DNEL	0,01 mg/kg bw/day	human, dermal	worker (industry)	chronic - syster effects
elevant PNECs	of compone	ents of th	ne mixture			
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tin
Ethylene glycol	107-21-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	water	intermittent ro lease
Ethylene glycol	107-21-1	PNEC	10 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sin instance)
Ethylene glycol	107-21-1	PNEC	1 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sin instance)
Ethylene glycol	107-21-1	PNEC	199,5 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin instance)
Ethylene glycol	107-21-1	PNEC	37 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sin instance)
Ethylene glycol	107-21-1	PNEC	3,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sin instance)
Ethylene glycol	107-21-1	PNEC	1,53 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,146 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,015 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,048 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,45 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sin instance)
Trichloromethane	67-66-3	PNEC	0,56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sin instance)
Imidazole	288-32-4	PNEC	1,3 ^{mg} / _l	aquatic organ- isms	water	intermittent ro lease
Imidazole	288-32-4	PNEC	0,13 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sin instance)
Imidazole	288-32-4	PNEC	0,013 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sin instance)



article number: **1KPN**

Relevant PNECs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Imidazole	288-32-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Imidazole	288-32-4	PNEC	0,336 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)				
Imidazole	288-32-4	PNEC	0,034 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (singl instance)				
Imidazole	288-32-4	PNEC	0,043 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (singl instance)				
Iodine	7553-56-2	PNEC	18,13 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (singl instance)				
Iodine	7553-56-2	PNEC	60,01 ^{µg} / _l	aquatic organ- isms	marine water	short-term (singl instance)				
Iodine	7553-56-2	PNEC	11 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (singl instance)				
Iodine	7553-56-2	PNEC	3,99 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (singl instance)				
Iodine	7553-56-2	PNEC	20,22 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (singl instance)				
Iodine	7553-56-2	PNEC	5,95 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

• type of material

FKM (fluoro rubber)

material thickness

≥0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	light yellow
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	>30 °C
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	5 – 6,5 (in aqueous solution: 100 ^g / _l , 20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available



article number: **1KPN**

Vapour pressure	not determined
Density	1,15 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

The mixture contains reactive substance(s). Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides, => Explosive properties

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different plastics, Rubber articles, Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ΑΤΕ		
Ethylene glycol	107-21-1	oral	500 ^{mg} / _{kg}		
Trichloromethane	67-66-3	oral	908 ^{mg} / _{kg}		
Trichloromethane	67-66-3	inhalation: vapour	3 ^{mg} /ı/4h		
2,2,2-trifluoroethanol	75-89-8	oral	240 ^{mg} / _{kg}		
2,2,2-trifluoroethanol	75-89-8	dermal	1.680 ^{mg} / _{kg}		
2,2,2-trifluoroethanol	75-89-8	inhalation: vapour	2,9 ^{mg} /ı/4h		
Imidazole	288-32-4	oral	970 ^{mg} / _{kg}		
Iodine	7553-56-2	oral	1.500 ^{mg} / _{kg}		
Iodine	7553-56-2	dermal	1.100 ^{mg} / _{kg}		
Iodine	7553-56-2	inhalation: dust/mist	>4,588 ^{mg} / _l /4h		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Ethylene glycol	107-21-1	dermal	LD50	>3.500 ^{mg} / _{kg}	mouse
Ethylene glycol	107-21-1	oral	LD50	4.700 ^{mg} / _{kg}	rat
Trichloromethane	67-66-3	oral	LD50	908 ^{mg} / _{kg}	rat
2,2,2-trifluoroethanol	75-89-8	inhalation: va- pour	LC50	2,9 ^{mg} / _l /4h	rat
2,2,2-trifluoroethanol	75-89-8	oral	LD50	240 ^{mg} / _{kg}	rat
2,2,2-trifluoroethanol	75-89-8	dermal	LD50	1.680 ^{mg} / _{kg}	rat
Imidazole	288-32-4	oral	LD50	970 ^{mg} / _{kg}	rat
Iodine	7553-56-2	oral	LD50	14.000 ^{mg} / _{kg}	not specified
Iodine	7553-56-2	inhalation: dust/mist	LC50	>4,588 ^{mg} / _l / 4h	rat



article number: **1KPN**

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Iodine	7553-56-2	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

May damage the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Hazard category	Target organ	Exposure route
2	thyroid gland	if swallowed
2	kidney	if swallowed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, nausea, If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

If on skin

causes severe burns, Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes poorly healing wounds



article number: **1KPN**

Other information

none

11.2 Endocrine disrupting properties None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethylene glycol	107-21-1	LC50	>72.860 ^{mg} / _l	fish	96 h
Ethylene glycol	107-21-1	EC50	>100 ^{mg} / _l	daphnia magna	48 h
Ethylene glycol	107-21-1	ErC50	<13.000 ^{mg} / _l	algae	96 h
Trichloromethane	67-66-3	EC50	152,5 ^{mg} / _l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 ^{mg} / _l	algae	72 h
2,2,2-trifluoroethanol	75-89-8	EC50	>974 ^{mg} / _l	algae	72 h
Imidazole	288-32-4	LC50	283,6 ^{mg} / _l	fish	48 h
Imidazole	288-32-4	EC50	341,5 ^{mg} / _l	aquatic invertebrates	48 h
Imidazole	288-32-4	ErC50	133 ^{mg} / _l	algae	72 h
Iodine	7553-56-2	LC50	1,67 ^{mg} / _l	fish	96 h
Iodine	7553-56-2	ErC50	0,13 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

-	-		-		
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ethylene glycol	107-21-1	LC50	>1.500 ^{mg} / _l	fish	28 d
Ethylene glycol	107-21-1	EC50	>15.000 ^{mg} / _l	aquatic invertebrates	21 d
Trichloromethane	67-66-3	EC50	0,48 ^{mg} / _l	microorganisms	24 h
2,2,2-trifluoroethanol	75-89-8	EC50	>1.000 ^{mg} / _l	microorganisms	3 h
Imidazole	288-32-4	EC50	>1.000 ^{mg} / _l	microorganisms	30 min
Iodine	7553-56-2	EC50	280 ^{mg} / _l	microorganisms	3 h

Biodegradation

Data are not available.



article number: **1KPN**

12.2 Process of degradability

Degradabilit	Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source	
Ethylene glycol	107-21-1	biotic/abiotic	83 – 96 %	14 d			
Ethylene glycol	107-21-1	DOC removal	90 – 100 %	10 d		ECHA	
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d			
Imidazole	288-32-4	biotic/abiotic	86 %	19 d			
Imidazole	288-32-4	DOC removal	90 – 100 %	18 d		ECHA	

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No BCF Log KOW BOD					
Ethylene glycol	107-21-1		-1,36			
Trichloromethane	67-66-3		1,97 (25 °C)			
2,2,2-trifluoroethanol	75-89-8		<0,3 (25 °C)			
Imidazole	288-32-4		0,0586			
Iodine	7553-56-2		2,49 (20 °C)			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

® §ROTH

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1992
	IMDG-Code	UN 1992
	ICAO-TI	UN 1992
14.2	UN proper shipping name	
	ADR/RID/ADN	FLAMMABLE LIQUID, TOXIC, N.O.S.
	IMDG-Code	FLAMMABLE LIQUID, TOXIC, N.O.S.
	ICAO-TI	Flammable liquid, toxic, n.o.s.
	Technical name (hazardous ingredients)	2,2,2-trifluoroethanol, Trichloromethane
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3 (6.1)
	IMDG-Code	3 (6.1)
	ICAO-TI	3 (6.1)
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations
116	Special precautions for user	

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

® Roth

Karl Fischer ${\rm ROTI} \circledast {\rm Hydroquant\ coulo\ AK}$, for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Transport of dangerous goods by road, rai information	il and inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the transport document	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (contains: 2,2,2-trifluoroethanol, Trichlorometh- ane), 3 (6.1), III, (D/E)
Classification code	FT1
Danger label(s)	3+6.1
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	36
Emergency Action Code	3W
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the shipper's declaration	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (contains: 2,2,2-trifluoroethanol, Trichlorometh- ane), 3 (6.1), III, >30°C c.c.
Marine pollutant	-
Danger label(s)	3+6.1
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information
Proper shipping name	Flammable liquid, toxic, n.o.s.
Particulars in the shipper's declaration	UN1992, Flammable liquid, toxic, n.o.s., (contains 2,2,2-trifluoroethanol, Trichloromethane), 3 (6.1), III
Danger label(s)	3+6.1

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	2 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Karl Fischer ROTI®Hydroquant coulo AK	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Imidazole	toxic for reproduction		R28-30	30
Trichloromethane	chloroform	67-66-3	R32-38	32
Trichloromethane	substances in tattoo inks and perman- ent make-up		R75	75
2,2,2-trifluoroethanol	flammable / pyrophoric		R40	40

Legend

R28-30 1. Shall not be placed on the market, or used,

 as substances - as constituents of other substances, or,

- in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:

'Restricted to professional users'

2. By way of derogation, paragraph 1 shall not apply to:

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC; (b) cosmetic products as defined by Directive 76/768/EEC;

(c) the following fuels and oil products:
 - motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,

fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date; (f) devices covered by Regulation (EU) 2017/745.

Karl Fischer ROTI®Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

Legend

R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black on a container not exceeding 1 litro by 1 December 2010;

- opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Shall not be placed on the market, or used,
- R32-38
 - as substances.

- as constituents of other substances, or in mixtures in concentrations equal to or greater than 0,1 % by weight,

where the substance or mixture is intended for supply to the general public and/or is intended for diffusive applica-tions such as in surface cleaning and cleaning of fabrics. 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such sub-stances and mixtures containing them in concentrations equal to or greater than 0,1 % by weight is visibly, legibly and indelibly marked as follows: indelibly marked as follows: 'For use in industrial installations only'.

By way of derogation this provision shall not apply to:

(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
 (b) cosmetic products as defined by Directive 76/768/EEC.

Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

 metallic glitter intended mainly for decoration,
 artificial snow and frost,

- 'whoopee' cushions,

silly string aerosols,

- imitation excrement,

- horns for parties,
 decorative flakes and foams,
- artificial cobwebs,

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of a way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.



according to Regulation (EC) No. 1907/2006 (REACH)

Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN



	stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in questior
	are present in the following circumstances:
	a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen cate IA, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentratio
e	equal to or greater than 0,00005 % by weight;
	b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive to
	category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % weight:
(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser c
	egory 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by
	weight; d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive c
	egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, t
S	substance is present in the mixture in a concentration equal to or greater than:
	i) 0,1 % by weight, if the substance is used solely as a pH regulator;
ì	ii) 0,01 % by weight, in all other cases; e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in
r	nixture in a concentration equal to or greater than 0,00005 % by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column
	Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in nixture in a concentration equal to or greater than 0,00005 % by weight:
) "Rinse-off products";
Ì	ií) "Not to be used in products applied on mucous membranes";
	iii) "Not to be used in eye products"; a) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready fo
	g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready fo preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is pres
	he mixture in a concentration, or in some other way, that does not accord with the condition specified in that c
	h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a co
	ration equal to or greater than the concentration limit specified for that substance in that Appendix.
∠ t	2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the sure into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures con
r	nonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the
	naking a mark or design on his or her body.
3	3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the stric conceptration limit laid down in the pointe in question shall apply to that substance. If a substance listed in Apply 1.
	concentration limit laid down in the points in question shall apply to that substance. If a substance listed in App I3 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h)
F	paragraph 1 shall apply to that substance.
	4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
	a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
	5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify
S	stance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or si
	that it then falls within a different one of those points from the one within which it fell previously, and the date of the second s
	plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treate
ť	aking effect on the date of application of that new or revised classification.
	5. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the
C C	of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, such that it then falls within a different one of those points from the one within which it fell previously, and the
ć	amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this en
t	hat amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect fror
ç	date falling 18 months after entry into force of the act by which that amendment was made.
/ r	7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 20 nixture is marked with the following information:
(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
	c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient
T	names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name UPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredien
	be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" mo
ā	any substance added during the process of formulation and present in the mixture for use for tattooing purpos
ŗ	purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that in
	ent does not need to be marked in accordance with this Regulation;
(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concer
	ion limit specified in Appendix 13; the statement "Contains chromium (VI). Can cause allorgic reactions " if the mixture contains chromium (VI) h
t	f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) b the concentration limit specified in Appendix 13;
	g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (Ed
1	1272/2008.
]	The information shall be clearly visible, easily legible and marked in a way that is indelible.
r r	The information shall be written in the official language(s) of the Member State(s) where the mixture is placed o market, unless the Member State(s) concerned provide(s) otherwise.
۱	Where necessary because of the size of the package, the information listed in the first subparagraph, except for
(a), shall be included instead in the instructions for use.
- 2	Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoin

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Legend

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Seveso Directive

2012/	2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

41) - Category 2, all exposure routes

- category 3, inhalation exposure route

Deco-Paint Directive

VOC content 91 % 1.046 g/1 1.046 g/1
--

Industrial Emissions Directive (IED)

VOC content	91 %
VOC content	1.046 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant coulo AK, for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Imidazole	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Trichloromethane	trichloromethane (chloroform)	67-66-3	B)	
Trichloromethane	trichloromethane	67-66-3	C)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
2,2,2-trifluoroethanol	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		A)	
2,2,2-trifluoroethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend A) B) C)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Name of substance	CAS No	Category / subcat- egory	Use limitation
Trichloromethane	67-66-3	i(2)	b

Legend

b i(2) Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation Sub-category: i(2) - industrial chemical for public use

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AICSAustralian Inventory of Chemical SubstancesCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesISHA-ENCSInventory of Existing and New Chemical Substances (ISHA-ENCS)KECIKorea Existing Chemicals InventoryNZIOCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)PICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: 1KPN

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	European Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions

according to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI $\ensuremath{\mathbb{R}}$ Hydroquant coulo AK , for KF titration, coulometric for aldehydes and ketones

article number: **1KPN**

Abbr.	Descriptions of used abbreviations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.



article number: **1KPN**

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H351	Suspected of causing cancer.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H361d	Suspected of damaging the unborn child.
H361f	Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.