according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: **1LH8** Version: **1.0 en** date of compilation: 2021-10-11

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1LH8

048-002-00-0

215-146-2 1306-19-0

1.1 Product identifier

Identification of the substance Article number

Registration number (REACH)

Index number in CLP Annex VI

EC number

CAS number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

01-2119486766-19-xxxx

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Cadmium oxide ≥99 %, p.a., Battery Grade

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.5	3.5 Germ cell mutagenicity		Muta. 2	H341
3.6	3.6 Carcinogenicity		Carc. 1B	H350
3.7	3.7 Reproductive toxicity		Repr. 2	H361fd
3.9	3.9 Specific target organ toxicity - repeated exposure		STOT RE 1	H372
4.1A	1A Hazardous to the aquatic environment - acute hazard		Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS06, GHS08, GHS09

Hazard statements

H330	Fatal if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child
H372	Causes damage to organs through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P201	Obtain special instructions before use
P273	Avoid release to the environment

Precautionary statements - response


P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor

For professional users only

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 1LH8

Symbol(s)	
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
P201	Obtain special instructions before use.
P304+P340	IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P308+P311	IF exposed or concerned: Call a POISON CENTER/doctor.

2.3 **Other hazards**

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance	Cadmium oxide
Molecular formula	CdO
Molar mass	128,4 ^g / _{mol}
REACH Reg. No	01-2119486766-19-xxxx
CAS No	1306-19-0
EC No	215-146-2
Index No	048-002-00-0

Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
Cadmium oxide	1306-19-0	215-146-2	Candidate list	Carc. A57a STOT-re A57(f)- HH

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Carc. A57a STOT-re

Carcinogenic (article 57a) Specific target organ toxicity - repeated exposure (article 57(f) - human health) A57(f)-HH

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (acute) = 10.0 M-factor (chronic) = 10.0	0,05 ^{mg} /ı/4h	inhalation: dust/ mist

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Irritation, Cough, Dyspnoea, Oedema, Following ingestion: Irreversible damage to internal organs

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Cadmium compounds

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	cadmium oxide	1306-19-0	WEL	0,025	0,05		Cd, fume	EH40/2005

Notation

Notation	
Cd	Calculated as Cd (cadmium)
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
fume	As fume
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-
	minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8
	hours time-weighted average (unless otherwise specified)


Human health values

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	d Protection goal, Used in Exposure to route of exposure				
DNEL	4 µg/m³	human, inhalatory	worker (industry)	chronic - local effects		

Environmental values

Relevant	Relevant PNECs and other threshold levels				
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0,19 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)	
PNEC	1,14 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)	
PNEC	20 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	1,8 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0,64 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	0,9 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)	

according to Regulation (EC) No. 1907/2006 (REACH)



® ROTH

article number: 1LH8

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	perties
	Physical state	solid
	Form	powder
	Colour	brown - red brown
	Odour	odourless
	Melting point/freezing point	870 – 950 °C (sublimation point)
	Boiling point or initial boiling point and boiling range	not determined
	Flammability	non-combustible
	Lower and upper explosion limit	not determined
	Flash point	not applicable
	Auto-ignition temperature	not determined
	Decomposition temperature	not relevant
	pH (value)	not applicable
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	0,0021 ^g / _l at 20 °C (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density	8,26 ^g / _{cm³} at 22 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Aluminium, Ammonium compounds, Hydrazine, Perchlorates, Hydrogen sulphide (H_2S), Hydrogen peroxide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Fatal if inhaled.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Suspected of causing genetic defects.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Suspected of damaging the unborn child. Suspected of damaging fertility.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, spasms of swallowing muscles, irreversible damage to internal organs

• If in eyes

Data are not available.

• If inhaled

irritant effects, cough, Dyspnoea, pulmonary oedema

• If on skin

Data are not available.

Other information

none

11.2 Endocrine disrupting properties Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
ErC50	18 ^{µg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	8,1 ^{µg} / _l	fish	ECHA	100 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 2570
	IMDG-Code	UN 2570
	ICAO-TI	UN 2570
14.2	UN proper shipping name	
	ADR/RID/ADN	CADMIUM COMPOUND
	IMDG-Code	CADMIUM COMPOUND
	ICAO-TI	Cadmium compound
	Technical name	Cadmium oxide
14.3	Transport hazard class(es)	
	ADR/RID/ADN	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADR/RID/ADN	II

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: **1LH8**

	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be o	complied within the premises.
14.7	Maritime transport in bulk according to IMO ir	struments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulati	ons
	Transport of dangerous goods by road, rail and information	l inland waterway (ADR/RID/ADN) - Additional
	Proper shipping name	CADMIUM COMPOUND
	Particulars in the transport document	UN2570, CADMIUM COMPOUND, (Cadmium ox- ide), 6.1, II, (D/E), environmentally hazardous
	Classification code	Т5
	Danger label(s)	6.1, "Fish and tree"
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Special provisions (SP)	274, 596, 802(ADN)
	Excepted quantities (EQ)	E4
	Limited quantities (LQ)	500 g
	Transport category (TC)	2
	Tunnel restriction code (TRC)	D/E
	Hazard identification No	60
	Emergency Action Code	2X
	International Maritime Dangerous Goods Code	(IMDG) - Additional information
	Proper shipping name	CADMIUM COMPOUND
	Particulars in the shipper's declaration	UN2570, CADMIUM COMPOUND, (Cadmium ox- ide), 6.1, II, MARINE POLLUTANT
	Marine pollutant	Yes (hazardous to the aquatic environment)
	Danger label(s)	6.1, "Fish and tree"
	Special provisions (SP)	274
	Excepted quantities (EQ)	E4
	Limited quantities (LQ)	500 g
	EmS	F-A, S-A

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Stowage category	A
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Cadmium compound
Particulars in the shipper's declaration	UN2570, Cadmium compound, (Cadmium oxide), 6.1, II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1
Special provisions (SP)	A3, A5
Excepted quantities (EQ)	E4
Limited quantities (LQ)	1 kg

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cadmium oxide	cadmium compounds		R23	23
Cadmium oxide	cadmium compounds		R72	72
Cadmium oxide	carcinogenic		R28-30	28
Cadmium oxide	substances in tattoo inks and perman- ent make-up		R75	75

Legend R23

For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87

(1). 1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter re-

- Shall not be used in mixtures and articles produced from the following synthetic organic polymers (necesseries):
 polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21]
 polyurethane (PUR) [3909 50]
 low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10]
 cellulose acetate (CA) [3912 11]
 cellulose acetate butyrate (CAB) [3912 11]

- epoxy resins [3907 30]
- melamine-formaldehyde (MF) resins [3909 20]
 urea-formaldehyde (UF) resins [3909 10]

- urea-formationyde (UF) resins [3909 10]
 unsaturated polyesters (UP) [3907 91]
 polyethylene terephthalate (PET) [3907 60]
 polybutylene terephthalate (PBT)
 transparent/general-purpose polystyrene [3903 11]
 acrylonitrile methylmethacrylate (AMMA)
 cross-linked polyethylene (VPE)
 bigh impact polystyrene polystyrene

- high-impact polystyrene - polypropylene (PP) [3902 10] Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concen-tration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011 2011.

The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (13) and acts adopted on its basis. By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to pre-

according to Regulation (EC) No. 1907/2006 (REACH)

Cadmium oxide ≥99 %, p.a., Battery Grade



article number: 1LH8

Legend pare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted. 2. Shall not be used in paints [3208] [3209]. 2. Shall not be used in paints [5209] [5209]. For paints with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight. Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons. for safety reasons. 4. By way of derogation, paragraph 1, second subparagraph shall not apply to: - mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC', - mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications: (a) profiles and rigid sheets for building applications; (b) doors, windows, shutters, walls, blinds, fences, and roof gutters; (c) decks and terraces; (d) cable ducts; (e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above. Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pic-terms.' togram: image In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017. 5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic surface. Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications: (a) equipment and machinery for: - food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11] - agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436] - cooling and freezing [8418] - printing and book-binding [8440] [8442] [8443] (b) equipment and machinery for the production of: - household goods [7321] [8421 12] [8450] [8509] [8516] - furniture [8465] [8466] [9401] [9402] [9403] [9404] - sanitary ware [7324] - central heating and air conditioning plant [7322] [8403] [8404] [8415] In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufac-tured in the sectors listed in point (b) above is prohibited. 6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of plications: 6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below: (a) equipment and machinery for the production of: - paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452] (b) equipment and machinery for the production of: - industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431] road and agricultural vehicles [chapter 87] rolling stock [chapter 86] vessels [chapter 89] However, the restrictions in paragraphs 5 and 6 shall not apply to: articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels - electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on which they are installed. 8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight. greater than 0,01 % by weight. For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperat-ures above 450 °C. Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in: (i) metal beads and other metal components for jewellery making; (ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including: - bracelets, necklaces and rings, piercing jewellery, wrist-watches and wrist-wear, - brooches and cufflinks. 11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011.

according to Regulation (EC) No. 1907/2006 (REACH)

Cadmium oxide ≥99 %, p.a., Battery Grade



article number: 1LH8

Legend

R72

R28-30 1. Shall not be placed on the market, or used,

- as substances
- as constituents of other substances, or, in mixtures

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Of Annex VI to Regulation (EC) No 12/2/2008.
Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following fuels and oil products:

(c) the following fuels and oil products:

- motor fuels which are covered by Directive 98/70/EC

motor rues which are covered by Directive 98//0/EC,
mineral oil products intended for use as fuel in mobile or fixed combustion plants,
fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.
1. Shall not be placed on the market after 1 November 2020 in any of the following:
(a) clothing or related accessories:

 (a) clothing or related accessories;
 (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

(c) footwear;

if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.

2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter. 3. Paragraph 1 shall not apply to:

(a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;

(b) non-textile fasteners and non-textile decorative attachments;

(c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.

4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).

the European Parliament and of the Council (**). 5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose. 6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation. 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Coun-cil Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

according to Regulation (EC) No. 1907/2006 (REACH)

Cadmium oxide ≥99 %, p.a., Battery Grade



article number: 1LH8



according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclus-ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

Name acc. to inventory	CAS No	Listed in	Remarks
cadmium oxide	1306-19-0	Candidate list	Carc. A57a STOT-re A57(f)-HH

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Carc. A57a Carcinogenic (article 57a) STOT-re A57(f)- Specific target organ toxicity - repeated exposure (article 57(f) - human health)

HH

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	plication of lower	(tonnes) for the ap- and upper-tier re- ments	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

- Category 2, all exposure routes 41)

- category 3, inhalation exposure route

Deco-Paint Directive

VOC content	0 % , 0 ^g /l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium oxide	cadmium compounds		B)	HAZ
Cadmium oxide	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	C)	
Cadmium oxide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Cadmium oxide	Metals and their compounds		A)	

Legend

A) B) C) HAZ

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Cadmium oxide	cadmium compounds		i(1)	sr

Legend

i(1) sr

Sub-category: i(1) - industrial chemical for professional use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
ATE	Acute Toxicity Estimate	
Carc.	Carcinogenicity	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Abbr.	Descriptions of used abbreviations
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

according to Regulation (EC) No. 1907/2006 (REACH)



Cadmium oxide ≥99 %, p.a., Battery Grade

article number: 1LH8

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H330	Fatal if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.