

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07

ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**
Version: **1.1 en**
Replaces version of: 2021-11-23
Version: (1)

date of compilation: 2021-11-23
Revision: 2021-11-23

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

| | |
|---------------------------------|--|
| Identification of the substance | ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l |
| Article number | 1LXN |
| Registration number (REACH) | not relevant (mixture) |

1.2 Relevant identified uses of the substance or mixture and uses advised against

| | |
|---------------------------|---|
| Relevant identified uses: | Laboratory chemical Laboratory and analytical use |
| Uses advised against: | Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). |

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|-----------------|-----------|---------------------------|------------------|
| 3.6 | Carcinogenicity | 1B | Carc. 1B | H350 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word

Danger

Pictograms

GHS05, GHS08



Hazard statements

H290 May be corrosive to metals
H315 Causes skin irritation
H318 Causes serious eye damage
H350 May cause cancer

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Hazardous ingredients for labelling: Cadmium nitrate, Nitric acid ...% [C ≤ 70 %]

Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H318 Causes serious eye damage.
H350 May cause cancer.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
contains: Cadmium nitrate, Nitric acid ...% [C ≤ 70 %]

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

| Name of sub-stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-----------------------------|--|-------|---|------------|-------------------------------------|
| Nitric acid ...% [C ≤ 70 %] | CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 REACH Reg. No 01-2119487297- 23-xxxx | ≤ 3 | Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071 | | B(a) GHS-HC IOELV |
| Cadmium nitrate | CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6 REACH Reg. No 01-2119480476- 30-xxxx | < 0,1 | Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | GHS-HC IARC: 1 RoC "Known" |
| Silver nitrate | CAS No 7761-88-8 EC No 231-853-9 Index No 047-001-00-2 REACH Reg. No 01-2119513705- 43-xxxx | < 0,1 | Ox. Sol. 2 / H272 Met. Corr. 1 / H290 Skin Corr. 1B / H314 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | GHS-HC |

Notes

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IOELV: Substance with a community indicative occupational exposure limit value

RoC NTP-RoC: Known To Be A Human Carcinogen

"Known"

:

| Name of sub-stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------------|---|--|-----------|--------------|-------------------------|
| Nitric acid ...% [C ≤ 70 %] | CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 | Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 % | - | 2,65 mg/l/4h | inhalation: va- pour |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| Name of substance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-------------------|--|----------------------------|--|---|---|
| Cadmium nitrate | CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6 | Carc. 1B; H350: C ≥ 0,01 % | M-factor (acute) = 10.0 M-factor (chronic) = 10.0 | 147 mg/kg 1.100 mg/kg 1,5 mg/l/4h | oral dermal inhalation: dust/ mist |
| Silver nitrate | CAS No 7761-88-8 EC No 231-853-9 Index No 047-001-00-2 | - | M-factor (acute) = 100.0 M-factor (chronic) = 100.0 | - | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Cough, Risk of blindness, Risk of serious damage to eyes, Irritation, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|---------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|------------|
| EU | nitric acid | 7697-37-2 | IOELV | | | 1 | 2,6 | | | | 2006/15/EC |
| GB | nitric acid | 7697-37-2 | WEL | | | 1 | 2,6 | | | | EH40/2005 |

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

| Name of substance | CAS No | End-point | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|-------------------|------------|-----------|-------------------------|------------------------------------|-------------------|----------------------------|
| Cadmium nitrate | 10325-94-7 | DNEL | 4 µg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| Silver nitrate | 7761-88-8 | DNEL | 0,016 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| Relevant PNECs of components of the mixture | | | | | | |
|---|------------|-----------|-----------------|-----------------------|------------------------------|------------------------------|
| Name of substance | CAS No | End-point | Threshold level | Organism | Environmental compartment | Exposure time |
| Cadmium nitrate | 10325-94-7 | PNEC | 0,19 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Cadmium nitrate | 10325-94-7 | PNEC | 1,14 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Cadmium nitrate | 10325-94-7 | PNEC | 20 µg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Cadmium nitrate | 10325-94-7 | PNEC | 1,8 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Cadmium nitrate | 10325-94-7 | PNEC | 0,64 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Cadmium nitrate | 10325-94-7 | PNEC | 0,9 mg/kg | terrestrial organisms | soil | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 0,04 µg/l | aquatic organisms | freshwater | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 0,86 µg/l | aquatic organisms | marine water | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 0,025 mg/l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 438,1 mg/kg | aquatic organisms | freshwater sediment | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 438,1 mg/kg | aquatic organisms | marine sediment | short-term (single instance) |
| Silver nitrate | 7761-88-8 | PNEC | 1,41 mg/kg | terrestrial organisms | soil | short-term (single instance) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|---------------------------|
| Physical state | liquid |
| Colour | colourless - light yellow |
| Odour | stinging |
| Melting point/freezing point | ~ 0 °C |
| Boiling point or initial boiling point and boiling range | ~ 100 °C at 1.013 hPa |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | <2 (20 °C) |
| Kinematic viscosity | not determined |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density $\sim 1 \text{ g/cm}^3$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH₃), Bases, Metals, Acids

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | 2,65 mg/l/4h |
| Cadmium nitrate | 10325-94-7 | oral | 147 mg/kg |
| Cadmium nitrate | 10325-94-7 | dermal | 1.100 mg/kg |
| Cadmium nitrate | 10325-94-7 | inhalation: dust/mist | 1,5 mg/l/4h |

| Acute toxicity of components of the mixture | | | | | |
|---|------------|--------------------|----------|---------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | LC50 | >2,65 mg/l/4h | rat |
| Cadmium nitrate | 10325-94-7 | oral | LD50 | 147 mg/kg | rat |
| Silver nitrate | 7761-88-8 | oral | LD50 | >2.000 mg/kg | rat |
| Silver nitrate | 7761-88-8 | dermal | LD50 | >2.000 mg/kg | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|------------|----------|------------|-----------------------|---------------|
| Cadmium nitrate | 10325-94-7 | LC50 | 58,16 µg/l | aquatic invertebrates | 48 h |
| Cadmium nitrate | 10325-94-7 | EC50 | 1.900 µg/l | aquatic invertebrates | 24 h |
| Cadmium nitrate | 10325-94-7 | ErC50 | 70 µg/l | algae | 72 h |
| Silver nitrate | 7761-88-8 | LC50 | 1,2 µg/l | fish | 96 h |

Aquatic toxicity (chronic) of components of the mixture

| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
|-------------------|------------|----------|------------|-----------------------|---------------|
| Cadmium nitrate | 10325-94-7 | LC50 | 1.500 µg/l | fish | 4 d |
| Cadmium nitrate | 10325-94-7 | EC50 | 8,1 µg/l | fish | 100 d |
| Silver nitrate | 7761-88-8 | EC50 | 0,8 µg/l | aquatic invertebrates | 7 d |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

| Bioaccumulative potential of components of the mixture | | | | |
|--|-----------|-----|---------|----------|
| Name of substance | CAS No | BCF | Log KOW | BOD5/COD |
| Silver nitrate | 7761-88-8 | 70 | | |

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-------------|---------|
| ADR/RID/ADN | UN 1760 |
| IMDG-Code | UN 1760 |
| ICAO-TI | UN 1760 |

14.2 UN proper shipping name

| | |
|--|--|
| ADR/RID/ADN | CORROSIVE LIQUID, N.O.S. |
| IMDG-Code | CORROSIVE LIQUID, N.O.S. |
| ICAO-TI | Corrosive liquid, n.o.s. |
| Technical name (hazardous ingredients) | Nitric acid ...% [C ≤ 70 %], Aluminium nitrate |

14.3 Transport hazard class(es)

| | |
|-------------|---|
| ADR/RID/ADN | 8 |
| IMDG-Code | 8 |
| ICAO-TI | 8 |

14.4 Packing group

| | |
|-------------|-----|
| ADR/RID/ADN | III |
| IMDG-Code | III |
| ICAO-TI | III |

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

| | |
|---|---|
| Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| Particulars in the transport document | UN1760, CORROSIVE LIQUID, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Aluminium nitrate), 8, III, (E) |
| Classification code | C9 |
| Danger label(s) | 8 |
|  | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E1 |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**

| | |
|-------------------------------|-----|
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 80 |
| Emergency Action Code | 2X |

International Maritime Dangerous Goods Code (IMDG) - Additional information

| | |
|--|--|
| Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| Particulars in the shipper's declaration | UN1760, CORROSIVE LIQUID, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Aluminium nitrate), 8, III |
| Marine pollutant | - |
| Danger label(s) | 8 |



| | |
|--------------------------|----------|
| Special provisions (SP) | 223, 274 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-B |
| Stowage category | A |

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

| | |
|--|--|
| Proper shipping name | Corrosive liquid, n.o.s. |
| Particulars in the shipper's declaration | UN1760, Corrosive liquid, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], Aluminium nitrate), 8, III |
| Danger label(s) | 8 |



| | |
|--------------------------|-----|
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 1 L |

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
Relevant provisions of the European Union (EU)
Restrictions according to REACH, Annex XVII

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| Dangerous substances with restrictions (REACH, Annex XVII) | | | | |
|--|--|--------|-------------|----|
| Name of substance | Name acc. to inventory | CAS No | Restriction | No |
| ICP Multi-Element Standard Solution CR-07 | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | R3 | 3 |
| Cadmium nitrate | cadmium compounds | | R23 | 23 |
| Cadmium nitrate | cadmium compounds | | R72 | 72 |
| Cadmium nitrate | carcinogenic | | R28-30 | 28 |
| Cadmium nitrate | germ cell mutagenic (mutagenic) | | R28-30 | 29 |
| Cadmium nitrate | substances in tattoo inks and permanent make-up | | R75 | 75 |
| Nitric acid ...% [C ≤ 70 %] | substances in tattoo inks and permanent make-up | | R75 | 75 |

Legend

R23 For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87 (1).

1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter referred to as plastic material):

- polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21]
- polyurethane (PUR) [3909 50]
- low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10]
- cellulose acetate (CA) [3912 11]
- cellulose acetate butyrate (CAB) [3912 11]
- epoxy resins [3907 30]
- melamine-formaldehyde (MF) resins [3909 20]
- urea-formaldehyde (UF) resins [3909 10]
- unsaturated polyesters (UP) [3907 91]
- polyethylene terephthalate (PET) [3907 60]
- polybutylene terephthalate (PBT)
- transparent/general-purpose polystyrene [3903 11]
- acrylonitrile methylmethacrylate (AMMA)
- cross-linked polyethylene (VPE)
- high-impact polystyrene
- polypropylene (PP) [3902 10]

Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011.

The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (13) and acts adopted on its basis.

By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to prepare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted.

2. Shall not be used in paints [3208] [3209].

For paints with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.

Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.

3. By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.

4. By way of derogation, paragraph 1, second subparagraph shall not apply to:

- mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC',
- mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications:

- (a) profiles and rigid sheets for building applications;
- (b) doors, windows, shutters, walls, blinds, fences, and roof gutters;
- (c) decks and terraces;
- (d) cable ducts;
- (e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above.

Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pictogram:

image

In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**

Legend

5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic surface.
Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:
- (a) equipment and machinery for:
- food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11]
 - agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436]
 - cooling and freezing [8418]
 - printing and book-binding [8440] [8442] [8443]
- (b) equipment and machinery for the production of:
- household goods [7321] [8421 12] [8450] [8509] [8516]
 - furniture [8465] [8466] [9401] [9402] [9403] [9404]
 - sanitary ware [7324]
 - central heating and air conditioning plant [7322] [8403] [8404] [8415]
- In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufactured in the sectors listed in point (b) above is prohibited.
6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of such articles when used in the sectors/applications listed in points (a) and (b) below and to articles manufactured in the sectors listed in (b) below:
- (a) equipment and machinery for the production of:
- paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452]
- (b) equipment and machinery for the production of:
- industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431]
 - road and agricultural vehicles [chapter 87]
 - rolling stock [chapter 86]
 - vessels [chapter 89]
7. However, the restrictions in paragraphs 5 and 6 shall not apply to:
- articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels,
 - electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on which they are installed.
8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight.
Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight.
For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperatures above 450 °C.
9. By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons.
10. Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the metal in:
- (i) metal beads and other metal components for jewellery making;
- (ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including:
- bracelets, necklaces and rings,
 - piercing jewellery,
 - wrist-watches and wrist-wear,
 - brooches and cufflinks.
11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and jewellery more than 50 years old on 10 December 2011.
- R28-30 1. Shall not be placed on the market, or used,
- as substances,
 - as constituents of other substances, or,
 - in mixtures,
- for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:
- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or,
 - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.
- Without prejudice to the implementation of other Community provisions relating to the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of such substances and mixtures is marked visibly, legibly and indelibly as follows:
- 'Restricted to professional users'.
2. By way of derogation, paragraph 1 shall not apply to:
- (a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
- (b) cosmetic products as defined by Directive 76/768/EEC;
- (c) the following fuels and oil products:
- motor fuels which are covered by Directive 98/70/EC,
 - mineral oil products intended for use as fuel in mobile or fixed combustion plants,
 - fuels sold in closed systems (e.g. liquid gas bottles);
- (d) artists' paints covered by Directive 1999/45/EC;
- (e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
- (f) devices covered by Regulation (EU) 2017/745.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Legend

- R3 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
 - tricks and jokes,
 - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
2. Articles not complying with paragraph 1 shall not be placed on the market.
3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
- can be used as fuel in decorative oil lamps for supply to the general public, and
 - present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
 - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
 - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R72 1. Shall not be placed on the market after 1 November 2020 in any of the following:
- (a) clothing or related accessories;
 - (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;
 - (c) footwear;
- if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.
2. By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
3. Paragraph 1 shall not apply to:
- (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;
 - (b) non-textile fasteners and non-textile decorative attachments;
 - (c) second-hand clothing, related accessories, textiles other than clothing or footwear
 - (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners.
4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (**).
5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose.
6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation.
7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly.
- (*) Regulation (EU) 2016/425 of the European Parliament and of the Council of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51).
- (**) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Council Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).

ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**

Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
 - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
 - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
 - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
 - (ii) 0,01 % by weight, in all other cases;
 - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
 - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
 - (i) "Rinse-off products";
 - (ii) "Not to be used in products applied on mucous membranes";
 - (iii) "Not to be used in eye products";
 - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
 - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
 2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
 3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
 - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
 - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
 - (a) the statement "Mixture for use in tattoos or permanent make-up";
 - (b) a reference number to uniquely identify the batch;
 - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
 - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
 - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
 - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
 - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Deco-Paint Directive

| | |
|-------------|--------------|
| VOC content | 0 % 0 g/l |
|-------------|--------------|

Industrial Emissions Directive (IED)

| | |
|---|-------|
| VOC content | 0 % |
| VOC content Water content was discounted | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|-----------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Cadmium nitrate | cadmium compounds | | B) | HAZ |
| Cadmium nitrate | Cadmium and its compounds (depending on water hardness classes) | 7440-43-9 | C) | |
| Cadmium nitrate | Substances which contribute to eutrophication (in particular, nitrates and phosphates) | | A) | |
| Cadmium nitrate | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | A) | |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| List of pollutants (WFD) | | | | |
|--------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Cadmium nitrate | Metals and their compounds | | A) | |
| Silver nitrate | Substances which contribute to eutrophication (in particular, nitrates and phosphates) | | A) | |
| Silver nitrate | Metals and their compounds | | A) | |

Legend

- A) Indicative list of the main pollutants
B) List of priority substances in the field of water policy
C) Environmental Quality Standards for Priority Substances and certain other pollutants
HAZ Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

| Explosives precursors which are subject to restrictions | | | | | |
|---|-----------|----------------------|---------|-------------|---|
| Name of substance | CAS No | Type of registration | Remarks | Limit value | Upper limit value for the purpose of licensing under Article 5(3) |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | Annex I | | 3 % w/w | 10 % w/w |

Legend

- annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

| Name of substance | Name acc. to inventory | CAS No | Category / subcategory | Use limitation |
|-------------------|------------------------|--------|------------------------|----------------|
| Cadmium nitrate | cadmium compounds | | i(1) | sr |

Legend

- i(1) Sub-category: i(1) - industrial chemical for professional use
sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|--------------------------------|
| AU | AICS | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

| | |
|------------|---|
| AICS | Australian Inventory of Chemical Substances |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|---|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| ADR/RID/ADN | Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| BCF | Bioconcentration factor |
| BOD | Biochemical Oxygen Demand |
| Carc. | Carcinogenicity |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLP | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures |
| COD | Chemical oxygen demand |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: 1LXN

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| log KOW | n-Octanol/water |
| Met. Corr. | Substance or mixture corrosive to metals |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| Muta. | Germ cell mutagenicity |
| NLP | No-Longer Polymer |
| NTP-RoC | National Toxicology Program: Report on Carcinogens |
| Ox. Liq. | Oxidising liquid |
| Ox. Sol. | Oxidising solid |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.
Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ICP Multi-Element Standard Solution CR-07 ROTI®Star 8 elements, 100 mg/l

article number: **1LXN**

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|---|
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H301 | Toxic if swallowed. |
| H312 | Harmful in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H340 | May cause genetic defects. |
| H350 | May cause cancer. |
| H372 | Causes damage to organs through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.