acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade

article number: **1N1E** Version: **2.0 en** Replaces version of: 2021-12-03 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Ammonia solution 25 % VLSI Grade
Article number	1N1E
Index No (GB CLP)	[007-001-01-2]
EC number	[215-647-6]
CAS number	[1336-21-6]

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture



date of compilation: 2021-12-03

Revision: 2023-07-18

sicherheit@carlroth.de

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1	Skin Corr. 1	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07, GHS09



Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

Immediately call a POISON CENTER/doctor

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310

Hazardous ingredients for labelling: Ammonia ...%

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade

article number: 1N1E

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ammonia%	CAS No 1336-21-6 EC No 215-647-6 Index No 007-001-01-2	≥25	Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	A CONTRACT OF CONTRACTON OF CONTRACTON OF CONTRACT.	B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ammonia%	CAS No 1336-21-6	STOT SE 3; H335: C ≥ 5 %	-	-	
	EC No 215-647-6				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade



article number: **1N1E**

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Vapours may form explosive mixtures with air. The product itself does not burn.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	ammonia, anhyd- rous	7664-41- 7	IOELV	20	14	50	36				2000/39/ EC
GB	ammonia, anhyd- rous	7664-41- 7	WEL	25	18	35	25				EH40/ 2005
Notati	Notation										

Ceiling-C Ceiling value is a limit value above which exposure should not occur

acc. to Regulation (EC) No. 1907/2006 (REACH)

® \$ROTH

Ammonia solution 25 % VLSI Grade

article number: 1N1E

Notation

STEL TWA Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Ammonia%	1336-21-6	DNEL	47,6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Ammonia%	1336-21-6	DNEL	47,6 mg/ m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Ammonia%	1336-21-6	DNEL	14 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Ammonia%	1336-21-6	DNEL	36 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Ammonia%	1336-21-6	DNEL	6,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Ammonia%	1336-21-6	DNEL	6,8 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ammonia%	1336-21-6	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Ammonia%	1336-21-6	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade

® ROTH

article number: **1N1E**

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

material thickness

>0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

- type of material: NBR (Nitrile rubber)
- material thickness: >0,11 mm
- breakthrough times of the glove material:

>240 minutes (permeation: level 5)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: K (against ammonia and organic ammonia derivatives, colour code: Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid
colourless - light yellow
stinging - like ammonia
not determined
not determined
non-combustible
16 vol% (LEL) - 30 vol% (UEL)
not determined

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade

article	number:	1N1F
article	number.	



Auto-ignition temperature630 °CDecomposition temperaturenot relevantpH (value)>12Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilitymiscible in any proportionPartition coefficient-1,38 (calculated value)Partition coefficient n-octanol/water (log value):-1,38 (calculated value)Vapour pressurenot determinedDensitynot determinedRelative vapour densityinformation on this property is not availableOther safety parameters Oxidising propertiesnoneUnformation with regard to physical hazard Classes:category 1: corrosive to metals Cotrosive to metalsOther safety characteristics:category 1: corrosive to metalsMiscibilitycompletely miscible with water		
pH (value)>12Kinematic viscositynot determinedSolubility(ies)miscible in any proportionPartition coefficientniscible in any proportionPartition coefficient-1,38 (calculated value)Vapour pressurenot determinedDensity and/or relative densitynot determinedDensitynot determinedRelative vapour densitynot determinedParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneInformation with regard to physical hazard classes:category 1: corrosive to metalsOther safety characteristics:category 1: corrosive to metals	Auto-ignition temperature	630 °C
Kinematic viscositynot determinedSolubility(ies)miscible in any proportionWater solubilitymiscible in any proportionPartition coefficient Partition coefficient n-octanol/water (log value):-1,38 (calculated value)Vapour pressurenot determined information on this property is not availableDensity Relative vapour densitynot determined information on this property is not availableOther safety parameters Oxidising propertiesnoneOther information Classes: Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:category 1: corrosive to metals	Decomposition temperature	not relevant
Solubility(ies) miscible in any proportion Partition coefficient miscible in any proportion Partition coefficient -1,38 (calculated value) Partition coefficient n-octanol/water (log value): -1,38 (calculated value) Vapour pressure not determined Density and/or relative density not determined Density not determined Relative vapour density not relevant (liquid) Other safety parameters none Oxidising properties none Other information tragent of the physical hazard classes: Corrosive to metals category 1: corrosive to metals Other safety characteristics: tategory 1: corrosive to metals	pH (value)	>12
Water solubilitymiscible in any proportionPartition coefficient Partition coefficient n-octanol/water (log value):-1,38 (calculated value)Partition coefficient n-octanol/water (log value):-1,38 (calculated value)Vapour pressurenot determinedDensity and/or relative density Densitynot determinedRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Information with regard to physical hazard classes: Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:category 1: corrosive to metals	Kinematic viscosity	not determined
Partition coefficient Partition coefficient n-octanol/water (log value): -1,38 (calculated value) Vapour pressure not determined Density and/or relative density not determined Density not determined Relative vapour density information on this property is not available Particle characteristics not relevant (liquid) Other safety parameters none Oxidising properties none Information with regard to physical hazard classes: category 1: corrosive to metals Other safety characteristics: category 1: corrosive to metals	Solubility(ies)	
Partition coefficient n-octanol/water (log value):-1,38 (calculated value)Vapour pressurenot determinedDensity and/or relative densitynot determinedDensitynot determinedRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOther informationnoneInformation with regard to physical hazard classes:category 1: corrosive to metalsOther safety characteristics:category 1: corrosive to metals	Water solubility	miscible in any proportion
Vapour pressurenot determinedDensity and/or relative densitynot determinedDensitynot determinedRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationinformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:information with regard to metals		-1 38 (calculated value)
Density and/or relative densityDensitynot determinedDensitynot determinedRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationInformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:Corrosive to metals	randion coefficient in octation watch (log value).	
Densitynot determinedRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationInformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:Category 1: corrosive to metals	Vapour pressure	not determined
Relative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther information	Density and/or relative density	
Particle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther information	Density	not determined
Other safety parametersOxidising propertiesnoneOther informationInformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:Other safety characteristics:	Relative vapour density	information on this property is not available
Other safety parametersOxidising propertiesnoneOther informationInformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:Other safety characteristics:		
Oxidising propertiesnoneOther informationInformation with regard to physical hazard classes:Corrosive to metalscategory 1: corrosive to metalsOther safety characteristics:	Particle characteristics	not relevant (liquid)
Other information Information with regard to physical hazard classes: Corrosive to metals Cother safety characteristics:	Other safety parameters	
Information with regard to physical hazard classes: Corrosive to metals Other safety characteristics:	Oxidising properties	none
classes: Corrosive to metals Other safety characteristics:	Other information	
Other safety characteristics:	Information with regard to physical hazard classes:	
-	Corrosive to metals	category 1: corrosive to metals
Miscibility completely miscible with water	Other safety characteristics:	
	Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Substance or mixture corrosive to metals. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Aldehydes, Chlorine, Chlorates, Fluorine, Halogenated hydrocarbons, Oxidisers, Perchlorates, Phosphorus oxides (e.g. P2O5), Mercury, Nitric acid, Acid chlorides, inorganic, Oxygen, Strong acid, Chromium(VI) oxide, Hydrogen peroxide, => Explosive properties

acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Ammonia solution 25 % VLSI Grade

article number: 1N1E

- **10.4 Conditions to avoid** Keep away from heat.
- **10.5 Incompatible materials** different metals, copper, iron, zinc

Release of flammable materials with

Metals, Light metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade

article number: 1N1E

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ammonia%	1336-21-6	EC50	2.700 ^{mg} / _l	algae	18 d

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \ge 0,1%.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

12.7 Other adverse effects

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 4 irritant - skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 8 corrosive
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

	ADRRID	UN 2672
	IMDG-Code	UN 2672
	ICAO-TI	UN 2672
14.2	UN proper shipping name	
	ADRRID	AMMONIA SOLUTION
	IMDG-Code	AMMONIA SOLUTION
	ICAO-TI	Ammonia solution
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	III

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment):	Ammonia%
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be o	complied within the premises.
14.7	Maritime transport in bulk according to IMO in	struments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulati	ons
	Agreement concerning the International Carria	age of Dangerous Goods by Road (ADR)Additional
	Proper shipping name	AMMONIA SOLUTION
	Particulars in the transport document	UN2672, AMMONIA SOLUTION, 8, III, (E), environ- mentally hazardous
	Classification code	C5
	Danger label(s)	8, "Fish and tree"
	Environmental hazards	Yes (hazardous to the aquatic environment)
	Special provisions (SP)	543
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	3
	Tunnel restriction code (TRC)	E
	Hazard identification No	80
	Emergency Action Code	2X
	Regulations concerning the International Carri information	iage of Dangerous Goods by Rail (RID)Additional
	Classification code	C5
	Danger label(s)	8 Fish and tree
	Environmental hazards	Yes Hazardous to water
	Special provisions (SP)	543
	Excepted quantities (EQ)	E1

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: **1N1E**

Transport category (TC)	3
Hazard identification No	80
International Maritime Dangerous Goods Code (IMDG) - Additional information
Proper shipping name	AMMONIA SOLUTION
Particulars in the shipper's declaration	UN2672, AMMONIA SOLUTION, 8, III, MARINE POLLUTANT
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Danger label(s)	8, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	18 - Alkalis
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Ammonia solution
Particulars in the shipper's declaration	UN2672, Ammonia solution, 8, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	8
Special provisions (SP)	A64
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso	Seveso Directive					
2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories		y (tonnes) for the ap- r and upper-tier re- ements	Notes		
35	ammonia, anhydrous	50	200			

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: **1N1E**

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Ammonia%	7664-41-7		10 000

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ammonia%	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	

Legend

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Ammonia solution	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

National inventories

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: **1N1E**

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Ammonia%		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: C5	yes
14.8		Danger label(s): 8 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 543	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 80	yes

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8	Marine pollutant: yes (P) (hazardous to the aquatic environment), (Ammonia%)	Marine pollutant: yes (P) (hazardous to the aquatic environment)	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed.		yes
15.1	VOC content: 0 % , 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 ^g / _l	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17: none of the ingredients are listed	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Ammonia solution 25 % VLSI Grade

article number: 1N1E

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

acc. to Regulation (EC) No. 1907/2006 (REACH)

Ammonia solution 25 % VLSI Grade



article number: 1N1E

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H290	May be corrosive to metals.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.