

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**  
Version: **1.0 en**

date of compilation: 2022-03-18

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance **ROTISZINT®FlowCount** NPE free ready-to-use, for scintillation

Article number 1P19

Registration number (REACH) not relevant (mixture)

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use  
Laboratory chemical

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

For full text of abbreviations: see SECTION 16

### The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS05, GHS08,  
GHS09



#### Hazard statements

H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H318	Causes serious eye damage
H410	Very toxic to aquatic life with long lasting effects

#### Precautionary statements

##### Precautionary statements - prevention

P280 Wear protective gloves/eye protection

##### Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Hazardous ingredients for labelling:

Bis(isopropyl)naphthalene, Phosphoric acid decyl octyl ester

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H304	May be fatal if swallowed and enters airways.
H318	Causes serious eye damage.

P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

contains: Bis(isopropyl)naphthalene, Phosphoric acid decyl octyl ester

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Bis(isopropyl)naphthalene	CAS No 38640-62-9  EC No 254-052-6  REACH Reg. No 01-2119565150-48-xxxx	40 – 60	Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
Alcohols, C11-15, secondary, ethoxylated	CAS No 68131-40-8  EC No 614-295-4	20 – 40	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Aquatic Chronic 3 / H412		
Butyldiglycol	CAS No 112-34-5  EC No 203-961-6  Index No 603-096-00-8	10 – 20	Eye Irrit. 2 / H319		GHS-HC IOELV
Phosphoric acid decyl octyl ester	CAS No 68186-45-8  EC No 269-041-1  REACH Reg. No 01-2120764667-39-xxxx	5 – 10	Skin Corr. 1B / H314 Eye Dam. 1 / H318		

#### Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Alcohols, C11-15, secondary, ethoxylated	CAS No 68131-40-8  EC No 614-295-4	-	-	≥2.000 mg/kg 11 mg/l/4h 1,06 mg/l/4h	oral inhalation: vapour inhalation: dust/mist

For full text of abbreviations: see SECTION 16

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**ROTISZINT®FlowCount NPE free ready-to-use, for scintillation**

article number: **1P19**

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### Following ingestion

Do NOT induce vomiting. Call a physician immediately. Observe aspiration hazard if vomiting occurs. Rinse mouth.

### 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Vomiting, Risk of blindness, Risk of serious damage to eyes, Irritation

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO<sub>x</sub>), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



**ROTISZINT®FlowCount NPE free ready-to-use, for scintillation**

article number: **1P19**

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Protect against: Direct light irradiation.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Ceiling-C [ppm]	Ceiling-C [mg/m <sup>3</sup> ]	Notation	Source
EU	2-(2-butoxyethoxy)ethanol	112-34-5	IOELV	10	67,5	15	101,2				2006/15/EC
GB	2-(2-butoxyethoxy)ethanol	112-34-5	WEL	10	67,5	15	101,2				EH40/2005

#### Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Bis(isopropyl)naphthalene	38640-62-9	DNEL	8,4 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Bis(isopropyl)naphthalene	38640-62-9	DNEL	2,38 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	DNEL	42,32 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	DNEL	6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Butyldiglycol	112-34-5	DNEL	67,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - local effects
Butyldiglycol	112-34-5	DNEL	101,2 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects
Phosphoric acid decyl octyl ester	68186-45-8	DNEL	8,23 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
Phosphoric acid decyl octyl ester	68186-45-8	DNEL	2,33 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0 mg/l	aquatic organisms	freshwater	short-term (single instance)
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0,15 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0,853 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0,085 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Bis(isopropyl)naphthalene	38640-62-9	PNEC	0,171 mg/kg	terrestrial organisms	soil	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	20 µg/l	aquatic organisms	freshwater	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	2 µg/l	aquatic organisms	marine water	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	8,24 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	28,1 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	2,81 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	PNEC	5,6 mg/kg	terrestrial organisms	soil	short-term (single instance)
Butyldiglycol	112-34-5	PNEC	1,1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Butyldiglycol	112-34-5	PNEC	0,11 mg/l	aquatic organisms	marine water	short-term (single instance)
Butyldiglycol	112-34-5	PNEC	4,4 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Butyldiglycol	112-34-5	PNEC	0,44 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Butyldiglycol	112-34-5	PNEC	0,32 mg/kg	terrestrial organisms	soil	short-term (single instance)
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	0,1 mg/l	aquatic organisms	freshwater	short-term (single instance)
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	0,01 mg/l	aquatic organisms	marine water	short-term (single instance)
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	2,03 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	304,6 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	30,46 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Phosphoric acid decyl octyl ester	68186-45-8	PNEC	60,68 mg/kg	terrestrial organisms	soil	short-term (single instance)

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

##### Eye/face protection



Use safety goggle with side protection.

##### Skin protection



##### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

##### • type of material

NBR (Nitrile rubber)

##### • material thickness

0,7mm


##### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

##### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

##### Respiratory protection





# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**

Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	<-30 °C at 101 kPa
Boiling point or initial boiling point and boiling range	>290 °C
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,7 vol% (LEL) - 5,9 vol% (UEL)
Flash point	149 °C
Auto-ignition temperature	338 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	~2,8
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	not determined
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	1,422 Pa at 25 °C
<u>Density and/or relative density</u>	
Density	~1 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### 9.2 Other information

Information with regard to physical hazard classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Temperature class (EU, acc. to ATEX)

T2  
Maximum permissible surface temperature on the equipment: 300°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### If heated

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser, Strong alkali

### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	oral	≥2.000 mg/kg
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	inhalation: vapour	11 mg/l/4h
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	inhalation: dust/mist	1,06 mg/l/4h

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Bis(isopropyl)naphthalene	38640-62-9	oral	LD50	4.130 mg/kg	rat
Bis(isopropyl)naphthalene	38640-62-9	inhalation: dust/mist	LC50	>5,64 mg/l/4h	rat
Bis(isopropyl)naphthalene	38640-62-9	dermal	LD50	>4.500 mg/kg	rat
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	inhalation: dust/mist	LC50	1,06 mg/l/4h	rat
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	oral	LD50	≥2.000 mg/kg	rat
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	dermal	LD50	>2.000 mg/kg	rat
Butyldiglycol	112-34-5	oral	LD50	2.410 mg/kg	mouse
Butyldiglycol	112-34-5	dermal	LD50	2.764 mg/kg	rabbit

### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

aspiration hazard

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

Data are not available.

- **If on skin**

causes skin irritation

- **Other information**

This information is based upon the present state of our knowledge.

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

### 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Bis(isopropyl)naphthalene	38640-62-9	LC50	>0,5 mg/l	fish	96 h
Bis(isopropyl)naphthalene	38640-62-9	EC50	>0,16 mg/l	aquatic invertebrates	48 h
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	LC50	3,2 mg/l	Pimephales promelas	96 h
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	EC50	7,3 mg/l	daphnia magna	48 h
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	LL50	1,53 mg/l	fish	96 h
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	EL50	5,66 mg/l	aquatic invertebrates	48 h
Butyldiglycol	112-34-5	LC50	1.300 mg/l	fish	96 h
Butyldiglycol	112-34-5	EC50	>100 mg/l	aquatic invertebrates	48 h
Butyldiglycol	112-34-5	ErC50	>100 mg/l	algae	96 h
Phosphoric acid decyl octyl ester	68186-45-8	LL50	>100 mg/l	fish	96 h
Phosphoric acid decyl octyl ester	68186-45-8	EL50	>100 mg/l	aquatic invertebrates	48 h
Phosphoric acid decyl octyl ester	68186-45-8	ErC50	>100 mg/l	algae	72 h
Phosphoric acid decyl octyl ester	68186-45-8	EC50	1,1 mg/l	algae	72 h

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	EC50	824 mg/l	microorganisms	3 h

### Biodegradation

Data are not available.

## 12.2 Process of degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Bis(isopropyl)naphthalene	38640-62-9	carbon dioxide generation	≤0,1 %	56 d		ECHA
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	biotic/abiotic	>60 %	28 d	OECD Guideline 301	
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	oxygen depletion	65 %	28 d		ECHA
Butyldiglycol	112-34-5	biotic/abiotic	58 %	d		
Butyldiglycol	112-34-5	oxygen depletion	85 %	28 d		ECHA
Phosphoric acid decyl octyl ester	68186-45-8	carbon dioxide generation	115 %	28 d		ECHA

## 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Bis(isopropyl)naphthalene	38640-62-9	1.800	6,081	
Alcohols, C11-15, secondary, ethoxylated	68131-40-8	≥181 – ≤3.010	3,382	
Butyldiglycol	112-34-5		1 (pH value: 7, 20 °C)	
Phosphoric acid decyl octyl ester	68186-45-8		4,71 (25 °C)	

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

None of the ingredients are listed.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

### 14.1 UN number or ID number

ADRRID	UN 3082
IMDG-Code	UN 3082
ICAO-TI	UN 3082

### 14.2 UN proper shipping name

ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
ICAO-TI	Environmentally hazardous substance, liquid, n.o.s.
Technical name (hazardous ingredients)	Bis(isopropyl)naphthalene

### 14.3 Transport hazard class(es)

ADRRID	9
IMDG-Code	9
ICAO-TI	9

### 14.4 Packing group

ADRRID	III
--------	-----





# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**

IMDG-Code	III
ICAO-TI	III
<b>14.5 Environmental hazards</b>	hazardous to the aquatic environment
Environmentally hazardous substance (aquatic environment):	Bis(isopropyl)naphthalene
<b>14.6 Special precautions for user</b>	
Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7 Maritime transport in bulk according to IMO instruments</b>	
The cargo is not intended to be carried in bulk.	
<b>14.8 Information for each of the UN Model Regulations</b>	
<b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information</b>	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the transport document	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Bis(isopropyl)naphthalene), 9, III, (-)
Classification code	M6
Danger label(s)	9, "Fish and tree"
 	
Environmental hazards	yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 335, 375, 601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	-
Hazard identification No	90
<b>Emergency Action Code</b>	3Z
<b>Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information</b>	
<b>Classification code</b>	9
<b>Danger label(s)</b>	9 Fish and tree
 	
<b>Environmental hazards</b>	Yes Hazardous to water
<b>Special provisions (SP)</b>	274, 335, 375, 601
<b>Excepted quantities (EQ)</b>	E1

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	90
<b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>	
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.
Particulars in the shipper's declaration	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (contains: Bis(isopropyl)naphthalene), 9, III
Marine pollutant	yes (hazardous to the aquatic environment), (Bis(isopropyl)naphthalene)
Danger label(s)	9, "Fish and tree"
 	
Special provisions (SP)	274, 335, 969
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-F
Stowage category	A
<b>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information</b>	
Proper shipping name	Environmentally hazardous substance, liquid, n.o.s.
Particulars in the shipper's declaration	UN3082, Environmentally hazardous substance, liquid, n.o.s., (contains: Bis(isopropyl)naphthalene), 9, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	9, "Fish and tree"
 	
Special provisions (SP)	A97, A158, A197, A215
Excepted quantities (EQ)	E1
Limited quantities (LQ)	30 kg

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
ROTISZINT®FlowCount	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3
Phosphoric acid decyl octyl ester	substances in tattoo inks and permanent make-up		R75	75
Butyldiglycol	2-(2-butoxyethoxy)ethanol (DEGBE)	112-34-5	R55	55
Butyldiglycol	substances in tattoo inks and permanent make-up		R75	75

#### Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;
- R55
1. Shall not be placed on the market for the first time after 27 June 2010, for supply to the general public, as a constituent of spray paints or spray cleaners in aerosol dispensers in concentrations equal to or greater than 3 % by weight.
  2. Spray paints and spray cleaners in aerosol dispensers containing DEGBE and not conforming to paragraph 1 shall not be placed on the market for supply to the general public after 27 December 2010.
  3. Without prejudice to other Community legislation concerning the classification, packaging and labelling of substances and mixtures, suppliers shall ensure before the placing on the market that paints other than spray paints containing DEGBE in concentrations equal to or greater than 3 % by weight of that are placed on the market for supply to the general public are visibly, legibly and indelibly marked by 27 December 2010 as follows: 'Do not use in paint spraying equipment'.

## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**

### Legend

- R75
1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:
    - (a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;
    - (d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:
      - (i) 0,1 % by weight, if the substance is used solely as a pH regulator;
      - (ii) 0,01 % by weight, in all other cases;
    - (e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight;
    - (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
      - (i) "Rinse-off products";
      - (ii) "Not to be used in products applied on mucous membranes";
      - (iii) "Not to be used in eye products";
    - (g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
    - (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.
  2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of making a mark or design on his or her body.
  3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
  4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
    - (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
    - (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).
  5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
  6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.
  7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:
    - (a) the statement "Mixture for use in tattoos or permanent make-up";
    - (b) a reference number to uniquely identify the batch;
    - (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;
    - (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
    - (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
    - (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13;
    - (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.
  8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100                      200	56)

#### Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

### Deco-Paint Directive

VOC content	19,83 % 198,3 g/l
-------------	----------------------

### Industrial Emissions Directive (IED)

VOC content	9,08 %
VOC content	90,8 g/l

### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

### Regulation on drug precursors

none of the ingredients are listed

### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: 1P19

### SECTION 16: Other information

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## ROTISZINT®FlowCount NPE free ready-to-use, for scintillation

article number: **1P19**

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.  
Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.