

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI®Calipure 14 cSt (20°C)

article number: **1P44**  
Version: **1.0 en**

date of compilation: 2022-04-06

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1 Product identifier

Identification of the substance **Viscosity standard N7.5 ROTI®Calipure 14 cSt (20°C)**  
Article number 1P44  
Registration number (REACH) not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use  
Laboratory chemical  
Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG  
Schoemperlenstr. 3-5  
D-76185 Karlsruhe  
Germany

**Telephone:**+49 (0) 721 - 56 06 0  
**Telefax:** +49 (0) 721 - 56 06 149  
**e-mail:** sicherheit@carlroth.de  
**Website:** www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

**e-mail (competent person):** **sicherheit@carlroth.de**

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## SECTION 2: Hazards identification

### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.10	Aspiration hazard	1	Asp. Tox. 1	H304

#### Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

**Signal word**                      **Danger**

#### Pictograms

GHS08



#### Hazard statements

H304                                      May be fatal if swallowed and enters airways

#### Precautionary statements

##### Precautionary statements - response

P301+P310                              IF SWALLOWED: Immediately call a POISON CENTER/doctor/...  
P331    Do NOT induce vomiting

##### Supplemental hazard information

EUH066                                      Repeated exposure may cause skin dryness or cracking.

**Hazardous ingredients for labelling:**                                      Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: **Danger**

Symbol(s)



H304                                      May be fatal if swallowed and enters airways.  
P301+P310                              IF SWALLOWED: Immediately call a POISON CENTER/doctor.  
P331    Do NOT induce vomiting.  
EUH066                                      Repeated exposure may cause skin dryness or cracking.  
contains:                                      Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: 1P44

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures

#### Description of the mixture

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics	EC No 927-632-8	≥ 50	Asp. Tox. 1 / H304 EUH066		

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

### 4.1 Description of first aid measures



#### General notes

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

### 4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard

### 4.3 Indication of any immediate medical attention and special treatment needed

none

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings  
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible.

## Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), May produce toxic fumes of carbon monoxide if burning.

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

### Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### National limit values

#### Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### Skin protection



#### • hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### • material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

### Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

### Environmental exposure controls

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	acc. to product description
Odour	characteristic - like: - Gasoline
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	261 °C at 1.013 hPa
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	0,6 vol% (LEL) - 7 vol% (UEL)
Flash point	113 °C
Auto-ignition temperature	210 °C (auto-ignition temperature (liquids and gases))
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	(practically insoluble)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	0,001 kPa at 20 °C
<u>Density and/or relative density</u>	
Density	0,85 g/cm <sup>3</sup> at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

### Other safety parameters

Oxidising properties none

### 9.2 Other information

Information with regard to physical hazard classes: hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Temperature class (EU, acc. to ATEX) T3  
Maximum permissible surface temperature on the equipment: 200°C

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### **If heated**

Vapours may form explosive mixtures with air.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Violent reaction with:** strong oxidiser

### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

There is no additional information.

### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### **Classification according to GHS (1272/2008/EC, CLP)**

#### **Acute toxicity**

Shall not be classified as acutely toxic.

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: 1P44

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		oral	LD50	>5.000 mg/kg	rat
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		inhalation: dust/mist	LC50	>5.266 mg/m <sup>3</sup> /4h	rat
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		dermal	LD50	>3.160 mg/kg	rabbit

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

### Carcinogenicity

Shall not be classified as carcinogenic.

### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### Aspiration hazard

May be fatal if swallowed and enters airways.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

aspiration hazard

#### • If in eyes

Data are not available.

#### • If inhaled

Data are not available.

#### • If on skin

Data are not available.

#### • Other information

none

## 11.2 Endocrine disrupting properties

None of the ingredients are listed.



# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: 1P44

## 11.3 Information on other hazards

There is no additional information.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		LL50	>1.028 mg/l	fish	96 h
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		EL50	>1.000 mg/l	aquatic invertebrates	24 h

Aquatic toxicity (chronic) of components of the mixture					
Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		EL50	>5 mg/l	aquatic invertebrates	21 d
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		EC50	>100 mg/l	microorganisms	3 h

### Biodegradation

Data are not available.

### 12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
Hydrocarbons, C14-C18, n-alkanes, isoalkanes, cyclics, <2% aromatics		oxygen depletion	74 %	28 d		ECHA

### 12.3 Bioaccumulative potential

Data are not available.

### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

Data are not available.

### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

### 12.7 Other adverse effects

Data are not available.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## SECTION 14: Transport information

- |  |   |
|--|---|
| 14.1 UN number or ID number  | not subject to transport regulations                                  |
| 14.2 UN proper shipping name   | not assigned  |
| 14.3 Transport hazard class(es)  | none  |
| 14.4 Packing group   | not assigned  |
| 14.5 Environmental hazards   | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user  | There is no additional information.                                   |
| 14.7 Maritime transport in bulk according to IMO instruments   | The cargo is not intended to be carried in bulk.                      |
| 14.8 <u>Information for each of the UN Model Regulations</u>   |   |
| <b>Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information</b> | Not subject to ADR, RID and ADN.                                      |
| <b>International Maritime Dangerous Goods Code (IMDG) - Additional information</b>                           | Not subject to IMDG.  |
| <b>International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information</b>                    | Not subject to ICAO-IATA.   |

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: 1P44

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Relevant provisions of the European Union (EU)

#### Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Viscosity standard	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		R3	3

#### Legend

- R3
1. Shall not be used in:
    - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
    - tricks and jokes,
    - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
  2. Articles not complying with paragraph 1 shall not be placed on the market.
  3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they:
    - can be used as fuel in decorative oil lamps for supply to the general public, and
    - present an aspiration hazard and are labelled with H304.
  4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation (CEN).
  5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
    - (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
    - (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: "Just a sip of grill lighter fluid may lead to life threatening lung damage";
    - (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### Deco-Paint Directive

VOC content	100 % 830 g/l
-------------	------------------

#### Industrial Emissions Directive (IED)

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: 1P44

VOC content	0 %
VOC content	0 g/l

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

## Water Framework Directive (WFD)

none of the ingredients are listed

## Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

## Regulation on drug precursors

none of the ingredients are listed

## Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

## Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National inventories

Country	Inventory	Status
EU	REACH Reg.	all ingredients are listed

### Legend

REACH Reg. REACH registered substances

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Asp. Tox.	Aspiration hazard

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

Abbr.	Descriptions of used abbreviations
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
LL50	Lethal Loading 50 %: the LL50 corresponds to the loading rate causing 50 % lethality
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

# Safety data sheet

according to Regulation (EC) No. 1907/2006 (REACH)



## Viscosity standard N7.5 ROTI® Calipure 14 cSt (20°C)

article number: **1P44**

### Classification procedure

Physical and chemical properties. The classification is based on tested mixture.  
Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H304	May be fatal if swallowed and enters airways.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.