according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: **1P57** Version: **1.0 en** date of compilation: 2022-04-04

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Calcium peroxide ≥65 %, pure

1P57

78403-22-2

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

215-139-4

CAS number

EC number

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Pictograms

GHS03, GHS07



Hazard statements

H272	May intensify fire; oxidiser
H315	Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P220	Keep/store away from clothing/combustible materials
P261	Avoid breathing dust
P280	Wear protective gloves/eye protection

Precautionary statements - response

P302+P352IF ON SKIN: Wash with plenty of waterP305+P351+P338IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
lenses, if present and easy to do. Continue rinsing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger





according to Regulation (EC) No. 1907/2006 (REACH)



article number: 1P57

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Calcium peroxide
Molecular formula	CaO ₂
Molar mass	72,08 ^g / _{mol}
CAS No	78403-22-2
EC No	215-139-4

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Calcium hydroxide	CAS No 1305-62-0	< 30
	EC No 215-137-3	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

- **4.2 Most important symptoms and effects, both acute and delayed** Irritation, Cough, Dyspnoea
- **4.3 Indication of any immediate medical attention and special treatment needed** none



according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Protect against external exposure, such as

humidity

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

		[mg/ m³]	[mg/ m³]	ing-C [mg/ m ³]	tion	
dust	WEL	10			i	EH40/2005
dust	WEL	4			r	EH40/2005
			dust WEL 10	dust WEL 10	dust WEL 10 Im ³	dust WEL 10 Im³j

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur i Inhalable fraction

r Respirable fraction STEL Short-term exposure

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
 TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Calcium hydroxide	1305-62-0	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Calcium hydroxide	1305-62-0	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Calcium hydroxide	1305-62-0	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium hydroxide	1305-62-0	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

Relevant PNECs of components of the mixture

	-					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Calcium hydroxide	1305-62-0	PNEC	0,49 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Calcium hydroxide	1305-62-0	PNEC	0,49 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	0,32 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	3 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	1.080 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as

according to Regulation (EC) No. 1907/2006 (REACH)

Calcium peroxide ≥65 %, pure

article number: 1P57

a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Colour	white
Odour	characteristic
Melting point/freezing point	>365 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)



Calcium peroxide ≥65 %, pure

article number: 1P57



	Vapour pressure	not determined
	Density and/or relative density	
	Density	not determined
	Relative vapour density	information on this property is not available
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Organic substances, Reducing agents

10.4 Conditions to avoid Protect from moisture.

Frotect from moisture.

10.5 Incompatible materials

combustible materials

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Г

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Calcium hydroxide	1305-62-0	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Calcium hydroxide	1305-62-0	inhalation: dust/mist	LC50	>6,04 ^{mg} / _l /4h	rat
Calcium hydroxide	1305-62-0	dermal	LD50	>2.500 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea

• If on skin

causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Not listed.

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Calcium hydroxide	1305-62-0	LC50	50,6 ^{mg} / _l	fish	96 h
Calcium hydroxide	1305-62-0	EC50	49,1 ^{mg} / _l	aquatic invertebrates	48 h
Calcium hydroxide	1305-62-0	ErC50	184,6 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Calcium hydroxide	1305-62-0	LC50	53,1 ^{mg} / _l	aquatic invertebrates	14 d
Calcium hydroxide	1305-62-0	EC50	300,4 ^{mg} / _l	microorganisms	3 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.

12.7 Other adverse effects

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 1457
	IMDG-Code	UN 1457
	ICAO-TI	UN 1457
14.2	UN proper shipping name	
	ADRRID	CALCIUM PEROXIDE
	IMDG-Code	CALCIUM PEROXIDE
	ICAO-TI	Calcium peroxide
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	Ш
	IMDG-Code	Ш
	ICAO-TI	П
14.5	Environmental hazards	non-environmentally hazardous acc. t gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

to the dan-

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail a information	and inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	CALCIUM PEROXIDE
Particulars in the transport document	UN1457, CALCIUM PEROXIDE, 5.1, II, (E)
Classification code	02
Danger label(s)	5.1
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Y
Regulations concerning the International Ca information	arriage of Dangerous Goods by Rail (RID)Additional
Classification code	5.1
Danger label(s)	5.1
0	
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	50
International Maritime Dangerous Goods Co	ode (IMDG) - Additional information
Proper shipping name	CALCIUM PEROXIDE
Particulars in the shipper's declaration	UN1457, CALCIUM PEROXIDE, 5.1, II
Marine pollutant	-
Danger label(s)	5.1
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

EmS	F-G, S-Q
Stowage category	C
Segregation group	16 - Peroxides
International Civil Aviation Organization (ICA	AO-IATA/DGR) - Additional information
Proper shipping name	Calcium peroxide
Particulars in the shipper's declaration	UN1457, Calcium peroxide, 5.1, II
Danger label(s)	5.1
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg


SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

ingerous substances with	restrictions (REACH, Annex XVII)			
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Calcium peroxide	substances in tattoo inks and perman- ent make-up		R75	75
end	•		•	•
stances shall not be used for t are present in the following ci (a) in the case of a substance of 1A, 1B or 2, or germ cell muta equal to or greater than 0,000 (b) in the case of a substance of category 1A, 1B or 2, the subs weight; (c) in the case of a substance of egory 1, 1A or 1B, the substant weight; (d) in the case of a substance of egory 1, 1A, 1B or 1C or skin in substance is present in the mi (i) 0,1 % by weight, if the substance (ii) 0,01 % by weight, in all oth (e) in the case of a substance f mixture in a concentration eq (f) in the case of a substance f (Product type, Body parts) of t mixture in a concentration eq (i) "Rinse-off products"; (ii) "Not to be used in products (iii) "Not to be used in products (iii) "Not to be used in concentration (g) in the case of a substance f preparation) or column i (Othe the mixture in a concentration (h) in the case of a substance f preparation) or column i (Othe the mixture in a concentration (h) in the case of a substance f preparation) or column i (Othe the mixture in a concentration (h) in the case of a substance f preparation or column i (Othe the mixture in a concentration (h) in the case of a substance f tration equal to or greater tha 2. For the purposes of this ent ture into a person's skin, muco monly referred to as permane making a mark or design on h 3. If a substance not listed in A concentration limit laid down	classified in Part 3 of Annex VI to Regulation gen category 1A, 1B or 2, the substance is p 05 % by weight; classified in Part 3 of Annex VI to Regulation tance is present in the mixture in a concentra- classified in Part 3 of Annex VI to Regulation cce is present in the mixture in a concentration classified in Part 3 of Annex VI to Regulation ritant category 2, or as serious eye damage xture in a concentration equal to or greater tance is used solely as a pH regulator; er cases; isted in Annex II to Regulation (EC) No 1223 ual to or greater than 0,00005 % by weight; or which a condition of one or more of the f he table in Annex IV to Regulation (EC) No 1 ual to or greater than 0,00005 % by weight: sapplied on mucous membranes"; ducts"; for which a condition is specified in column er) of the table in Annex IV to Regulation (EC) n, or in some other way, that does not accor isted in Appendix 13 to this Annex, the subs in the concentration limit specified for that s pous membrane or eyeball, by any process of out make-up, cosmetic tattooing, micro-blad is or her body. Appendix 13 falls within more than one of pr in the points in question shall apply to that : e of points (a) to (g) of paragraph 1, the cor	he substance of (EC) No 1272/ resent in the r (EC) No 1272/ ration equal to (EC) No 1272/ on equal to or (EC) No 1272/ on equal to or (EC) No 1272/ category 1 or than: /2009 (*1), the ollowing kinds 223/2009, the h (Maximum c c) No 1223/200 d with the con stance is prese substance in th means injection r procedure (in ing and micro- points (a) to (g) of substance. If a	or substances in ques 2008 as carcinogen of nixture in a concentr 2008 as reproductive or greater than 0,00 2008 as skin sensitist greater than 0,001 9 2008 as skin corrosiv eye irritant category substance is present s is specified in colum substance is present oncentration in read 9, the substance is p dition specified in the nt in the mixture in a tat Appendix. on or introduction of cluding procedures pigmentation), with of paragraph 1, the s	stion is c category ation e toxica 01 % by er cat- % by /e cat- 2, the t in the n g t in the y for us- resent i at colun a concer t the mix com- the aim ttrictest

according to Regulation (EC) No. 1907/2006 (REACH)







Legend 4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023: (a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6). 5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of apthat it then falls within a different one of those points from the one within which it fell previously, and the date of ap-plication of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, para-graph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification. 6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made. 7. Suppliers placing a mixture on the market for use for tattoping purposes shall ensure that, after 4 January 2022, the 7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the (a) the statement "Mixture for use in tattoos or permanent make-up"; (b) a reference number to uniquely identify the batch; (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Im-purities that not be regarded as ingredients. If the name of purpose as ingredients of a substance within the movie of a purities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredi-ent does not need to be marked in accordance with this Regulation; (d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13; (f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below the concentration limit specified in Appendix 13; (g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008. The information shall be clearly visible, easily legible and marked in a way that is indelible. The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use. Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes 9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8). 10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	plication of lower	(tonnes) for the ap- and upper-tier re- ments	Notes
P8	oxidising liquids and solids	50	200	55)

accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 %
-------------	-----

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Industrial Emissions Directive (IED)	
VOC content	0 %

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Calcium peroxide	Metals and their compounds		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
1		

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Australian Inventory of Chemical Substances
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization

according to Regulation (EC) No. 1907/2006 (REACH)



Calcium peroxide ≥65 %, pure

article number: 1P57

Abbr.	Descriptions of used abbreviations
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.