acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: **1777**Version: **1.1 en**date of compilation: 2022-08-08
Revision: 2022-08-08

Replaces version of: 2022-08-08

Version: (1)



1.1 Product identifier

Identification of the substance **Lead** powder, ≥99,95 %, p.a., ~300 mesh

Article number 1T77

EC number 231-100-4
CAS number 7439-92-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.7	Reproductive toxicity	1A	Repr. 1A	H360FD
3.7L	Effects on or via lactation	L	Lact.	H362
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS08, GHS09





Hazard statements

H360FD May damage fertility. May damage the unborn child

H362 May cause harm to breast-fed children

H372 Causes damage to organs (central nervous system, blood, kidney, immune sys-

tem) through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P201 Obtain special instructions before use

P260 Do not breathe dust

P263 Avoid contact during pregnancy and while nursing

P280 Wear protective gloves/eye protection

Precautionary statements - response

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Lead

Molecular formula Pb

Molar mass $207,2 \, {}^{g}\!/_{mol}$ CAS No 7439-92-1 EC No 231-100-4

Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
Lead	7439-92-1	231-100-4	Candidate list	Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (article 57c)

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
Repr. 1A; H360D: C ≥ 0,03 %	-	-	

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



4.2 Most important symptoms and effects, both acute and delayed

Delayed effects can be expected after short or long-term exposure, Gastrointestinal complaints, Nausea, Vomiting, Irreversible damage to internal organs, Renal impairment, Poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness, Adverse effects on fertility

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead	7439-92-1	IOELV	0,15				2022/431/ EU
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	lead	7439-92-1	OEL-NIR	0,15			Pb	CLWR-NIR
GB	lead	7439-92-1	OEL	0,15			Pb	CLWR

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

i Inhalable fraction
Pb Calculated as Pb (lead)
r Respirable fraction

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



TWA

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Biological limit values

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
EU	lead	7439-92- 1	lead	Pb- bio-1, Pb- med-1	BBLV	700 μg/l	whole blood	98/24/EC
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead	7439-92- 1	lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

Notation

Pb-bio-1

Biological monitoring must include measuring the blood-lead level (PbB) using absorption spectrometry or a method giving equivalent results. The binding biological limit value is: 70 µg Pb/100 ml blood Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m³ but less than 0.100 mg/m³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify be-Pb-bio-2 any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



N	otation	

Pb-med-3

Medical surveillance is carried out if: (a) exposure to a concentration of lead in air is greater than 0.075 mg/m^3 , calculated as a time-weighted average over 40 hours per week, or (b) a blood-lead level greater than $40 \mu \text{g}$ Pb/100 Pb-med-1

ml blood is measured in individual workers

Pb-med-2 Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g

Pb/g creatinine (urinary lead concentration) Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-

ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration)

Pb-med-4 Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-

ine (urinary lead concentration)

suspension level: in respect of a young person, 50 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (ur-

inary lead concentration)

wmn<45y Women of reproductive capacity (women < 45 years)

wmn>45ý, Women of non-reproductive capacity, men (women > 45 years) men

Adolescents (young person < 18 years) vouna

Exposure controls 8.2

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Page 7 / 18 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form metal powder
Colour silver grey
Odour odourless
Melting point/freezing point 327,5 °C

Boiling point or initial boiling point and boiling

range

>600 °C at 1.013 mbar (ECHA)

Flammability

Lower and upper explosion limit

Flash point

Auto-ignition temperature

Decomposition temperature

pH (value)

Not applicable

not relevant

not applicable

not applicable

not relevant

not applicable

not relevant

Solubility(ies)

Water solubility 0,185 g/l at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 1,33 hPa at 970 °C

Density and/or relative density

Density $11,35 \, {}^{g}/{}_{cm^3}$ at 20 ${}^{\circ}C$

Relative vapour density information on this property is not available

Particle characteristics

Particle size ~0,05 mm

United Kingdom (en) Page 8 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Fluorine, Nitric acid, Hydrogen peroxide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

United Kingdom (en) Page 9 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Carcinogenicity

Reproductive toxicity

May damage the unborn child. May damage fertility. May cause harm to breast-fed children.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

longed or repeated exposure.

Hazard category	Target organ	Exposure route
1	central nervous system	if swallowed
1	blood	if swallowed
1	kidney	if swallowed
1	immune system	if swallowed
1	central nervous system	if inhaled
1	blood	if inhaled
1	kidney	if inhaled
1	immune system	if inhaled

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If in eyes

Data are not available.

If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Other adverse effects: Irreversible damage to internal organs, Central nervous system, Haematopoietic system, Renal impairment

Not listed.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 10 / 18



Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Shall not be classified as carcinogenic.

Specific target organ toxicity - repeated exposure

Causes damage to organs (central nervous system, blood, kidney, immune system) through pro-

Hazard category	Target organ	Exposure route
1	central nervous system	if swallowed
1	blood	if swallowed
1	kidney	if swallowed
1	immune system	if swallowed
1	central nervous system	if inhaled
1	blood	if inhaled
1	kidney	if inhaled
1	immune system	if inhaled

gastrointestinal complaints, abdominal pain, diarrhoea, nausea, vomiting

11.2 Endocrine disrupting properties

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acu	ıte)	
------------------------------	------	--

Endpoint	Value	Species	Source	Exposure time
LC50	107 ^{µg} / _l	fish	ECHA	96 h
ErC50	123 ^{µg} / _l	algae	ECHA	72 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

14.2 UN proper shipping name

ADRRID ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Lead

14.3 Transport hazard class(es)

ADRRID 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the transport document UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Lead), 9, III, (-)

Classification code M7

Danger label(s) 9, "Fish and tree"

United Kingdom (en) Page 12 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC)
Hazard identification No 90

Emergency Action Code 22

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code M7

Danger label(s) 9

Fish and tree



Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Hazard identification No 90

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Lead), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Lead)

Danger label(s) 9, "Fish and tree"



Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A


United Kingdom (en) Page 13 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Lead), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1

Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content 0 % 0 9/1

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Hazardous substances in electrical and electronic equipment (RoHS)		
Name acc. to inventory Maximum concentration values tolerated by weight in homogeneous materials		
lead	0,1 % Pb	

United Kingdom (en) Page 14 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Lead	7439-92-1	(8)	200

Legend

All metals shall be reported as the total mass of the element in all chemical forms present in the release

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead	lead	7439-92-1	b)	
Lead	lead compounds		b)	
Lead	lead compounds	7439-92-1	c)	
Lead	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead	Metals and their compounds		a)	

Legend

A) B) C) Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Lead	lead compounds		i(2)	sr

Legend

i(2) sr

Sub-category: i(2) - industrial chemical for public use Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Lead	7439-92-1	Candidate list	Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (Article 57c)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Lead	toxic for reproduction		30
Lead	Lead compounds		63
Lead	Lead compounds		72

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances CICR

Korea Existing Chémicals Inventory NZIoC

New Zealand Inventory of Chemicals Philippine Inventory of Chemicals and Chemical Substances (PICCS) PICCS

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77

Legend

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
98/24/EC	Council Directive on the protection of the health and safety of workers from the risks related to chemical agents at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

United Kingdom (en) Page 17 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Lead powder, ≥99,95 %, p.a., ~300 mesh

article number: 1T77



Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
OEL	Workplace exposure limit
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H360FD	May damage fertility. May damage the unborn child.
H362	May cause harm to breast-fed children.
H372	Causes damage to organs (central nervous system, blood, kidney, immune system) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18