acc. to Regulation (EC) No. 1907/2006 (REACH)

Chlorobenzene ROTICHROM® GC

article number: **1YEL** Version: **1.0 en**

date of compilation: 2022-12-15

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1YEL

203-628-5

108-90-7

Benzolchlorid

1.1 Product identifier

Identification of the substance

Article number

EC number

CAS number

Alternative name(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Chlorobenzene ROTICHROM® GC

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---------------------------|---------------|---------------------------|---------------------|
| 2.6 | Flammable liquid | 3 | Flam. Liq. 3 | H226 |
| 3.1I | Acute toxicity (inhal.) | 4 | Acute Tox. 4 | H332 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |



acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: **1YEL**

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 2 | Aquatic Chronic 2 | H411 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

| Signal word | Warning |
|------------------------|-----------------------------|
| Pictograms | <u> </u> |
| GHS02, GHS07, GHS09 | |
| Hazard statement | ts |
| Н 226 | Elammable liquid and vanour |

H226Flammable liquid and vapourH315Causes skin irritationH332Harmful if inhaledH411Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

| P210 | Keep away from heat, hot surfaces, sparks, open flames and other ignition |
|------|---|
| | sources. No smoking |
| P280 | Wear protective gloves/protective clothing/eye protection/face protection |

Precautionary statements - response

| P303+P361+P353 | IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower] |
|----------------|---|
| P304+P340 | IF INHALED: Remove person to fresh air and keep comfortable for breathing |
| P312 | Call a POISON CENTRE/doctor if you feel unwell |
| P332+P313 | If skin irritation occurs: Get medical advice/attention |

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® ROTH

Chlorobenzene ROTICHROM® GC

article number: **1YEL**

SECTION 3: Composition/information on ingredients

| .1 | Substances | | | |
|----|---|-------------------------------------|--|--|
| | Name of substance | Chlorobenzene | | |
| | Molecular formula | C_6H_5CI | | |
| | Molar mass | 112,6 ^g / _{mol} | | |
| | CAS No | 108-90-7 | | |
| | EC No | 203-628-5 | | |
| | Substance Specific Conc. Limits M-factors ATE | | | |

| Substance, Specific Conc. Limits, M-factors, Are | | | | | | | |
|--|-----------|---------------------------------------|--------------------|--|--|--|--|
| Specific Conc. Limits | M-Factors | ATE | Exposure route | | | | |
| - | - | 15,5 ^{mg} / _l /4h | inhalation: vapour | | | | |

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Headaches and dizziness may occur, proceeding to fainting or unconsciousness, Narcotic effects, Following skin contact: Localised redness, oedema, pruritis and/or pain, After eye contact: Irritation, Following ingestion: Gastrointestinal complaints, Vomiting, Malaise

4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---------------|----------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|----------------|
| EU | chlorobenzene | 108-90-7 | IOELV | 5 | 23 | 15 | 70 | | | | 2006/15/ EC |
| GB | chlorobenzene | 108-90-7 | WEL | 1 | 4,7 | 3 | 14 | | | | EH40/ 2005 |

Notation

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) Ceiling-C STEL

TWA

Biological limit values

| Coun try | Name of agent | CAS No | Parameter | Nota tion | Identi- fier | Value | Material | Source |
|-------------|---------------|----------|------------------|--------------|-----------------|----------------|----------|---------------|
| GB | chlorobenzene | 108-90-7 | 4-chlorocatechol | crea | BMGV | 5 mmol/ mol | urine | EH40/ 2005 |

Notation

crea Creatinine

Human health values

| Relevant DNELs and other threshold levels | | | | | | | |
|---|----------------------|------------------------------------|-------------------|----------------------------|--|--|--|
| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time | | | |
| DNEL | 23 mg/m ³ | human, inhalatory | worker (industry) | chronic - systemic effects | | | |
| DNEL | 70 mg/m ³ | human, inhalatory | worker (industry) | acute - systemic effects | | | |
| DNEL | 5 mg/kg bw/day | human, dermal | worker (industry) | chronic - systemic effects | | | |
| DNEL | 15 mg/kg bw/ day | human, dermal | worker (industry) | acute - systemic effects | | | |

Environmental values

| Relevant PNECs and other threshold levels | | | | | | | | |
|---|-------------------------------------|---|---------------------------------|------------------------------|--|--|--|--|
| End- point | Threshold level | Organism Environmental com- partment | | Exposure time | | | | |
| PNEC | 0,032 ^{mg} / _l | aquatic organisms | freshwater | short-term (single instance) | | | | |
| PNEC | 0,003 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | | | | |
| PNEC | 1,4 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | | | | |
| PNEC | 0,922 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | | | | |
| PNEC | 0,092 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | | | | |
| PNEC | 0,166 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | | | | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM: fluoro-elastomer

• material thickness

0,7mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• Splash protection - Protective gloves

- type of material: NBR (Nitrile rubber)
- material thickness: 0,4 mm
- breakthrough times of the glove material:

>10 minutes (permeation: level 1)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Chlorobenzene ROTICHROM® GC

article number: 1YEL

SECTION 9: Physical and chemical properties

| 9.1 | Information on basic physical and chemical properties | | | |
|-----|--|--|--|--|
| | Physical state | liquid | | |
| | Colour | colourless | | |
| | Odour | characteristic | | |
| | Odour threshold | 0,09 – 59,8 ppm | | |
| | Melting point/freezing point | -46 °C (ECHA) | | |
| | Boiling point or initial boiling point and boiling range | ≥131 – ≤132 °C at 1.013 hPa (ECHA) | | |
| | Flammability | flammable liquid in accordance with GHS criteria | | |
| | Lower and upper explosion limit | 60 g/m³ (LEL) - 520 g/m³ (UEL) / 1,3 vol% (LEL) - 11 vol% (UEL) | | |
| | Flash point | 28 °C (ECHA) | | |
| | Auto-ignition temperature | 590 °C (ECHA) (auto-ignition temperature (liquids and gases)) | | |
| | Decomposition temperature | not relevant | | |
| | pH (value) | not determined (Neutral) | | |
| | Kinematic viscosity | 0,6811 ^{mm²} / _s at 20 °C | | |
| | Dynamic viscosity | 0,756 mPa s | | |
| | Solubility(ies) | | | |
| | Water solubility | ~ 0,207 ^g / _l at 20 °C (ECHA) | | |
| | Partition coefficient | | | |
| | Partition coefficient n-octanol/water (log value): | 2,855 (ECHA) | | |
| | Soil organic carbon/water (log KOC) | 2,4 (ECHA) | | |
| | Vapour pressure | 11,73 hPa at 20 °C | | |
| | Density and/or relative density | | | |
| | Density | ~ 1,11 ^g / _{cm³} at 20 °C (ECHA) | | |
| | Relative vapour density | 3,88 (air = 1) | | |
| | Particle characteristics | not relevant (liquid) | | |
| | Other safety parameters | | | |
| | Oxidising properties | none | | |



acc. to Regulation (EC) No. 1907/2006 (REACH)

Chlorobenzene ROTICHROM® GC

article number: 1YEL

9.2

| Other information | |
|---|---|
| Information with regard to physical hazard classes: | There is no additional information. |
| Other safety characteristics: | |
| Maximum explosion pressure | 5,7 bar |
| Surface tension | 33,86 ^{mN} / _m (15 °C) (ECHA) |
| Refractive index | 1,525 |

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Alkaline earth metal, Nitric acid, Strong oxidiser, **Danger of explosion:** Sodium, Phosphorus trichloride, Perchlorate, Acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Rubber articles, different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if inhaled.

GHS of the United Nations, annex 4. May be harmful if swallowed.

| Acute toxicity | | | | | |
|--------------------|----------|---------------------------------------|---------|------------------------------|--------|
| Exposure route | Endpoint | Value | Species | Method | Source |
| inhalation: vapour | LC50 | 15,5 ^{mg} / _l /4h | rat | acute inhalation toxicity | |
| oral | LD50 | >2.000 ^{mg} / _{kg} | rat | | ECHA |

Skin corrosion/irritation

Causes skin irritation.



acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Chlorobenzene ROTICHROM® GC

article number: 1YEL

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

nausea, vomiting, gastrointestinal complaints, loss of righting reflex, and ataxia, Liver and kidney damage

• If in eyes

slightly irritant but not relevant for classification

• If inhaled

headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If on skin

causes skin irritation, irritation and significant inflammation of the skin (dermatitis) due to the defatting properties of the product may be caused by repeated or prolonged exposure

Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: **1YEL**

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

| Endpoint | Value | Species | Source | Exposure time | |
|----------|-----------------------------------|-----------------------|--------|------------------|--|
| LC50 | 4,5 ^{mg} / _l | fish | ECHA | 96 h | |
| EC50 | 26 ^{mg} / _l | aquatic invertebrates | ECHA | 48 h | |
| ErC50 | 11,4 ^{mg} / _l | algae | ECHA | 72 h | |

| Aquatic toxicity (chronic) | | | | |
|---|-----------------------------------|-----------------------|------|------|
| Endpoint Value Species Source Expo tir | | | | |
| EC50 | 10,3 ^{mg} / _l | fish | ECHA | 28 d |
| EbC50 | 3,4 ^{mg} / _l | aquatic invertebrates | ECHA | 16 d |

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

| Process of degradability | | | | |
|--------------------------|------------------|------|--|--|
| Process | Degradation rate | Time | | |
| biotic/abiotic | 15 % | 28 d | | |
| oxygen depletion | 15 % | 28 d | | |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 2,855 (ECHA) |
|---------------------------|-----------------|
| BCF | 3,9 – 23 (ECHA) |

12.4 Mobility in soil

| Henry's law constant | 315 ^{Pa m³} / _{mol} |
|--|---------------------------------------|
| Predicted Environmental Concentration | 2,35 |
| The Organic Carbon normalised adsorption coefficient | 2,4 (ECHA) |

12.5 Results of PBT and vPvB assessment

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Chlorobenzene ROTICHROM® GC

article number: 1YEL

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 3** flammable
- HP 4 irritant skin irritation and eye damage
- HP 6 acute toxicity
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | ADRRID | UN 1134 |
|------|----------------------------|---------------|
| | IMDG-Code | UN 1134 |
| | ICAO-TI | UN 1134 |
| 14.2 | UN proper shipping name | |
| | ADRRID | CHLOROBENZENE |
| | IMDG-Code | CHLOROBENZENE |
| | ICAO-TI | Chlorobenzene |
| 14.3 | Transport hazard class(es) | |
| | ADRRID | 3 |
| | IMDG-Code | 3 |
| | ICAO-TI | 3 |

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

| uncicic | | |
|---------|--|--|
| 14.4 | Packing group | |
| | ADRRID | III |
| | IMDG-Code | III |
| | ICAO-TI | III |
| 14.5 | Environmental hazards | hazardous to the aquatic environment |
| 14.6 | Special precautions for user | |
| | Provisions for dangerous goods (ADR) should be o | complied within the premises. |
| 4.7 | Maritime transport in bulk according to IMO in | struments |
| | The cargo is not intended to be carried in bulk. | |
| 14.8 | Information for each of the UN Model Regulati | ons |
| | Agreement concerning the International Carria | age of Dangerous Goods by Road (ADR)Additiona |
| | Proper shipping name | CHLOROBENZENE |
| | Particulars in the transport document | UN1134, CHLOROBENZENE, 3, III, (D/E), environ- mentally hazardous |
| | Classification code | F1 |
| | Danger label(s) | 3, "Fish and tree" |
| | | |
| | Environmental hazards | YES (hazardous to the aquatic environment) |
| | Excepted quantities (EQ) | E1 |
| | Limited quantities (LQ) | 5 L |
| | Transport category (TC) | 3 |
| | Tunnel restriction code (TRC) | D/E |
| | Hazard identification No | 30 |
| | Emergency Action Code | 2Y |
| | Regulations concerning the International Carring information | iage of Dangerous Goods by Rail (RID)Additional |
| | Classification code | F1 |
| | Danger label(s) | 3 Fish and tree |
| | | |
| | Environmental hazards | Yes Hazardous to water |
| | Excepted quantities (EQ) | E1 |
| | Limited quantities (LQ) | 5 L |
| | Transport category (TC) | 3 |

acc. to Regulation (EC) No. 1907/2006 (REACH)

Chlorobenzene ROTICHROM® GC

article number: **1YEL**



| Hazard identification No | 30 |
|---|---|
| International Maritime Dangerous Goods Code | (IMDG) - Additional information |
| Proper shipping name | CHLOROBENZENE |
| Particulars in the shipper's declaration | UN1134, CHLOROBENZENE, 3, III, 28°C c.c., MAR- INE POLLUTANT |
| Marine pollutant | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 3, "Fish and tree" |
| | |
| Special provisions (SP) | - |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-E, S-D |
| Stowage category | A |
| Segregation group | 10 - Liquid halogenated hydrocarbons |
| International Civil Aviation Organization (ICAO | -IATA/DGR) - Additional information |
| Proper shipping name | Chlorobenzene |
| Particulars in the shipper's declaration | UN1134, Chlorobenzene, 3, III |
| Environmental hazards | Yes (hazardous to the aquatic environment) |
| Danger label(s) | 3 |
| | |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 10 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

| 2012/ | 2012/18/EU (Seveso III) | | | | | |
|-------|---|--|-----|-------|--|--|
| Νο | Dangerous substance/hazard categories | ance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | | Notes | | |
| E2 | environmental hazards (hazardous to the aquatic en- vironment, cat. 2) | 200 | 500 | 57) | | |

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

Deco-Paint Directive

| VOC content | 100 % 1.110 ^g /l |
|-------------|--------------------------------|
|-------------|--------------------------------|

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.110 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|--|--------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Chlorobenzene | Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment | | a) | |
| Chlorobenzene | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend

A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

| estrictions according to GB REACH, Annex 17 Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|--|--|--|-------------------|
| | | | Name of substance |
| Chlorobenzene | this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC | | 3 |
| Chlorobenzene | flammable / pyrophoric | | 40 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|---------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed as "ACTIVE" |

Legend

AIICAustralian Inventory of Industrial ChemicalsCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing Chemical SubstancesINSQNational Inventory of Chemical SubstancesKECIKorea Existing Chemicals InventoryNZIoCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: 1YEL

SECTION 16: Other information

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations | |
|------------|--|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in imple mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC | |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road) | |
| ATE | Acute Toxicity Estimate | |
| BCF | Bioconcentration factor | |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances | |
| Ceiling-C | Ceiling value | |
| DGR | Dangerous Goods Regulations (see IATA/DGR) | |
| DNEL | Derived No-Effect Level | |
| EbC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval | |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) | |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/) | |
| EINECS | European Inventory of Existing Commercial Chemical Substances | |
| ELINCS | European List of Notified Chemical Substances | |
| EmS | Emergency Schedule | |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control | |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) | |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions | |
| IATA | International Air Transport Association | |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) | |
| ICAO | International Civil Aviation Organization | |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air | |
| IMDG | International Maritime Dangerous Goods Code | |
| IMDG-Code | International Maritime Dangerous Goods Code | |
| IOELV | Indicative occupational exposure limit value | |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval | |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval | |
| LEL | Lower explosion limit (LEL) | |

acc. to Regulation (EC) No. 1907/2006 (REACH)



Chlorobenzene ROTICHROM® GC

article number: **1YEL**

| Abbr. | Descriptions of used abbreviations | |
|-------|--|--|
| NLP | No-Longer Polymer | |
| РВТ | Persistent, Bioaccumulative and Toxic | |
| PNEC | Predicted No-Effect Concentration | |
| ppm | Parts per million | |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals | |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail) | |
| STEL | Short-term exposure limit | |
| TWA | Time-weighted average | |
| UEL | Upper explosion limit (UEL) | |
| VOC | Volatile Organic Compounds | |
| vPvB | Very Persistent and very Bioaccumulative | |
| WEL | Workplace exposure limit | |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|--|
| H226 | Flammable liquid and vapour. |
| H315 | Causes skin irritation. |
| H332 | Harmful if inhaled. |
| H411 | Toxic to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.