acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

date of compilation: 2022-12-16 article number: 1YEX Version: 1.0 en



## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance N,N-Dimethylaceetamide (DMA) ROTICHROM®

Article number 1YEX

EC number 204-826-4 CAS number 127-19-5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.1D	Acute toxicity (dermal)	4	Acute Tox. 4	H312
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.7	Reproductive toxicity	1B	Repr. 1B	H360D

United Kingdom (en) Page 1 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

For full text of abbreviations: see SECTION 16

#### 2.2 **Label elements**

## Labelling

Signal word **Danger** 

## **Pictograms**

**GHS07, GHS08** 



#### **Hazard statements**

H312+H332 Harmful in contact with skin or if inhaled

H319 Causes serious eve irritation H360D May damage the unborn child

## **Precautionary statements**

## **Precautionary statements - prevention**

P280 Wear protective gloves/eye protection

## **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

#### 2.3 Other hazards

This material is combustible, but will not ignite readily.

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance N,N-Dimethylaceetamide (DMA)

Molecular formula C<sub>4</sub>H<sub>9</sub>NO Molar mass 87,12 <sup>g</sup>/<sub>mol</sub> CAS No 127-19-5 EC No 204-826-4

United Kingdom (en) Page 2 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)



## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

## **Substance of Very High Concern (SVHC)**

Name of substance	CAS No	EC No	Listed in	Remarks
N,N-Dimethylaceetamide (DMA)	127-19-5	204-826-4	Candidate list	Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV list

Repr. A57c Toxic for reproduction (article 57c)

## Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.100 <sup>mg</sup> / <sub>kg</sub> 11 <sup>mg</sup> / <sub>l</sub> /4h	dermal inhalation: vapour

## **SECTION 4: First aid measures**

## 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

## **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## **Following skin contact**

Rinse skin with water/shower.

## Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

## **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

## 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Dizziness

## 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

## Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

## **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



## For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

## Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

## 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



## **SECTION 7: Handling and storage**

## Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed. Store in a dry place. Hygroscopic.

## **Incompatible substances or mixtures**

Observe hints for combined storage.

## Protect against external exposure, such as

humidity

#### Consideration of other advice:

## **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### **Control parameters** 8.1

## **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	N,N-dimethylacet- amide	127-19-5	IOELV	10	36	20	72			Н	2022/ 431/EU
GB	N,N-dimethylacet- amide	127-19-5	WEL	10	36	20	72				EH40/ 2005

**Notation** 

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 1YEX





Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	N,N-dimethylacet- amide	127-19-5	N-methylacetamide	crea	BMGV	100 mmol/ mol	urine	EH40/ 2005

Notation

crea Creatinine

## **Human health values**

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	120 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	11 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	42 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic effects		
DNEL	36 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		

#### **Environmental values**

#### Relevant PNECs and other threshold levels **Threshold Exposure time** End-**Organism Environmental com**point level partment $2,27 \, ^{mg}/_{kg}$ **PNEC** aquatic organisms freshwater sediment short-term (single instance) **PNEC** $0,438 \, \text{mg/}_{kq}$ marine sediment aquatic organisms short-term (single instance) **PNEC** $0,15 \, \text{mg/kg}$ terrestrial organisms soil short-term (single instance) 200 <sup>mg</sup>/<sub>I</sub> **PNEC** aquatic organisms sewage treatment plant short-term (single instance) (STP) **PNEC** $0.05 \, \text{mg/}_{\text{I}}$ aquatic organisms marine water short-term (single instance) 0,5 <sup>mg</sup>/<sub>l</sub> **PNEC** aquatic organisms freshwater short-term (single instance) 5 <sup>mg</sup>/<sub>l</sub> **PNEC** aquatic organisms water intermittent release

## 8.2 Exposure controls

Individual protection measures (personal protective equipment)

**Eye/face protection** 



Use safety goggle with side protection.

United Kingdom (en) Page 6 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



## Skin protection



## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

## • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

## · breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

## **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

## SECTION 9: Physical and chemical properties

## 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour colourless

Odour characteristic

Melting point/freezing point -20 °C (ECHA)

Boiling point or initial boiling point and boiling 166 °C at 1.013 hPa (ECHA)

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1,8 vol% (LEL) - 11,5 vol% (UEL)

United Kingdom (en) Page 7 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

Flash point 64 °C at 1.013 hPa (ECHA)

Auto-ignition temperature 345 °C at 1.011 hPa (ECHA)

Decomposition temperature not relevant

4 (in aqueous solution: 200 g/l, 20 °C) pH (value)

Kinematic viscosity not determined 0.92 mPa s at 25 °C

Dynamic viscosity

Solubility(ies)

Water solubility  $>1.000 \, {}^{\rm g}/_{\rm l}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,77 (25 °C) (ECHA)

Soil organic carbon/water (log KOC) 1,46 (ECHA)

Vapour pressure 2 hPa at 21.7 °C

Density and/or relative density

Density  $0.94 \, {}^{9}/_{cm^{3}}$  at 20 °C (ECHA)

Relative vapour density 3.01 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

> Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

Refractive index 1,438

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is not reactive under normal ambient conditions.

## If heated

Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

United Kingdom (en) Page 8 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Halogenated hydrocarbons, Nitrate

#### 10.4 Conditions to avoid

Protect from moisture. Keep away from heat.

## 10.5 Incompatible materials

different plastic

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

## **Acute toxicity**

Harmful in contact with skin. Harmful if inhaled.

GHS of the United Nations, annex 4. May be harmful if swallowed.

## **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	4.300 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET
dermal	LD50	2.240 <sup>mg</sup> / <sub>kg</sub>	rabbit		TOXNET

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye irritation.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

May damage the unborn child.

## Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

## **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 9 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



## Symptoms related to the physical, chemical and toxicological characteristics

## If swallowed

vomiting, nausea

## • If in eyes

Causes serious eye irritation

## • If inhaled

irritant effects, cough, Dyspnoea, dizziness

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

## • Other information

Other adverse effects: Liver and kidney damage

## 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	>500 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h
EC50	>500 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	>500 <sup>mg</sup> / <sub>I</sub>	algae	ECHA	72 h

## 12.2 Persistence and degradability

## **Biodegradation**

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	>90 %	28 d
oxygen depletion	8,7 %	1 d

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,77 (25 °C) (ECHA)
---------------------------	----------------------

United Kingdom (en) Page 10 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)



## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

## 12.4 Mobility in soil

Henry's law constant	0,001 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	1,46 (ECHA)

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Properties of waste which render it hazardous

**HP 4** irritant - skin irritation and eye damage

**HP 6** acute toxicity

**HP 10** toxic for reproduction

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1 UN number or ID number not subject to transport regulations

**14.2 UN proper shipping name** not assigned

**14.3 Transport hazard class(es)** none

**14.4 Packing group** not assigned

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

## 14.6 Special precautions for user

There is no additional information.

## 14.7 Maritime transport in bulk according to IMO instruments

United Kingdom (en) Page 11 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes	
	not assigned			

## **Deco-Paint Directive**

VOC content	100 % 940 <sup>9</sup> / <sub>I</sub>
-------------	--

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	940 <sup>9</sup> / <sub>1</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

## **Water Framework Directive (WFD)**

## List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
N,N-Dimethylaceetamide (DMA)	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

United Kingdom (en) Page 12 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

## Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
N,N-Dimethylaceetamide (DMA)	127-19-5	Candidate list	Repr. A57c

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Repr. A57c Toxic for reproduction (Article 57c)

## Restrictions according to GB REACH, Annex 17

## Dangerous substances with restrictions (GB REACH, Annex 17)

3			
Name of substance	Name acc. to inventory	CAS No	No
N,N-Dimethylaceetamide (DMA)	N,N-dimethylacetamide (DMAC)	127-19-5	72
N,N-Dimethylaceetamide (DMA)	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
N,N-Dimethylaceetamide (DMA)	toxic for reproduction		30

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed

United Kingdom (en) Page 13 / 16



acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



Country	Inventory	Status
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI ECSI ECSI Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substances Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations		
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work		
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)		
ATE	Acute Toxicity Estimate		
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)		
Ceiling-C	Ceiling value		
DGR	Dangerous Goods Regulations (see IATA/DGR)		
DNEL	Derived No-Effect Level		
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval		
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)		
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)		
EINECS	European Inventory of Existing Commercial Chemical Substances		

United Kingdom (en) Page 14 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX



Abbr.	Descriptions of used abbreviations
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 15 / 16

acc. to Regulation (EC) No. 1907/2006 (REACH)



## N,N-Dimethylaceetamide (DMA) ROTICHROM® GC

article number: 1YEX

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H312	Harmful in contact with skin.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H360D	May damage the unborn child.

## Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16