acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$



article number: **1YKL** Version: **1.0 en**

date of compilation: 2023-01-11

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % HNO₃

Article number

1YKL

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification


2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$



Suppleme	ental hazard information
Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

2.2 Label elements

Labelling

 Signal word
 Danger

 Pictograms
 GHS05

Hazard statements

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Nitric acid ...% [C \leq 70 %], Calcium nitrate, Aluminium nitrate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % HNO₃

article number: 1YKL

Description of the mixture								
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes			
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV			
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	< 5	Ox. Sol. 3 / H272 Acute Tox. 4 / H302 Eye Dam. 1 / H318					
magnesium nitrate	CAS No 10377-60-3 EC No 233-826-7	<3	Ox. Sol. 2 / H272					
Aluminium nitrate	CAS No 13473-90-0 EC No 236-751-8	<2	Eye Dam. 1 / H318					

Notes

B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ΑΤΕ	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
Calcium nitrate	CAS No 10124-37-5 EC No 233-332-1	-	-	>300 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$



article number: 1YKL

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Cough, Dyspnoea, Pulmonary oedema

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI $\$ Star 6 elements in 5 % HNO $_3$



article number: 1YKL

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep only in original container. May cause decomposition by long-term light influence.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % HNO₃



article number: 1YKL

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

Notation

TWA

Ceiling value is a limit value above which exposure should not occur

Ceiling-C STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time		
magnesium nitrate	10377-60-3	DNEL	147 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
magnesium nitrate	10377-60-3	DNEL	20,8 mg/kg	human, dermal	worker (industry)	chronic - systemic effects		
Aluminium nitrate	13473-90-0	DNEL	0,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects		
Aluminium nitrate	13473-90-0	DNEL	0,34 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects		

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Calcium nitrate	10124-37-5	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0,45 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	0,045 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
magnesium nitrate	10377-60-3	PNEC	4,5 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
magnesium nitrate	10377-60-3	PNEC	18 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Aluminium nitrate	13473-90-0	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: 1YKL

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Aluminium nitrate	13473-90-0	PNEC	0 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Aluminium nitrate	13473-90-0	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Aluminium nitrate	13473-90-0	PNEC	20 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Aluminium nitrate	13473-90-0	PNEC	0,003 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Aluminium nitrate	13473-90-0	PNEC	0 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Aluminium nitrate	13473-90-0	PNEC	0 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

FKM (fluoro rubber), Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI \mbox{B} Star 6 elements in 5 % HNO $_3$



article number: 1YKL

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	~83 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
Density and/or relative density	
Density	~1,1 ^g / _{cm³} at 20 °C
Relative vapour density	information on this property is not available

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

® Roth

article number: **1YKL**

Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none
Other information	
Information with regard to physical hazard classes:	
Corrosive to metals	category 1: corrosive to metals
Other safety characteristics:	
Miscibility	completely miscible with water
Miscibility	completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Acetone, Aldehydes, Alkali (lye), Alkali metals, Alcohols, Formic acid, Amines, Ammonia (NH3), Aniline, Combustible materials, Dichloromethane, Alkaline earth metal, Acetic anhydride, Hydrazine, Hydrocarbons, Metal powder, Nitriles, Reducing agents, Strong alkali, Hydrogen peroxide,

=> Explosive properties

10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: 1YKL

Acute toxicity estimate (ATE) of components of the mixture						
Name of substance CAS No Exposure route ATE						
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h			
Calcium nitrate	10124-37-5	oral	>300 ^{mg} / _{kg}			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
Calcium nitrate	10124-37-5	oral	LD50	>300 - <2.000 ^{mg} / _{kg}	rat
Calcium nitrate	10124-37-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
magnesium nitrate	10377-60-3	oral	LD50	>2.000 ^{mg} / _{kg}	rat
magnesium nitrate	10377-60-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rat
Aluminium nitrate	13473-90-0	oral	LD50	3.263 ^{mg} / _{kg}	rat
Aluminium nitrate	13473-90-0	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics



acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: **1YKL**

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

corrosive to the respiratory tract, cough, Dyspnoea, pulmonary oedema

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance							
Calcium nitrate	10124-37-5	LC50	>100 ^{mg} / _l	fish	96 h		
Calcium nitrate	10124-37-5	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h		
magnesium nitrate	10377-60-3	LC50	1.378 ^{mg} / _l	fish	96 h		
magnesium nitrate	10377-60-3	EC50	490 ^{mg} / _l	aquatic invertebrates	48 h		
Aluminium nitrate	13473-90-0	EC50	47,5 ^{mg} / _l	aquatic invertebrates	48 h		
Aluminium nitrate	13473-90-0	ErC50	14 ^{mg} / _l	algae	72 h		

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Calcium nitrate	10124-37-5	ErC50	>1.700 ^{mg} / _l	algae	10 d
Calcium nitrate	10124-37-5	EC50	>1.000 ^{mg} / _l	microorganisms	180 min
magnesium nitrate	10377-60-3	EC50	490 ^{mg} / _l	aquatic invertebrates	24 h
magnesium nitrate	10377-60-3	ErC50	>1.700 ^{mg} / _l	algae	10 d
Aluminium nitrate	13473-90-0	EC50	>1.000 ^{mg} / _l	microorganisms	180 min



acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: **1YKL**

- **12.2 Persistence and degradability** Data are not available.
- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.
- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- **12.7 Other adverse effects** Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- **HP6** acute toxicity
- HP8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

14.2	UN proper shipping name	
	ICAO-TI	UN 2031
	IMDG-Code	UN 2031
	ADRRID	UN 2031



acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

® Roth

article number: **1YKL**

	ADRRID	NITRIC ACID
	IMDG-Code	NITRIC ACID
	ICAO-TI	Nitric acid
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information				
Proper shipping name	NITRIC ACID			
Particulars in the transport document	UN2031, NITRIC ACID, 8, II, (E)			
Classification code	C1			
Danger label(s)	8			
Excepted quantities (EQ)	E2			
Limited quantities (LQ)	1 L			
Transport category (TC)	2			
Tunnel restriction code (TRC)	E			
Hazard identification No	80			
Emergency Action Code	2R			
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional			
Classification code	C1			
Danger label(s)	8			

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$



article number: **1YKL**

Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Hazard identification No	80
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	NITRIC ACID
Particulars in the shipper's declaration	UN2031, NITRIC ACID, 8, II
Marine pollutant	-
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-A, S-B
Stowage category	D
Segregation group	1 - Acids
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information
Proper shipping name	Nitric acid
Particulars in the shipper's declaration	UN2031, Nitric acid, 8, II
Danger label(s)	8
Excepted quantities (EQ)	E2
Limited quantities (LQ)	0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso	Seveso Directive						
2012/	2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: 1YKL

Deco-Paint Directive				
VOC content	0 % 0 ^g / _l			

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)					
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks	
Calcium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Calcium nitrate	Metals and their compounds		a)		
magnesium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
magnesium nitrate	Metals and their compounds		a)		
Aluminium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)		
Aluminium nitrate	Metals and their compounds		a)		

Legend

A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art- icle 5(3)
Calcium nitrate	10124-37- 5	4,09	Annex II			



acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: **1YKL**

xplosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the pur- pose of licens- ing un- der Art icle 5(3
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/v

Legend

annex I

annex II

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below Substances on their own or in mixtures or in substances for which suspicious transactions shall be reported

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

® Roth

article number: **1YKL**

Country	Inventory	Status
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

Legena	
AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)

acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$

article number: **1YKL**

Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds

acc. to Regulation (EC) No. 1907/2006 (REACH)

Multi-Element ICP-Standard Solution CR-22 ROTI®Star 6 elements in 5 % $\rm HNO_3$



article number: **1YKL**

Abbr.	Descriptions of used abbreviations
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.