acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5 date of compilation: 2023-01-19

Version: 1.0 en

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 **Product identifier**

Identification of the substance **Multi-Element** ICP-Standard Solution CR-23

ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

Article number 1YL5

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

e-mail (competent person):

Name	Street		Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340
3.6	Carcinogenicity	1A	Carc. 1A	H350
3.7	Reproductive toxicity	1B	Repr. 1B	H360D
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word	Danger
-------------	--------

#### **Pictograms**

GHS05, GHS07, GHS08, GHS09



#### **Hazard statements**

H290	May be corrosive to metals
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H340	May cause genetic defects
H350	May cause cancer
H360D	May damage the unborn child
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

#### **Supplemental hazard information**

EUH071 Corrosive to the respiratory tract.

United Kingdom (en) Page 2 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

**Hazardous ingredients for labelling:** 

Nickel dinitrate, Cadmium nitrate, Nitric acid ...% [C  $\leq$  70 %], Cobalt dinitrate

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	<1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	! \$	GHS-HC
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1 Index No 027-009-00-2	<1	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<b>\$</b>	1(a) GHS-HC
copper dinitrate	CAS No 3251-23-8 EC No 221-838-5	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>(!)</u>	
Zinc nitrate	CAS No 7779-88-6 EC No 231-943-8	<1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411	<b>♦</b> (!)	

United Kingdom (en) Page 3 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Cadmium nitrate	CAS No 10325-94-7	<1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332		GHS-HC IARC: 1 RoC
	EC No 233-710-6		Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372	***	"Known"
	Index No 048-014-00-6		Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
barium nitrate	CAS No 10022-31-8	<1	Ox. Sol. 2 / H272 Acute Tox. 3 / H301 Acute Tox. 4 / H332		1(a) A(a) GHS-HC
	EC No 233-020-5		Eye Irrit. 2 / H319	<b>* *</b>	22
	Index No 056-002-00-7				
Arsenic acid	CAS No 7778-39-4	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 Carc. 1A / H350		GHS-HC IOELV
	EC No 231-901-9		Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***************************************	
	Index No 033-005-00-1			<u> </u>	
Mercury(II) nitrate	CAS No 10045-94-0	<1	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330		1(a) A(a) GHS-HC
	EC No 233-152-3		STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***	55116
	Index No 080-002-00-6				
Lead(II) nitrate	CAS No 10099-74-8	<1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df		1(a) A(a) GHS-HC
	EC No 233-245-9		STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	***	IARC: 2A IOELV
	Index No 082-001-00-6		, iquatic em ome 1 / 11410		
Selenious acid	CAS No 7783-00-8	<1	Acute Tox. 3 / H301 Acute Tox. 3 / H331 STOT RE 2 / H373		A GHS-HC
	EC No 231-974-7		Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	*	
	Index No 034-002-00-8				

#### Notes

The concentration stated is the percentage by weight of the metallic element calculated with reference to the total 1(a):

weight of the mixture

A(a): The name of substance is a general description. It is required that the correct name is stated on the label

A: Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as '... compounds' or '... salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.

B(a): The classification refers to an aqueous solution

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

IARC: 2A:

IOELV: Substance with a community indicative occupational exposure limit value MTP-RoC: Known To Be A Human Carcinogen

RoC "Known"

United Kingdom (en) Page 4 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
	EC No 231-714-2	Skin Corr. 1B; H314: 5 % ≤ C < 20 %			
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	M-factor (acute) = 1 M-factor	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %	(chronic) = 1		IIIISC
cobalt dinitrate	CAS No 10141-05-6	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor	-	
	EC No 233-402-1		(chronic) = 10		
copper dinitrate	CAS No 3251-23-8	-	-	794 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 221-838-5				
Zinc nitrate	CAS No 7779-88-6	-	-	>300 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 231-943-8				
Cadmium nitrate	CAS No 10325-94-7	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor	147 <sup>mg</sup> / <sub>kg</sub> 1.100 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: dust/
	EC No 233-710-6		(chronic) = 10	1,5 -//411	mist
barium nitrate	CAS No 10022-31-8	-	-	>50 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 233-020-5				msc
Arsenic acid	CAS No 7778-39-4	-	-	141,4 <sup>mg</sup> / <sub>kg</sub> 3 <sup>mg</sup> / <sub>l</sub> /4h 0,794 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: va- pour
	EC No 231-901-9			0,754 7,7411	inhalation: dust/ mist
Lead(II) nitrate	CAS No 10099-74-8	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 233-245-9	3101 NE 2, 11373. C = 0,3 %			msc
Mercury(II) ni- trate	CAS No 10045-94-0	STOT RE 2; H373: C ≥ 0,1 %	-	5 <sup>mg</sup> / <sub>kg</sub> 5 <sup>mg</sup> / <sub>kg</sub> 0,05 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: dust/
	EC No 233-152-3			3,00 7 p = 11	mist
Selenious acid	CAS No 7783-00-8	-	-	100 <sup>mg</sup> / <sub>kg</sub> 0,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 231-974-7				111130

United Kingdom (en) Page 5 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Substance of Very High Concern (SVHC)										
Name of substance Name acc. to invent- ory		CAS No	EC No	Listed in	Remarks					
Lead(II) nitrate	lead dinitrate	10099-74-8	233-245-9	Candidate list	Repr. A57c					
cobalt dinitrate	cobalt dinitrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c					
Cadmium nitrate	cadmium nitrate	10325-94-7	233-710-6	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH					
Arsenic acid	arsenic acid	7778-39-4	231-901-9	Annex XIV	Carc. 1A					

Legend

annex XIV List of substances subject to authorisation

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list

Carc. 1A Carcinogenic (category 1A) Carc. A57a Carcinogenic (article 57a) Muta. A57b Mutagenic (article 57b)

Toxic for reproduction (article 57c)

Repr. A57c STOT-re Specific target organ toxicity - repeated exposure (article 57(f) - human health)

A57(f)-HH

For full text of abbreviations: see SECTION 16

### SECTION 4: First aid measures

#### **Description of first aid measures** 4.1



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Gastric perforation, Risk of serious damage to eyes, Risk of blindness, Cough, Dyspnoea, Pulmonary oedema, Allergic reactions

Page 6 / 30 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 7 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provide adequate ventilation as well as local exhaustion at critical locations. Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep only in original container. May cause decomposition by long-term light influence.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

UV-radiation/sunlight, contact with air/oxygen

#### Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

#### **National limit values**

### Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC

United Kingdom (en) Page 8 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	arsenic acid	7778-39- 4	IOELV		0,01					i, As- limit	2019/ 983/EU
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	cobalt compounds		WEL		0,1					Со	EH40/ 2005
GB	selenium com- pounds		WEL		0,1					Se	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005
GB	arsenic compounds	7778-39- 4	WEL		0,1					As	EH40/ 2005

#### Notation

Calculated as As (arsenic) As

As-limit For the copper smelting sector, the limit value shall apply from 11 July 2023

Ceiling-C Ceiling value is a limit value above which exposure should not occur

cmr\_NicompThe limit value shall apply from 18 January 2025

cmr\_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.

Сo Calculated as Co (cobalt) Inhalable fraction . Ni Pb Calculated as Ni (nickel) Calculated as Pb (lead) Respirable fraction

STEL

Calculated as Se (selenium)
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** 

hours time-weighted average (unless otherwise specified)

#### **Biological limit values**

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR

United Kingdom (en) Page 9 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Coun	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

#### Notation

Pb-bio-2 Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers

have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than  $0.075 \text{ mg/m}^3$  but less than  $0.100 \text{ mg/m}^3$  and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months

Pb-med-2 Médical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g

Pb/g creatinine (urinary lead concentration)

Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatin-ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration) Pb-med-3

Pb-med-4 Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatinine (urinary lead concentration)

suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (ur-

inary lead concentration)

wmn<45y wmn>45ý, Women of reproductive capacity (women < 45 years)
Women of non-reproductive capacity, men (women > 45 years)

men

Adolescents (young person < 18 years) young

#### Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Zinc nitrate	7779-88-6	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Zinc nitrate	7779-88-6	DNEL	8,3 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Cadmium nitrate	10325-94-7	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	

United Kingdom (en) Page 10 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

## Relevant DNELs of components of the mixture

	<u> </u>					
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
barium nitrate	10022-31-8	DNEL	2,73 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
barium nitrate	10022-31-8	DNEL	8,141 mg/ kg	human, dermal	worker (industry)	chronic - systemic effects
Arsenic acid	7778-39-4	DNEL	6 μg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Arsenic acid	7778-39-4	DNEL	85 μg/kg	human, dermal	worker (industry)	chronic - systemic effects

### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Zinc nitrate	7779-88-6	PNEC	20,6 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	6,1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	100 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	117,8 <sup>mg</sup> /	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	56,5 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Zinc nitrate	7779-88-6	PNEC	35,6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,19 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,8 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
barium nitrate	10022-31-8	PNEC	115 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
barium nitrate	10022-31-8	PNEC	62,2 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
barium nitrate	10022-31-8	PNEC	600 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

United Kingdom (en) Page 11 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



**Exposure time** 

short-term (single instance)

short-term (single instance)

short-term (single

instance)

short-term (single

instance)

short-term (single

instance)

short-term (single instance)

short-term (single

instance)

mental

rtment

marine water

sewage treatment

plant (STP)

freshwater sedi-

ment

marine sediment

soil

#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

7778-39-4

7778-39-4

7778-39-4

7778-39-4

7778-39-4

article number: 1YL5

Relevant PNECs	Relevant PNECs of components of the mixture								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environment compartmer				
barium nitrate	10022-31-8	PNEC	207,7 <sup>mg</sup> / kg	terrestrial organ- isms	soil				
Arsenic acid	7778-39-4	PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organ-	freshwater				

**PNEC** 

**PNEC** 

PNFC

**PNEC** 

**PNEC** 

0,001 mg/1

 $0,42 \frac{mg}{I}$ 

 $5 \frac{mg}{kg}$ 

 $6 \, \rm ^{mg}/_{kg}$ 

0,095 <sup>mg</sup>/

aquatic organ-

isms

aquatic organ-

isms

aquatic organ-

isms

aquatic organ-

isms

terrestrial organ-

isms

#### 8.2 **Exposure controls**

#### Individual protection measures (personal protective equipment)

#### Eye/face protection

Arsenic acid

Arsenic acid

Arsenic acid

Arsenic acid

Arsenic acid





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

FKM (fluoro rubber), Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

breakthrough times of the glove material

United Kingdom (en) Page 12 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour clear

Odour characteristic

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling ~83 °C at 1.013 hPa

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density  $\sim 1.1 \, {\rm g/_{cm^3}}$  at 20 °C

United Kingdom (en) Page 13 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Acetone, Aldehydes, Alkali (lye), Alkali metals, Alcohols, Formic acid, Amines, Ammonia (NH3), Aniline, Combustible materials, Dichloromethane, Alkaline earth metal, Acetic anhydride, Hydrozarbons, Metal powder, Nitriles, Reducing agents, Strong alkali, Hydrogen peroxide,

=> Explosive properties

#### 10.4 Conditions to avoid

UV-radiation/sunlight. Keep away from heat.

#### 10.5 Incompatible materials

different metals

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 14 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

## Acute toxicity estimate (ATE) of components of the mixture

Name of substance         CAS No         Exposure route         ATE           Nitric acid% [C ≤ 70 %]         7697-37-2         inhalation: vapour $2.65  ^{mg}/l/4h$ nickel dinitrate         13138-45-9         oral $1.620  ^{mg}/l_{kg}$ nickel dinitrate         13138-45-9         inhalation: dust/mist $1.5  ^{mg}/l/4h$ copper dinitrate         3251-23-8         oral $794  ^{mg}/l_{kg}$ Zinc nitrate         7779-88-6         oral $>300  ^{mg}/l_{kg}$ Cadmium nitrate         10325-94-7         oral $147  ^{mg}/l_{kg}$ Cadmium nitrate         10325-94-7         dermal $1.100  ^{mg}/l_{kg}$ Cadmium nitrate         10325-94-7         inhalation: dust/mist $1.5  ^{mg}/l/4h$ barium nitrate         10325-94-7         inhalation: dust/mist $1.5  ^{mg}/l/4h$ barium nitrate         10022-31-8         oral $1.5  ^{mg}/l/4h$ Arsenic acid         7778-39-4         oral $141.4  ^{mg}/l_{kg}$ Arsenic acid         7778-39-4         inhalation: dust/mist $0.794  ^{mg}/l/4h$ Lead(II) nitrate         10099-74-8         inhalation: dust/mist $0.794  ^{mg}/l/4h$										
nickel dinitrate         13138-45-9         oral         1.620 mg/kg           nickel dinitrate         13138-45-9         inhalation: dust/mist         1,5 mg/kg           copper dinitrate         3251-23-8         oral         794 mg/kg           Zinc nitrate         7779-88-6         oral         >300 mg/kg           Cadmium nitrate         10325-94-7         oral         147 mg/kg           Cadmium nitrate         10325-94-7         dermal         1.100 mg/kg           Cadmium nitrate         10325-94-7         inhalation: dust/mist         1,5 mg/k/4h           barium nitrate         10022-31-8         oral         >50 mg/kg           barium nitrate         10022-31-8         inhalation: dust/mist         1,5 mg/k/4h           Arsenic acid         7778-39-4         oral         141.4 mg/kg           Arsenic acid         7778-39-4         inhalation: dust/mist         0,794 mg/k/4h           Lead(II) nitrate         10099-74-8         oral         500 mg/kg           Lead(II) nitrate         10099-74-8         inhalation: dust/mist         1,5 mg/kg           Mercury(II) nitrate         10045-94-0         oral         5 mg/kg           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/k/4h	Name of substance	CAS No	Exposure route	ATE						
nickel dinitrate         13138-45-9         inhalation: dust/mist $1,5  ^{\rm mg}/l/4h$ copper dinitrate         3251-23-8         oral $794  ^{\rm mg}/l_{kg}$ Zinc nitrate         7779-88-6         oral $>300  ^{\rm mg}/l_{kg}$ Cadmium nitrate $10325-94-7$ oral $147  ^{\rm mg}/l_{kg}$ Cadmium nitrate $10325-94-7$ dermal $1.100  ^{\rm mg}/l_{kg}$ Cadmium nitrate $10325-94-7$ inhalation: dust/mist $1,5  ^{\rm mg}/l/4h$ barium nitrate $10022-31-8$ oral $>50  ^{\rm mg}/l_{kg}$ barium nitrate $10022-31-8$ inhalation: dust/mist $1,5  ^{\rm mg}/l/4h$ Arsenic acid $7778-39-4$ oral $141.4  ^{\rm mg}/l_{kg}$ Arsenic acid $7778-39-4$ inhalation: vapour $3  ^{\rm mg}/l_{l}/4h$ Arsenic acid $7778-39-4$ inhalation: dust/mist $0,794  ^{\rm mg}/l_{l}/4h$ Lead(II) nitrate $10099-74-8$ oral $500  ^{\rm mg}/l_{kg}$ Lead(II) nitrate $10099-74-8$ inhalation: dust/mist $1,5  ^{\rm mg}/l_{l}/4h$ Mercury(II) nitrate $10045-94-0$ <t< td=""><td>Nitric acid% [C ≤ 70 %]</td><td>7697-37-2</td><td>inhalation: vapour</td><td>2,65 <sup>mg</sup>/<sub>l</sub>/4h</td></t<>	Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h						
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>						
Zinc nitrate         7779-88-6         oral         >300 mg/kg           Cadmium nitrate         10325-94-7         oral         147 mg/kg           Cadmium nitrate         10325-94-7         dermal         1.100 mg/kg           Cadmium nitrate         10325-94-7         inhalation: dust/mist         1,5 mg/l/4h           barium nitrate         10022-31-8         oral         >50 mg/kg           barium nitrate         10022-31-8         inhalation: dust/mist         1,5 mg/l/4h           Arsenic acid         7778-39-4         oral         141,4 mg/kg           Arsenic acid         7778-39-4         inhalation: vapour         3 mg/l/4h           Arsenic acid         7778-39-4         inhalation: dust/mist         0,794 mg/l/4h           Lead(II) nitrate         10099-74-8         oral         500 mg/l/4h           Lead(II) nitrate         10099-74-8         inhalation: dust/mist         1,5 mg/l/4h           Mercury(II) nitrate         10045-94-0         oral         5 mg/l/4g           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/l/4h           Selenious acid         7783-00-8         oral         100 mg/l/kg	nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h						
Cadmium nitrate         10325-94-7         oral         147 mg/kg           Cadmium nitrate         10325-94-7         dermal         1.100 mg/kg           Cadmium nitrate         10325-94-7         inhalation: dust/mist         1,5 mg/kh           barium nitrate         10022-31-8         oral         >50 mg/kg           barium nitrate         10022-31-8         inhalation: dust/mist         1,5 mg/k/4h           Arsenic acid         7778-39-4         oral         141,4 mg/kg           Arsenic acid         7778-39-4         inhalation: vapour         3 mg/k/4h           Arsenic acid         7778-39-4         inhalation: dust/mist         0,794 mg/k/4h           Lead(II) nitrate         10099-74-8         oral         500 mg/kg           Lead(II) nitrate         10099-74-8         inhalation: dust/mist         1,5 mg/k/4h           Mercury(II) nitrate         10045-94-0         oral         5 mg/kg           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/kg           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/kg	copper dinitrate	3251-23-8	oral	794 <sup>mg</sup> / <sub>kg</sub>						
Cadmium nitrate $10325-94-7$ dermal $1.100  ^{mg}/_{kg}$ Cadmium nitrate $10325-94-7$ inhalation: dust/mist $1,5  ^{mg}/_{l}/4h$ barium nitrate $10022-31-8$ oral $>50  ^{mg}/_{kg}$ barium nitrate $10022-31-8$ inhalation: dust/mist $1,5  ^{mg}/_{l}/4h$ Arsenic acid $7778-39-4$ oral $141,4  ^{mg}/_{kg}$ Arsenic acid $7778-39-4$ inhalation: vapour $3  ^{mg}/_{l}/4h$ Arsenic acid $7778-39-4$ inhalation: dust/mist $0,794  ^{mg}/_{l}/4h$ Lead(II) nitrate $10099-74-8$ oral $500  ^{mg}/_{kg}$ Lead(II) nitrate $10099-74-8$ inhalation: dust/mist $1,5  ^{mg}/_{l}/4h$ Mercury(II) nitrate $10045-94-0$ oral $5  ^{mg}/_{kg}$ Mercury(II) nitrate $10045-94-0$ inhalation: dust/mist $0,05  ^{mg}/_{l}/4h$ Selenious acid $7783-00-8$ oral $100  ^{mg}/_{kg}$	Zinc nitrate	7779-88-6	oral	>300 <sup>mg</sup> / <sub>kg</sub>						
Cadmium nitrate         10325-94-7         inhalation: dust/mist         1,5 mg/ <sub>l</sub> /4h           barium nitrate         10022-31-8         oral         >50 mg/ <sub>kg</sub> barium nitrate         10022-31-8         inhalation: dust/mist         1,5 mg/ <sub>l</sub> /4h           Arsenic acid         7778-39-4         oral         141,4 mg/ <sub>kg</sub> Arsenic acid         7778-39-4         inhalation: vapour         3 mg/ <sub>l</sub> /4h           Arsenic acid         7778-39-4         inhalation: dust/mist         0,794 mg/ <sub>l</sub> /4h           Lead(II) nitrate         10099-74-8         oral         500 mg/ <sub>kg</sub> Lead(II) nitrate         10099-74-8         inhalation: dust/mist         1,5 mg/ <sub>l</sub> / <sub>l</sub> /4h           Mercury(II) nitrate         10045-94-0         oral         5 mg/ <sub>kg</sub> Mercury(II) nitrate         10045-94-0         dermal         5 mg/ <sub>kg</sub> Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/ <sub>l</sub> / <sub>l</sub> /4h           Selenious acid         7783-00-8         oral         100 mg/ <sub>kg</sub>	Cadmium nitrate	10325-94-7	oral	147 <sup>mg</sup> / <sub>kg</sub>						
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	Cadmium nitrate	10325-94-7	dermal	1.100 <sup>mg</sup> / <sub>kg</sub>						
barium nitrate 10022-31-8 inhalation: dust/mist 1,5 mg/ <sub>l</sub> /4h  Arsenic acid 7778-39-4 oral 141,4 mg/ <sub>kg</sub> Arsenic acid 7778-39-4 inhalation: vapour 3 mg/ <sub>l</sub> /4h  Arsenic acid 7778-39-4 inhalation: dust/mist 0,794 mg/ <sub>l</sub> /4h  Lead(II) nitrate 10099-74-8 oral 500 mg/ <sub>kg</sub> Lead(II) nitrate 10099-74-8 inhalation: dust/mist 1,5 mg/ <sub>l</sub> /4h  Mercury(II) nitrate 10045-94-0 oral 5 mg/ <sub>kg</sub> Mercury(II) nitrate 10045-94-0 inhalation: dust/mist 0,05 mg/ <sub>kg</sub> Mercury(II) nitrate 10045-94-0 inhalation: dust/mist 0,05 mg/ <sub>l</sub> /4h  Selenious acid 7783-00-8 oral 100 mg/ <sub>kg</sub>	Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h						
Arsenic acid       7778-39-4       oral       141,4 mg/kg         Arsenic acid       7778-39-4       inhalation: vapour       3 mg/l/4h         Arsenic acid       7778-39-4       inhalation: dust/mist       0,794 mg/l/4h         Lead(II) nitrate       10099-74-8       oral       500 mg/kg         Lead(II) nitrate       10099-74-8       inhalation: dust/mist       1,5 mg/l/4h         Mercury(II) nitrate       10045-94-0       oral       5 mg/kg         Mercury(II) nitrate       10045-94-0       dermal       5 mg/kg         Mercury(II) nitrate       10045-94-0       inhalation: dust/mist       0,05 mg/l/4h         Selenious acid       7783-00-8       oral       100 mg/kg	barium nitrate	10022-31-8	oral	>50 <sup>mg</sup> / <sub>kg</sub>						
Arsenic acid 7778-39-4 inhalation: vapour 3 mg/ <sub>l</sub> /4h  Arsenic acid 7778-39-4 inhalation: dust/mist 0,794 mg/ <sub>l</sub> /4h  Lead(II) nitrate 10099-74-8 oral 500 mg/ <sub>kg</sub> Lead(II) nitrate 10099-74-8 inhalation: dust/mist 1,5 mg/ <sub>l</sub> /4h  Mercury(II) nitrate 10045-94-0 oral 5 mg/ <sub>kg</sub> Mercury(II) nitrate 10045-94-0 dermal 5 mg/ <sub>kg</sub> Mercury(II) nitrate 10045-94-0 inhalation: dust/mist 0,05 mg/ <sub>l</sub> /4h  Selenious acid 7783-00-8 oral 100 mg/ <sub>kg</sub>	barium nitrate	10022-31-8	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h						
Arsenic acid       7778-39-4       inhalation: dust/mist       0,794 mg/ <sub>I</sub> /4h         Lead(II) nitrate       10099-74-8       oral       500 mg/ <sub>kg</sub> Lead(II) nitrate       10099-74-8       inhalation: dust/mist       1,5 mg/ <sub>I</sub> / <sub>4</sub> h         Mercury(II) nitrate       10045-94-0       oral       5 mg/ <sub>kg</sub> Mercury(II) nitrate       10045-94-0       dermal       5 mg/ <sub>kg</sub> Mercury(II) nitrate       10045-94-0       inhalation: dust/mist       0,05 mg/ <sub>I</sub> / <sub>4</sub> h         Selenious acid       7783-00-8       oral       100 mg/ <sub>kg</sub>	Arsenic acid	7778-39-4	oral	141,4 <sup>mg</sup> / <sub>kg</sub>						
Lead(II) nitrate       10099-74-8       oral       500 mg/kg         Lead(II) nitrate       10099-74-8       inhalation: dust/mist       1,5 mg/l/4h         Mercury(II) nitrate       10045-94-0       oral       5 mg/kg         Mercury(II) nitrate       10045-94-0       dermal       5 mg/kg         Mercury(II) nitrate       10045-94-0       inhalation: dust/mist       0,05 mg/l/4h         Selenious acid       7783-00-8       oral       100 mg/kg	Arsenic acid	7778-39-4	inhalation: vapour	3 <sup>mg</sup> / <sub>l</sub> /4h						
Lead(II) nitrate         10099-74-8         inhalation: dust/mist         1,5 mg/ <sub>l</sub> /4h           Mercury(II) nitrate         10045-94-0         oral         5 mg/ <sub>kg</sub> Mercury(II) nitrate         10045-94-0         dermal         5 mg/ <sub>kg</sub> Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/ <sub>l</sub> /4h           Selenious acid         7783-00-8         oral         100 mg/ <sub>kg</sub>	Arsenic acid	7778-39-4	inhalation: dust/mist	0,794 <sup>mg</sup> / <sub>l</sub> /4h						
Mercury(II) nitrate         10045-94-0         oral         5 mg/kg           Mercury(II) nitrate         10045-94-0         dermal         5 mg/kg           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/l/4h           Selenious acid         7783-00-8         oral         100 mg/kg	Lead(II) nitrate	10099-74-8	oral	500 <sup>mg</sup> / <sub>kg</sub>						
Mercury(II) nitrate         10045-94-0         dermal         5 mg/kg           Mercury(II) nitrate         10045-94-0         inhalation: dust/mist         0,05 mg/i/4h           Selenious acid         7783-00-8         oral         100 mg/kg	Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h						
Mercury(II) nitrate 10045-94-0 inhalation: dust/mist 0,05 <sup>mg</sup> / <sub>I</sub> /4h  Selenious acid 7783-00-8 oral 100 <sup>mg</sup> / <sub>kg</sub>	Mercury(II) nitrate	10045-94-0	oral	5 <sup>mg</sup> / <sub>kg</sub>						
Selenious acid 7783-00-8 oral 100 <sup>mg</sup> / <sub>kg</sub>	Mercury(II) nitrate	10045-94-0	dermal	5 <sup>mg</sup> / <sub>kg</sub>						
	Mercury(II) nitrate	10045-94-0	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h						
Selenious acid 7783-00-8 inhalation: dust/mist 0,5 <sup>mg</sup> / <sub>I</sub> /4h	Selenious acid	7783-00-8	oral	100 <sup>mg</sup> / <sub>kg</sub>						
	Selenious acid	7783-00-8	inhalation: dust/mist	0,5 <sup>mg</sup> / <sub>l</sub> /4h						

### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat
copper dinitrate	3251-23-8	oral	LD50	794 <sup>mg</sup> / <sub>kg</sub>	rat
Zinc nitrate	7779-88-6	oral	LD50	>300 <sup>mg</sup> / <sub>kg</sub>	rat
Zinc nitrate	7779-88-6	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 <sup>mg</sup> / <sub>kg</sub>	rat

United Kingdom (en) Page 15 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO}_3$

article number: 1YL5

<b>Acute toxicity</b>	οf	components	οf	the	mixture
ACULE LUXICITY	vı	COHIDOHEHICS	vı	uic	IIIIALUIC

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
barium nitrate	10022-31-8	oral	LD50	>50 - <300 <sup>mg</sup> / <sub>kg</sub>	rat
barium nitrate	10022-31-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Arsenic acid	7778-39-4	oral	LD50	141,4 <sup>mg</sup> / <sub>kg</sub>	mouse
Arsenic acid	7778-39-4	inhalation: dust/mist	LC50	0,794 <sup>mg</sup> / <sub>l</sub> /4h	mouse
Arsenic acid	7778-39-4	dermal	LD50	2.300 <sup>mg</sup> / <sub>kg</sub>	rabbit
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

May cause genetic defects.

#### Carcinogenicity

May cause cancer.

#### Reproductive toxicity

May damage the unborn child.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

corrosive to the respiratory tract, cough, Dyspnoea, pulmonary oedema

United Kingdom (en) Page 16 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

#### • If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Name of sub-	CAS No	Endpoint	Value	Species	Exposure
stance					time
Zinc nitrate	7779-88-6	LC50	315 <sup>µg</sup> / <sub>l</sub>	fish	96 h
Zinc nitrate	7779-88-6	EC50	2.140 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	LC50	58,16 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	EC50	1.900 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	ErC50	70 <sup>µg</sup> / <sub>I</sub>	algae	72 h
barium nitrate	10022-31-8	LC50	>3,5 <sup>mg</sup> / <sub>l</sub>	fish	96 h
barium nitrate	10022-31-8	EC50	≤18 <sup>mg</sup> / <sub>I</sub>	aquatic invertebrates	48 h
barium nitrate	10022-31-8	ErC50	>1,15 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Arsenic acid	7778-39-4	LC50	141 <sup>mg</sup> / <sub>l</sub>	fish	24 h
Arsenic acid	7778-39-4	EC50	159 <sup>µg</sup> / <sub>l</sub>	algae	96 h
Lead(II) nitrate	10099-74-8	LC50	107 <sup>µg</sup> / <sub>l</sub>	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 <sup>µg</sup> / <sub>l</sub>	algae	48 h
Selenious acid	7783-00-8	LC50	2.060 <sup>µg</sup> / <sub>I</sub>	fish	96 h
Selenious acid	7783-00-8	EC50	1.120 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Selenious acid	7783-00-8	ErC50	44.240 <sup>µg</sup> / <sub>I</sub>	algae	72 h

United Kingdom (en) Page 17 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % ${\rm HNO_3}$

article number: 1YL5

Aqua	tic toxicit	y (chronic)	of com	ponents o	f the mixture
------	-------------	-------------	--------	-----------	---------------

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Zinc nitrate	7779-88-6	EC50	0,22 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	LC50	1.500 <sup>µg</sup> / <sub>l</sub>	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 <sup>µg</sup> / <sub>l</sub>	fish	100 d
barium nitrate	10022-31-8	ErC50	>2,19 <sup>mg</sup> / <sub>l</sub>	algae	72 d
barium nitrate	10022-31-8	EC50	>1.000 <sup>mg</sup> / <sub>l</sub>	microorganisms	3 h
Arsenic acid	7778-39-4	LC50	141 <sup>mg</sup> / <sub>l</sub>	fish	24 h
Arsenic acid	7778-39-4	EC50	0,256 <sup>mg</sup> / <sub>l</sub>	algae	14 d

#### 12.2 Persistence and degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Zinc nitrate	7779-88-6	96,05		
barium nitrate	10022-31-8	68,4		

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

United Kingdom (en) Page 18 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP 6 acute toxicity

HP 7 carcinogenic

HP8 corrosive

HP 10 toxic for reproduction HP 11 mutagenic HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 2031
IMDG-Code	UN 2031
ICAO-TI	UN 2031

#### 14.2 UN proper shipping name

ADRRID	NITRIC ACID
IMDG-Code	NITRIC ACID
ICAO-TI	Nitric acid

#### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADRRID	II
IMDG-Code	II
ICAO-TI	II

#### 14.5 Environmental hazards hazardous to the aquatic environment

Environmentally hazardous substance (aquatic	Nickel dinitrate
environment):	

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

United Kingdom (en) Page 19 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % ${\rm HNO_3}$

article number: 1YL5

#### 14.8 Information for each of the UN Model Regulations

## Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name NITRIC ACID

Particulars in the transport document UN2031, NITRIC ACID, 8, II, (E), environmentally

hazardous

Classification code C1

Danger label(s) 8, "Fish and tree"





Environmental hazards yes (hazardous to the aquatic environment)

Excepted quantities (EQ)

Limited quantities (LQ)

1 L

Transport category (TC)

2

Tunnel restriction code (TRC)

Hazard identification No

80

**Emergency Action Code** 2R

## Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1

Danger label(s) 8

Fish and tree





Environmental hazards Yes

Hazardous to water

Excepted quantities (EQ)E2Limited quantities (LQ)1 LTransport category (TC)2Hazard identification No80

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name NITRIC ACID

Particulars in the shipper's declaration UN2031, NITRIC ACID, 8, II, MARINE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 8, "Fish and tree"





United Kingdom (en) Page 20 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-A, S-B

Stowage category D

Segregation group 1 - Acids

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Nitric acid

Particulars in the shipper's declaration UN2031, Nitric acid, 8, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 8



Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	18/EU (Seveso III)		
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### **Deco-Paint Directive**

VOC content	0 % 0 <sup>g</sup> / <sub>l</sub>
-------------	--------------------------------------

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

United Kingdom (en) Page 21 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

### **Water Framework Directive (WFD)**

### List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Zinc nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Zinc nitrate	Metals and their compounds		a)	
barium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
barium nitrate	Metals and their compounds		a)	
Mercury(II) nitrate	mercury compounds		b)	HAZ
Mercury(II) nitrate	mercury compounds	7439-97-6	c)	
Mercury(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Mercury(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Mercury(II) nitrate	Metals and their compounds		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	

United Kingdom (en) Page 22 / 30

# Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (depending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
copper dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
copper dinitrate	Metals and their compounds		a)	

United Kingdom (en) Page 23 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

List of pollutants (WFD)						
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks		
Arsenic acid	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)			
Arsenic acid	Arsenic and its compounds		a)			

#### Legend

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

A) B) C) HAZ

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	5	Annex I		3 % w/w	10 % w/w

#### Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

United Kingdom (en) Page 24 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Mercury(II) nitrate	mercury(II) nitrate	10045- 94-0	0,16		
Lead(II) nitrate	lead compounds		0,16	i(2)	sr
Cadmium nitrate	cadmium compounds		0,21	i(1) i(2)	sr sr
Arsenic acid	arsenic compounds		0,19	p(2)	sr

#### Legend

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use Sub-category: p(2) - other pesticide including biocides i(1) i(2) p(2)

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### National regulations(GB)

#### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE				
Name of substance CAS No Listed in Remarks				
Arsenic acid	7778-39-4	Annex XIV	Carc. A57a	

#### Legend

Annex XIV List of substances subject to authorisation Carc. A57a Carcinogenic (Article 57a)

## Restrictions according to GB REACH, Annex 17

ingerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Multi-Element	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Arsenic acid	Arsenic compounds		19
Arsenic acid	Arsenic compounds		72
Arsenic acid	carcinogenic		28

### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 25 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: 1YL5

#### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

AIIC

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) CICR CSCL-ENCS DSL ECSI IECSC

INSQ

ISHA-ENCS

List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
Non-domestic Substances List (NDSL)
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances **NDSL** NZIoC PICCS

REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work

United Kingdom (en) Page 26 / 30

# Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: **1YL5** 

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air

United Kingdom (en) Page 27 / 30

# Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % HNO<sub>3</sub>

article number: **1YL5** 

Abbr.	Descriptions of used abbreviations
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Page 28 / 30 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % ${\rm HNO_3}$

article number: 1YL5

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

United Kingdom (en) Page 29 / 30

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-Standard Solution CR-23 ROTI®Star 21 elements in 5 % $\mathrm{HNO_3}$

article number: 1YL5

Code	Text
H411	Toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 30 / 30