acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper ROTI®nanoMETIC ≥99 %, 20 nm



article number: **21E8** Version: **1.0 en**

date of compilation: 2023-04-20

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

21E8

231-159-6

7440-50-8

Nanoform

1.1 Product identifier

Identification of the substance Article number

- EC number
- CAS number

Form

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Laboratory chemical Laboratory and analytical use

Uses advised against:

Do not use for private purposes (household). Food, drink and animal feedingstuffs.

Copper ROTI®nanoMETIC ≥99 %, 20 nm

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.7 Flammable solid		1	Flam. Sol. 1	H228
4.1A Hazardous to the aquatic environment - acute hazard		1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

The most important adverse physicochemical, human health and environmental effects Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS09



Hazard statements

H228	Flammable solid
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition
	sources. No smoking
P273	Avoid release to the environment

Precautionary statements - response

P370+P378 In case of fire: Use metal fire powder to extinguish

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Copper
Molecular formula	Cu
Molar mass	63,54 ^g / _{mol}
CAS No	7440-50-8
EC No	231-159-6
Form	Nanoform
Contains: Nanomaterial	



acc. to Regulation (EC) No. 1907/2006 (REACH)

® §ROTH

Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings D-powder

Unsuitable extinguishing media

water, foam, carbon dioxide (CO₂)

5.2 Special hazards arising from the substance or mixture

Danger of dust explosion. Deposited combustible dust has considerable explosion potential.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust. Eliminate all ignition sources if safe to do so.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
dust		WEL	10			i	EH40/2005
dust		WEL	4			r	EH40/2005
copper	7440-50-8	WEL	1	2		dm	EH40/2005
copper	7440-50-8	WEL	0,2			fume	EH40/2005
	dust dust copper	dust	dustweldustWeldustWelcopper7440-50-8copper7440-50-8	er[mg/ m³]dustWEL10dustWEL4copper7440-50-8WEL1copper7440-50-8WEL0,2	er[mg/ m³][mg/ m³]dustWEL10dustWEL4copper7440-50-8WEL1copper7440-50-8WEL0,2	er[mg/ m³][mg/ m³]ing-C [mg/ m³]dustWEL10dustWEL4copper7440-50-8WEL12copper7440-50-8WEL0,2	er[mg/ m³][mg/ m³]ing-C [mg/ m³]tiondustWEL10dustWEL4rcopper7440-50-8WEL12dmcopper7440-50-8WEL0,2fume

Notation

NOLALION	
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
dm	As dusts and mists
fume	As fume
i	Inhalable fraction
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15- minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Human health values

Relevant DNELs and other threshold levels

Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	137 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects
DNEL	273 mg/kg bw/ day	human, dermal	worker (industry)	acute - systemic effects

Environmental values

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	7,8 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	5,2 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	230 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	87 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	676 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	65 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper ROTI®nanoMETIC ≥99 %, 20 nm

® §ROTH

article number: 21E8

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

SECTION 9: Physical and chemical properties

9.1	Information on basic physical and chemical pro	operties				
	Physical state	solid				
	Form	nanoparticle				
	Colour	brown - red brown				
	Odour	odourless				
	Melting point/freezing point	1.059 °C (ECHA)				
	Boiling point or initial boiling point and boiling range	2.580 °C at 1.013 hPa				
	Flammability	flammable solid in accordance with GHS criteria				
	Lower and upper explosion limit	not determined				
	Flash point	not applicable				
	Auto-ignition temperature	>1.059 °C (ECHA)				
	Decomposition temperature	>1.071 °C (ECHA)				
	pH (value)	not applicable				
	Kinematic viscosity	not relevant				
	Solubility(ies)					
	Water solubility	not determined				
	Partition coefficient					
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)				
	Vapour pressure	not determined				
	Density and/or relative density					
	Density	8,78 ^g / _{cm³} at 20 °C (ECHA)				
	Relative vapour density	information on this property is not available				
	Particle characteristics					
	Particle characteristics	contains: Nanoform				
	Particle size	20 nm				
	Other safety parameters					
	Oxidising properties	none				
9.2	Other information					
	Information with regard to physical hazard classes:	There is no additional information.				
	Other safety characteristics:	There is no additional information.				
	ad Kinadam (an)	Page 7/1				

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Dust explosibility.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetylene, Ammonium compounds, Azides, Chlorine, Ethylene oxide, Sulphuric acid, Hydrogen sulphide (H₂S), Peroxides, Chlorates, => Explosive properties

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat. Decompostion takes place from temperatures above: >1.071 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper ROTI®nanoMETIC ≥99 %, 20 nm



article number: 21E8

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Liver and kidney damage, nausea, gastrointestinal complaints

• If in eyes

Data are not available.

• If inhaled

Inhalation of dust may cause irritation of the respiratory system, cough, breathing difficulties, varying degrees of pulmonary injury

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	38,4 ^{µg} / _l	fish	ECHA	96 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recycling/reclamation of metals and metal compounds.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADRRID	UN 3089
	IMDG-Code	UN 3089
	ICAO-TI	UN 3089
14.2	UN proper shipping name	
	ADRRID	METAL POWDER, FLAMMABLE, N.O.S.
	IMDG-Code	METAL POWDER, FLAMMABLE, N.O.S.
	ICAO-TI	Metal powder, flammable, n.o.s.
14.3	Transport hazard class(es)	
	ADRRID	4.1
	IMDG-Code	4.1
	ICAO-TI	4.1

acc. to Regulation (EC) No. 1907/2006 (REACH)



article	article number: 21E8				
14.4	Packing group				
	ADRRID	II			
	IMDG-Code	II			
	ICAO-TI	II			
14.5	Environmental hazards	hazardous to the aquatic environment			
14.6	Special precautions for user				
	Provisions for dangerous goods (ADR) should be c	omplied within the premises.			
14.7	Maritime transport in bulk according to IMO in	struments			
	The cargo is not intended to be carried in bulk.				
14.8	Information for each of the UN Model Regulation	ons			
	Agreement concerning the International Carria	age of Dangerous Goods by Road (ADR)Additional			
	Proper shipping name	METAL POWDER, FLAMMABLE, N.O.S.			
	Particulars in the transport document	UN3089, METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, (E), environmentally hazardous			
	Classification code	F3			
	Danger label(s)	4.1, "Fish and tree"			
	Environmental hazards	Yes (hazardous to the aquatic environment)			
	Special provisions (SP)	552			
	Excepted quantities (EQ)	E2			
	Limited quantities (LQ)	1 kg			
	Transport category (TC)	2			
	Tunnel restriction code (TRC)	E			
	Hazard identification No	40			
	Emergency Action Code	4Y			
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information				
	Classification code	F3			
	Danger label(s)	4.1 Fish and tree			
	Environmental hazards	Yes Hazardous to water			
	Special provisions (SP)	552			

E2

Excepted quantities (EQ)

acc. to Regulation (EC) No. 1907/2006 (REACH)

	R
SLU II	

article number: 21E8	article	number:	21E8
-----------------------------	---------	---------	------

Limited quantities (LQ)	1 kg
Transport category (TC)	2
Hazard identification No	40
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	METAL POWDER, FLAMMABLE, N.O.S.
Particulars in the shipper's declaration	UN3089, METAL POWDER, FLAMMABLE, N.O.S., 4.1, II, MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	4.1, "Fish and tree"
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-G, S-G
Stowage category	В
Segregation group	7 - Heavy metals and their salts 15 - Powdered metals
International Civil Aviation Organization (ICAC	-IATA/DGR) - Additional information
Proper shipping name	Metal powder, flammable, n.o.s.
Particulars in the shipper's declaration	UN3089, Metal powder, flammable, n.o.s., 4.1, II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	4.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes		
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100	200	56)		

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	0 %
VOC content	0 g/l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)				
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)	
Copper	7440-50-8	(8)	100	

Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Copper	Metals and their compounds		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)				
Name of substance	Name acc. to inventory	CAS No	No	
Copper	flammable / pyrophoric		40	

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

AIIC CICR	Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

acc. to Regulation (EC) No. 1907/2006 (REACH)



Copper ROTI®nanoMETIC ≥99 %, 20 nm

article number: 21E8

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

acc. to Regulation (EC) No. 1907/2006 (REACH)

Copper ROTI®nanoMETIC ≥99 %, 20 nm



article number: 21E8

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.