

### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: **2238** Version: **3.0 en** Replaces version of: 2022-01-13 Version: (2)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

Article number

**Single-Element** AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

2238

Registration number (REACH)

not relevant (mixture)

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.5	Germ cell mutagenicity	1B	Muta. 1B	H340

date of compilation: 2016-09-24 Revision: 2022-01-18

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

# ® Both

#### article number: 2238

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350

For full text of abbreviations: see SECTION 16

### 2.2 Label elements

#### Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS08



#### **Hazard statements**

H290	May be corrosive to metals
H315	Causes skin irritation
H319	Causes serious eye irritation
H340	May cause genetic defects
H350	May cause cancer

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### For professional users only

#### Hazardous ingredients for labelling:

Cadmium nitrate

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H340May cause genetic defects.H350May cause cancer.P280Wear protective gloves/protective clothing/eye protection/face protection.contains:Cadmium nitrate

### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

# **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 Mixtures

### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 REACH Reg. No 01-2119487297- 23-xxxx	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6 REACH Reg. No 01-2119480476- 30-xxxx	< 1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IARC: 1 RoC "Known"

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer) IOELV: Substance with a community indicative occupational exposure limit value RoC NTP-RoC: Known To Be A Human Carcinogen "Known"

<sup>:</sup> 

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ΑΤΕ	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> /l/4h	inhalation: va- pour
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10.0 M-factor (chronic) = 10.0	147 <sup>mg</sup> / <sub>kg</sub> 1.100 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: dust/ mist

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

Substance of Very High Concern (SVHC)								
Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks			
Cadmium nitrate	cadmium nitrate	10325-94-7	233-710-6	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH			

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list Carc. A57a Carcinogenic (article 57a)

Muta. A57b Mutagenic (article 57b) STOT-re Specific target organ toxicity - repeated exposure (article 57(f) - human health) STOT-re A57(f)-HH

For full text of abbreviations: see SECTION 16

## SECTION 4: First aid measures

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 2238

## SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

## **SECTION 7: Handling and storage**

**Precautions for safe handling** 7.1

Avoid exposure.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

### Specific designs for storage rooms or vessels Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

#### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Ceiling-C STEL Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

#### **Relevant DNELs of components of the mixture**

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Cadmium nitrate	10325-94-7	DNEL	4 µg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

Relevant PNECs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	0,19 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,8 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

**Skin protection** 



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

- material thickness
- >0,11 mm
- breakthrough times of the glove material
- >480 minutes (permeation: level 6)



article number: 2238

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### Environmental exposure controls

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	~0 °C at 1.013 mPa
Boiling point or initial boiling point and boiling range	~100 °C at 1.013 hPa (unknown)
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	1,012 <sup>g</sup> / <sub>cm³</sub> at 20 °C
Relative vapour density	information on this property is not available



according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2238

	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	
	Corrosive to metals	category 1: corrosive to metals
	Other safety characteristics:	
	Miscibility	completely miscible with water

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Dangerous/dangerous reactions with:** strong oxidiser, Strong alkali, Ammonia (NH3), Bases, Metals, Reducing agents, Organic solvents

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

### 10.5 Incompatible materials

different metals

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

### article number: 2238

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ATE		
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h		
Cadmium nitrate	10325-94-7	oral	147 <sup>mg</sup> / <sub>kg</sub>		
Cadmium nitrate	10325-94-7	dermal	1.100 <sup>mg</sup> / <sub>kg</sub>		
Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h		

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

May cause genetic defects.

#### Carcinogenicity

May cause cancer.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

abdominal pain, nausea

#### • If in eyes

Causes serious eye irritation

#### If inhaled

Irritation to respiratory tract

### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

#### • If on skin

causes skin irritation, Causes skin irritation

#### Other information

none

**11.2** Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	58,16 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	EC50	1.900 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	ErC50	70 <sup>µg</sup> / <sub>l</sub>	algae	72 h

### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	1.500 <sup>µg</sup> / <sub>l</sub>	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 <sup>µg</sup> / <sub>l</sub>	fish	100 d

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

### 12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** None of the ingredients are listed.
- 12.7 Other adverse effects

Data are not available.



according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 2238

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 3264
	IMDG-Code	UN 3264
	ICAO-TI	UN 3264
14.2	UN proper shipping name	
	ADR/RID/ADN	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Cadmium nitrate
14.3	Transport hazard class(es)	
	ADR/RID/ADN	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

# **14.6** Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

### **14.7 Maritime transport in bulk according to IMO instruments** The cargo is not intended to be carried in bulk.

### 14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and information	l inland waterway (ADR/RID/ADN) - Additional
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], Cadmium nitrate), 8, III, (E)
Classification code	C1
Danger label(s)	8
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN- IC, N.O.S., (contains: Nitric acid% [C ≤ 70 %], Cadmium nitrate), 8, III
Marine pollutant	-
Danger label(s)	8
1 Personal and a second	
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	Α
Segregation group	1 - Acids

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

article number: 2238

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information					
Corrosive liquid, acidic, inorganic, n.o.s.					
UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid% [C ≤ 70 %], Cadmium ni- trate), 8, III					
8					
A3					
E1					
1 L					

### **SECTION 15: Regulatory information**

### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 **Relevant provisions of the European Union (EU)**

#### **Restrictions according to REACH, Annex XVII**

ngerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Cadmium standard solution	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Cadmium nitrate	cadmium compounds		R23	23
Cadmium nitrate	cadmium compounds		R72	72
Cadmium nitrate	carcinogenic		R28-30	28
Cadmium nitrate	germ cell mutagenic (mutagenic)		R28-30	29
Cadmium nitrate	substances in tattoo inks and perman- ent make-up		R75	75
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75

Legend R23

For the purpose of this entry, the codes and chapters indicated in square brackets are the codes and chapters of the tariff and statistical nomenclature of Common Customs Tariff as established by Council Regulation (EEC) No 2658/87

(1). 1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter re-

- 1. Shall not be used in mixtures and articles produced from the following synthetic organic polymers (hereafter referred to as plastic material):
  polymers or copolymers of vinyl chloride (PVC) [3904 10] [3904 21]
  polyurethane (PUR) [3909 50]
  low-density polyethylene (LDPE), with the exception of low-density polyethylene used for the production of coloured masterbatch [3901 10]
  cellulose acetate (CA) [3912 11]
  cellulose acetate butyrate (CAB) [3912 11]
  epoxy resins [3907 30]
  melamine-formaldehyde (MF) resins [3909 20]
  urea-formaldehyde (UF) resins [3909 10]
  unsaturated polyesters (UP) [3907 61]
  polyethylene terephthalate (PET)
  transparent/general-purpose polystyrene [3903 11]

- transparent/general-purpose polystyrene [3903 11] acrylonitrile methylmethacrylate (AMMA)
- cross-linked polyethylene (VPE)

- high-impact polystyrene
 - polypropylene (PP) [3902 10]
 Mixtures and articles produced from plastic material as listed above shall not be placed on the market if the concen-

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

#### Legend

tration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight of the plastic material. By way of derogation, the second subparagraph shall not apply to articles placed on the market before 10 December 2011.

The first and second subparagraphs apply without prejudice to Council Directive 94/62/EC (13) and acts adopted on its

basis. By 19 November 2012, in accordance with Article 69, the Commission shall ask the European Chemicals Agency to pre-pare a dossier conforming to the requirements of Annex XV in order to assess whether the use of cadmium and its compounds in plastic material, other than that listed in subparagraph 1, should be restricted. 2. Shall not be used in paints [3208] [3209]

2. Shall not be used in paints [3208] [3209].
For paints with a zinc content exceeding 10 % by weight of the paint, the concentration of cadmium (expressed as Cd metal) shall not be equal to or greater than 0,1 % by weight.
Painted articles shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,1 % by weight of the paint on the painted article.
By way of derogation, paragraphs 1 and 2 shall not apply to articles coloured with mixtures containing cadmium for safety reasons.

 By way of derogation, paragraph 1, second subparagraph shall not apply to:
 mixtures produced from PVC waste, hereinafter referred to as 'recovered PVC',
 mixtures and articles containing recovered PVC if their concentration of cadmium (expressed as Cd metal) does not exceed 0,1 % by weight of the plastic material in the following rigid PVC applications:

(a) profiles and rigid sheets for building applications;
 (b) doors, windows, shutters, walls, blinds, fences, and roof gutters;

decks and terraces;

(d) cable ducts;

 (e) pipes for non-drinking water if the recovered PVC is used in the middle layer of a multilayer pipe and is entirely covered with a layer of newly produced PVC in compliance with paragraph 1 above.
 Suppliers shall ensure, before the placing on the market of mixtures and articles containing recovered PVC for the first time, that these are visibly, legibly and indelibly marked as follows: 'Contains recovered PVC' or with the following pic-toaramit.' togram:

image

In accordance with Article 69 of this Regulation, the derogation granted in paragraph 4 will be reviewed, in particular with a view to reducing the limit value for cadmium and to reassess the derogation for the applications listed in points (a) to (e), by 31 December 2017. 5. For the purpose of this entry, 'cadmium plating' means any deposit or coating of metallic cadmium on a metallic

surface.

Shall not be used for cadmium plating metallic articles or components of the articles used in the following sectors/applications:

plications: (a) equipment and machinery for: - food production [8210] [8417 20] [8419 81] [8421 11] [8421 22] [8422] [8435] [8437] [8438] [8476 11] - agriculture [8419 31] [8424 81] [8432] [8433] [8434] [8436] - cooling and freezing [8418] - printing and book-binding [8440] [8442] [8443] (b) equipment and machinery for the production of: - household goods [7321] [8421 12] [8450] [8509] [8516] - furniture [8465] [8466] [9401] [9402] [9403] [9404] - sanitary ware [7324] - central heating and air conditioning plant [7322] [8403] [8404] [8415] In any case, whatever their use or intended final purpose, the placing on the market of cadmium-plated articles or components of such articles used in the sectors/applications listed in points (a) and (b) above and of articles manufac-tured in the sectors listed in point (b) above is prohibited. 6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of

6. The provisions referred to in paragraph 5 shall also be applicable to cadmium-plated articles or components of (a) equipment and machinery for the production of:
- paper and board [8419 32] [8439] [8441] textiles and clothing [8444] [8445] [8447] [8448] [8449] [8451] [8452]
(b) equipment and machinery for the production of:
- induction of:

(b) equipment and machinery for the production of:
industrial handling equipment and machinery [8425] [8426] [8427] [8428] [8429] [8430] [8431]
road and agricultural vehicles [chapter 87]
rolling stock [chapter 86]
vessels [chapter 89]
However, the restrictions in paragraphs 5 and 6 shall not apply to:
articles and components of the articles used in the aeronautical, aerospace, mining, offshore and nuclear sectors whose applications require high safety standards and in safety devices in road and agricultural vehicles, rolling stock and vessels,

- electrical contacts in any sector of use, where that is necessary to ensure the reliability required of the apparatus on

which they are installed.
8. Shall not be used in brazing fillers in concentration equal to or greater than 0,01 % by weight.
Brazing fillers shall not be placed on the market if the concentration of cadmium (expressed as Cd metal) is equal to or greater than 0,01 % by weight.
For the purpose of this paragraph brazing shall mean a joining technique using alloys and undertaken at temperat-

ures above 450 °C.

By way of derogation, paragraph 8 shall not apply to brazing fillers used in defence and aerospace applications and to brazing fillers used for safety reasons.
 Shall not be used or placed on the market if the concentration is equal to or greater than 0,01 % by weight of the

metal in:

(i) metal beads and other metal components for jewellery making;
 (ii) metal parts of jewellery and imitation jewellery articles and hair accessories, including:

- bracelets, necklaces and rings,

piercing jewellery,
wrist-watches and wrist-wear,
brooches and cufflinks.

11. By way of derogation, paragraph 10 shall not apply to articles placed on the market before 10 December 2011 and

### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

#### Legend

R3

R72

jewellery more than 50 years old on 10 December 2011. 1. Shall not be placed on the market, or used,

- R28-30
  - as substances
  - as constituents of other substances, or, in mixtures,

for supply to the general public when the individual concentration in the substance or mixture is equal to or greater than:

- either the relevant specific concentration limit specified in Part 3 of Annex VI to Regulation (EC) No 1272/2008, or, - the relevant concentration specified in Directive 1999/45/EC where no specific concentration limit is set out in Part 3 of Annex VI to Regulation (EC) No 1272/2008.

Without prejudice to the implementation of other Community provisions relating to the classification, packaging and without preputite to the implementation of other Community provisions relating to the classification, packaging an labelling of substances and mixtures, suppliers shall ensure before the placing on the market that the packaging of substances and mixtures is marked visibly, legibly and indelibly as follows:
'Restricted to professional users'.
By way of derogation, paragraph 1 shall not apply to:
(a) medicinal or veterinary products as defined by Directive 2001/82/EC and Directive 2001/83/EC;
(b) cosmetic products as defined by Directive 76/768/EEC;
(c) the following fuels and oil products:

(b) cosmetic products as defined by Directive 767768/EEC;
(c) the following fuels and oil products:

motor fuels which are covered by Directive 98/70/EC,
mineral oil products intended for use as fuel in mobile or fixed combustion plants,
fuels sold in closed systems (e.g. liquid gas bottles);
(d) artists' paints covered by Directive 1999/45/EC;
(e) the substances listed in Appendix 11, column 1, for the applications or uses listed in Appendix 11, column 2. Where a date is specified in column 2 of Appendix 11, the derogation shall apply until the said date;
(f) devices covered by Regulation (EU) 2017/745.

 1. Shall not be used in:
 - ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

- tricks and jokes,

- games for one or more participants, or any article intended to be used as such, even with ornamental aspects, 2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume,

or both, if they:
can be used as fuel in decorative oil lamps for supply to the general public, and
present an aspiration hazard and are labelled with H304.
4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following require-ments are met:

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.'; 1. Shall not be placed on the market after 1 November 2020 in any of the following: (a) clothing or related accessories; (b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact

(b) textiles other than clothing which, under normal or reasonably foreseeable conditions of use, come into contact with human skin to an extent similar to clothing;

(c) footwear; if the clothing, related accessory, textile other than clothing or footwear is for use by consumers and the substance is present in a concentration, measured in homogeneous material, equal to or greater than that specified for that substance in Appendix 12.

Stande in Appendix 12.
 By way of derogation, in relation to the placing on the market of formaldehyde [CAS No 50-00-0] in jackets, coats or upholstery, the relevant concentration for the purposes of paragraph 1 shall be 300 mg/kg during the period between 1 November 2020 and 1 November 2023. The concentration specified in Appendix 12 shall apply thereafter.
 Paragraph 1 shall not apply to:

 (a) clothing, related accessories or footwear, or parts of clothing, related accessories or footwear, made exclusively of natural leather, fur or hide;
 (b) not tartile decention and part to the paragraph.

(b) non-textile fasteners and non-textile decorative attachments;

(c) second-hand clothing, related accessories, textiles other than clothing or footwear (d) wall-to-wall carpets and textile floor coverings for indoor use, rugs and runners. 4. Paragraph 1 shall not apply to clothing, related accessories, textiles other than clothing, or footwear within the scope of Regulation (EU) 2016/425 of the European Parliament and of the Council (\*) or Regulation (EU) 2017/745 of the European Parliament and of the Council (\*\*).

the European Parliament and of the Council (\*\*). 5. Paragraph 1(b) shall not apply to disposable textiles. 'Disposable textiles' means textiles that are designed to be used only once or for a limited time and are not intended for subsequent use for the same or a similar purpose. 6. Paragraphs 1 and 2 shall apply without prejudice to the application of any stricter restrictions set out in this Annex or in other applicable Union legislation. 7. The Commission shall review the exemption in paragraph 3(d) and, if appropriate, modify that point accordingly. (\*) Regulation (EU) 2016/425 of the European Parliament and of the Council of of 9 March 2016 on personal protective equipment and repealing Council Directive 89/686/EEC (OJ L 81, 31.3.2016, p. 51). (\*\*) Regulation (EU) 2017/745 of the European Parliament and of the Council of 5 April 2017 on medical devices, amending Directive 2001/83/EC, Regulation (EC) No 178/2002 and Regulation (EC) No 1223/2009 and repealing Coun-cil Directives 90/385/EEC and 93/42/EEC (OJ L 117, 5.5.2017, p. 1).





#### article number: **2238**



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.





### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Device the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

#### Substance of Very High Concern (SVHC)

Name acc. to invent- ory	CAS No	Listed in	Remarks	Latest ap- plication date	Sunset date	Date of in- clusion
cadmium nitrate	10325- 94-7	Candidate list	Carc. A57a Muta. A57b STOT-re A57(f)-HH			2018-01-15

#### Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV Carc. A57a Muta. A57b Carcinogenic (article 57a) Mutagenic (article 57b)

STOT-re A57(f)- Specific target organ toxicity - repeated exposure (article 57(f) - human health)

### HH

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes				
	not assigned						

#### **Deco-Paint Directive**

VOC content	0 % , 0 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content Water content was discounted	0 a <sup>1</sup>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2238

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium nitrate	cadmium compounds		B)	HAZ
Cadmium nitrate	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	C)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		A)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	
Cadmium nitrate	Metals and their compounds		A)	

Legend

A) B) C) HAZ Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

Legend

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below annex I

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').



according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Cadmium nitrate	cadmium compounds		i(1)	sr

Legend i(1)

sr

Sub-category: i(1) - industrial chemical for professional use

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

#### Legend

AICS CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Chemical Substances Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP) Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances INSQ KECI Korea Existing Chemicals Inventory of Chemicals Substances KECI Korea Existing Chemicals Inventory NZIOC New Zealand Inventory of Chemicals PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS) REACH Reg. REACH registered substances TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

according to Regulation (EC) No. 1907/2006 (REACH)

### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd



#### article number: 2238

## **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 9 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to th aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
SVHC	Substance of Very High Concern

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element AAS - Standard Solution ROTI®Star 1 000 mg/l Cd

#### article number: 2238

Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H340	May cause genetic defects.
H350	May cause cancer.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.