acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255 date of compilation: 2018-01-25 Version: **3.1 en**

Replaces version of: 2022-12-21

Version: (3)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Capping reagent I** for DNA synthesis

Article number 2255

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

United Kingdom (en) Page 1 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	2	Carc. 2	H351
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

Supplemental hazard information

Code	Supplemental hazard information
EUH019	may form explosive peroxides

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS05, GHS07, GHS08









Hazard statements

H225	Highly flammable liquid and vapour
H302+H332	Harmful if swallowed or if inhaled
H315	Causes skin irritation
H318	Causes serious eye damage
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H351	Suspected of causing cancer

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P261 Avoid breathing mist/vapours

P280 Wear protective gloves/eye protection/face protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

United Kingdom (en) Page 2 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255

For professional users only

Supplemental hazard information

EUH019 May form explosive peroxides.

Hazardous ingredients for labelling: Tetrahydrofuran, Acetic acid anhydride, Pyridine

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Tetrahydrofuran	CAS No 109-99-9 EC No 203-726-8 Index No 603-025-00-0	≥50	Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Eye Irrit. 2 / H319 Carc. 2 / H351 STOT SE 3 / H335 STOT SE 3 / H336 EUH019		GHS-HC IOELV
Acetic acid anhydride	CAS No 108-24-7 EC No 203-564-8 Index No 607-008-00-9	10 - < 25	Flam. Liq. 3 / H226 Acute Tox. 4 / H302 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335		GHS-HC
Pyridine	CAS No 110-86-1 EC No 203-809-9 Index No 613-002-00-7	10 - < 25	Flam. Liq. 2 / H225 Acute Tox. 4 / H302 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319	(1)	GHS-HC IOELV

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Tetrahydrofuran	CAS No 109-99-9 EC No 203-726-8	Eye Irrit. 2; H319: C ≥ 25 % STOT SE 3; H335: C ≥ 25 %	-	1.650 ^{mg} / _{kg}	oral

United Kingdom (en) Page 3 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Acetic acid an- hydride	CAS No 108-24-7 EC No 203-564-8	Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 5 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 5 % Eye Irrit. 2; H319: 1 % ≤ C < 5 % STOT SE 3; H335: C ≥ 5 %	-	630 ^{mg} / _{kg} 1,67 ^{mg} / _l /4h	oral inhalation: va- pour
Pyridine	CAS No 110-86-1 EC No 203-809-9	-	-	>800 ^{mg} / _{kg} >1.000 ^{mg} / _{kg} 11 ^{mg} / _I /4h	oral dermal inhalation: va- pour

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, Dyspnoea, Headache, Vertigo, Drowsiness, Dizziness, Narcosis, Following skin contact: Localised redness, oedema, pruritis and/or pain, After eye contact: Irritation, Risk of serious damage to eyes, Risk of blindness, Following ingestion: Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 4 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 5 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

high temperatures, UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 6 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



SECTION 8: Exposure controls/personal protection

Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	tetrahydrofuran	109-99-9	IOELV	50	150	100	300			П	2000/39/ EC
EU	pyridine	110-86-1	IOELV	5	15						91/322/ EEC
GB	acetic anhydride	108-24-7	WEL	0,5	2,5	2	10				EH40/ 2005
GB	tetrahydrofuran	109-99-9	WEL	50	150	100	300				EH40/ 2005
GB	pyridine	110-86-1	WEL	5	16	10	33				EH40/ 2005

Notation

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Ceiling-C

STEL

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Tetrahydrofuran	109-99-9	DNEL	72,4 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Tetrahydrofuran	109-99-9	DNEL	96 mg/m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Tetrahydrofuran	109-99-9	DNEL	150 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Tetrahydrofuran	109-99-9	DNEL	300 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Tetrahydrofuran	109-99-9	DNEL	12,6 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Acetic acid anhyd- ride	108-24-7	DNEL	12,6 mg/ m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Acetic acid anhyd- ride	108-24-7	DNEL	4,2 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Acetic acid anhyd- ride	108-24-7	DNEL	4,2 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Pyridine	110-86-1	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects

United Kingdom (en) Page 7 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Relevant DNELs of components of the mixture Name of sub-**CAS No** End-**Threshol Protection Used in Exposure time** goal, route of exposure d level stance point acute - systemic effects Pyridine 110-86-1 DNEL 7,5 mg/m³ human, inhalatworker (industry) ory 0,14 mg/kg Pyridine 110-86-1 DNEL human, dermal worker (industry) chronic - systemic bw/day effects acute - systemic effects Pyridine 110-86-1 DNEL 0,42 mg/kg human, dermal worker (industry) bw/day

Relevant PNECs of components of the mixture

	-					
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Tetrahydrofuran	109-99-9	PNEC	4,32 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Tetrahydrofuran	109-99-9	PNEC	0,432 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Tetrahydrofuran	109-99-9	PNEC	4,6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Tetrahydrofuran	109-99-9	PNEC	23,3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Tetrahydrofuran	109-99-9	PNEC	2,33 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Tetrahydrofuran	109-99-9	PNEC	2,13 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	30,58 ^{mg} / _l	aquatic organ- isms	water	intermittent re- lease
Acetic acid anhyd- ride	108-24-7	PNEC	3,058 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	0,306 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	115 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	11,36 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	1,136 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)
Acetic acid anhyd- ride	108-24-7	PNEC	0,47 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Pyridine	110-86-1	PNEC	0,3 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Pyridine	110-86-1	PNEC	0,03 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Pyridine	110-86-1	PNEC	2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Pyridine	110-86-1	PNEC	3,2 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)

United Kingdom (en) Page 8 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Relevant PNECs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Pyridine	110-86-1	PNEC	0,32 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)				
Pyridine	110-86-1	PNEC	0,46 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)				

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

Splash protection - Protective gloves

• type of material: Butyl caoutchouc (butyl rubber)

material thickness: 0,7mm

• breakthrough times of the glove material: >10 minutes (permeation: level 1)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 9 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour stinging

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 65 °C

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 1,5 vol% (LEL) - 12,4 vol% (UEL)

Flash point -21 °C
Auto-ignition temperature 215 °C

Decomposition temperature not relevant pH (value) 7 - 8 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure 170 hPa at 20 °C

Density and/or relative density

Density $0.925 \, {}^{9}/{}_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics:

Miscibility completely miscible with water

United Kingdom (en) Page 10 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



SECTION 10: Stability and reactivity

10.1 Reactivity

The mixture contains reactive substance(s). Risk of ignition. Vapours may form explosive mixtures with air. May form explosive peroxides.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Alkali hydroxide (caustic alkali), Acids

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. UV-radiation/sunlight.

10.5 Incompatible materials

Rubber articles, different plastics, tin

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5. Peroxides.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Tetrahydrofuran	109-99-9	oral	1.650 ^{mg} / _{kg}
Acetic acid anhydride	108-24-7	oral	630 ^{mg} / _{kg}
Acetic acid anhydride	108-24-7	inhalation: vapour	1,67 ^{mg} / _l /4h
Pyridine	110-86-1	oral	>800 ^{mg} / _{kg}
Pyridine	110-86-1	dermal	>1.000 ^{mg} / _{kg}
Pyridine	110-86-1	inhalation: vapour	11 ^{mg} / _l /4h

United Kingdom (en) Page 11 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Acute toxicity of components of the mixture							
Name of substance	CAS No	Exposure route	Endpoint	Value	Species		
Tetrahydrofuran	109-99-9	oral	LD50	1.650 ^{mg} / _{kg}	rat		
Tetrahydrofuran	109-99-9	dermal	LD50	>2.000 ^{mg} / _{kg}	rat		
Acetic acid anhydride	108-24-7	oral	LD50	630 ^{mg} / _{kg}	rat		
Acetic acid anhydride	108-24-7	inhalation: va- pour	LC50	1,67 ^{mg} / _l /4h	rat		
Pyridine	110-86-1	oral	LD50	>800 - <1.600 mg/ _{kg}	rat		
Pyridine	110-86-1	dermal	LD50	>1.000 - <2.00 0 ^{mg} / _{kg}	rabbit		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation. May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, cough, Dyspnoea, headache, vertigo, drowsiness, dizziness, narcosis

• If on skin

causes skin irritation

United Kingdom (en) Page 12 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Tetrahydrofuran	109-99-9	LC50	2.160 ^{mg} / _l	fish	96 h
Tetrahydrofuran	109-99-9	EC50	1.930 ^{mg} / _l	fish	96 h
Acetic acid anhydride	108-24-7	LC50	>1.000 ^{mg} / _l	fish	96 h
Acetic acid anhydride	108-24-7	EC50	>1.000 ^{mg} / _l	aquatic invertebrates	48 h
Acetic acid anhydride	108-24-7	ErC50	>1.000 ^{mg} / _l	algae	72 h
Pyridine	110-86-1	EC50	320 ^{mg} / _l	aquatic invertebrates	48 h
Pyridine	110-86-1	ErC50	320 ^{mg} / _l	algae	72 h

12.2 Persistence and degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Tetrahydrofur- an	109-99-9	biotic/abiotic	39 %	28 d		
Tetrahydrofur- an	109-99-9	oxygen deple- tion	39 %	28 d		ECHA
Acetic acid an- hydride	108-24-7	biotic/abiotic	>95 %	5 d	MITI-Test	OECD- 302B
Pyridine	110-86-1	DOC removal	97 %	19 d		ECHA
Pyridine	110-86-1	oxygen deple- tion	0 %	30 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

United Kingdom (en) Page 13 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Bioaccumulative potential of components of the mixture							
Name of substance	CAS No	BCF	Log KOW	BOD5/COD			
Tetrahydrofuran	109-99-9		0,45 (pH value: 7, 25 °C)				
Acetic acid anhydride	108-24-7	3,16	-0,577 (pH value: 7, 25 °C)				
Pyridine	110-86-1		0,64 (pH value: 7, 20 °C)				

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP3 flammable

HP 15 waste capable of exhibiting a hazardous property listed above not directly displayed by the original waste

HP 4 irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity

HP 7 carcinogenic

HP 8 corrosive

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 14 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 2924 IMDG-Code UN 2924 ICAO-TI UN 2924

14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, CORROSIVE, N.O.S. IMDG-Code FLAMMABLE LIQUID, CORROSIVE, N.O.S.

ICAO-TI Flammable liquid, corrosive, n.o.s.

Technical name (hazardous ingredients)

Acetic acid anhydride, Tetrahydrofuran

14.3 Transport hazard class(es)

ADRRID 3 (8)
IMDG-Code 3 (8)
ICAO-TI 3 (8)

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

Particulars in the transport document UN2924, FLAMMABLE LIQUID, CORROSIVE,

N.O.S., (contains: Acetic acid anhydride, Tetrahy-

drofuran), 3 (8), II, (D/E)

Classification code FC
Danger label(s) 3+8





Special provisions (SP) 274
Excepted quantities (EQ) E2

United Kingdom (en) Page 15 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255

Limited quantities (LQ) 1 L 2 Transport category (TC) D/E Tunnel restriction code (TRC) Hazard identification No 338

3WE **Emergency Action Code**

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

FC **Classification code** Danger label(s) 3+8





Special provisions (SP) 274 **Excepted quantities (EQ)** E2 Limited quantities (LQ) 1 L 2 **Transport category (TC)** 338 **Hazard identification No**

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE LIQUID, CORROSIVE, N.O.S.

UN2924, FLAMMABLE LIQUID, CORROSIVE, Particulars in the shipper's declaration

N.O.S., (contains: Acetic acid anhydride, Tetrahy-

drofuran), 3 (8), II, -21°C c.c.

Marine pollutant

Danger label(s) 3+8





Special provisions (SP) 274 Excepted quantities (EQ) E2 Limited quantities (LQ) 1 L **EmS** F-E, S-C

Stowage category В

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable liquid, corrosive, n.o.s.

UN2924, Flammable liquid, corrosive, n.o.s., (contains: Acetic acid anhydride, Tetrahydrofuran), 3 Particulars in the shipper's declaration

(8), II

Danger label(s) 3+8





Special provisions (SP) **A3**

United Kingdom (en) Page 16 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255

Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)							
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes				
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)				

Notation

51) Flammable liquids, categories 2 or 3 not covered by P5a and P5b

Deco-Paint Directive

VOC content 100 % 925 ⁹ / _I

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	925 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD) CAS No Name of substance Listed in Remarks Name acc. to inventory Tetrahydrofuran Substances and preparations, or a) the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment

United Kingdom (en) Page 17 / 22



acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Pyridine	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

Name of substance	CAS No	Wt%	Classification	CN Code	Threshold level
Acetic acid anhydride	108-24-7	11,8	Category 2a	2915 24 00	100 I

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)						
Name of substance	Name acc. to inventory	CAS No	No			
Capping reagent I	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3			
Acetic acid anhydride	flammable / pyrophoric		40			
Tetrahydrofuran	flammable / pyrophoric		40			
Pyridine	flammable / pyrophoric		40			

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 18 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



UN Convention against Illicit Traffic in Narcotic Drugs and Psychotropic Substances

Name of substance	CAS No	Listed in	HS code
Acetic acid anhydride	108-24-7	Table I	2915.24

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed as "ACTIVE"

Legend

AIIC CICR CSCL-ENCS Australian Inventory of Industrial Chemicals

Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

INSQ RECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes

United Kingdom (en) Page 19 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Pyridine, Acetic acid anhydride, Tetrahydrofuran	Hazardous ingredients for labelling: Tetrahydrofuran, Acetic acid anhydride, Pyridine	yes
15.1	VOC content: 100 %	VOC content: 100 % 925 ⁹ / _l	yes
15.1		VOC content: 925 ⁹ / _l	yes
15.1		Regulation on drug precursors: change in the listing (table)	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
91/322/EEC	Commission Directive on establishing indicative limit values by implementing Council Directive 80/1107/ EEC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CN Code	Combined Nomenclature
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)

United Kingdom (en) Page 20 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Abbr.	Descriptions of used abbreviations
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HS	Harmonized Commodity Description and Coding System (Harmonized System, drawn up by the World Customs Organisation)
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure

United Kingdom (en) Page 21 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)

Capping reagent I for DNA synthesis

article number: 2255



Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H351	Suspected of causing cancer.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 22 / 22