acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC date of compilation: 2023-09-15

Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 **Product identifier**

Identification of the substance Multi-Element ICP-Standard Solution CR-43

ROTI®Star 18 elements in 2 % HNO₃

Article number 23XC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % $\mathrm{HNO_3}$

article number: 23XC

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350i

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS05, GHS07, GHS08





Hazard statements

H290	May be corrosive to metals
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350i	May cause cancer by inhalation

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Beryllium ni-

trate

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0,1\%$.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

United Kingdom (en) Page 2 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV
Beryllium nitrate	CAS No 13597-99-4 EC No 237-062-5 Index No 004-002-00-2	<1	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Chronic 2 / H411	1 1 1 1 1 1 1 1 1 1	A(a) GHS-HC IOELV
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	< 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6 Index No 048-014-00-6	< 0,1	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	\$	GHS-HC IARC: 1 RoC "Known"
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	< 0,1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) (*)	1(a) A(a) GHS-HC IARC: 2A IOELV

Notes

The concentration stated is the percentage by weight of the metallic element calculated with reference to the total 1(a):

weight of the mixture

The name of substance is a general description. It is required that the correct name is stated on the label A(a):

B(a): The classification refers to an aqueous solution
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)
IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer) IOELV: Substance with a community indicative occupational exposure limit value ROC NTP-RoC: Known To Be A Human Carcinogen "Known"

United Kingdom (en) Page 3 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 ^{mg} / _l /4h	inhalation: va- pour
	EC No 231-714-2	3KIII COTT. 12, 11314. 3 % 2 C 120 %			
Beryllium nitrate	CAS No 13597-99-4	-	-	100 ^{mg} / _{kg}	oral
	EC No 237-062-5				
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	M-factor (acute) = 1 M-factor	1.620 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %	(chronic) = 1		
Cadmium nitrate	CAS No 10325-94-7	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor	147 ^{mg} / _{kg} 1.100 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral dermal inhalation: dust/
	EC No 233-710-6		(chronic) = 10	1,5 / 1,411	mist
Lead(II) nitrate	CAS No 10099-74-8	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 ^{mg} / _{kg} 1,5 ^{mg} / _l /4h	oral inhalation: dust/ mist
	EC No 233-245-9	5.51 NL 2, 11575. C 2 0,5 /0			IIIISC

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

United Kingdom (en) Page 4 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 5 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

UV-radiation/sunlight

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	beryllium, inorganic compounds		IOELV		0,0002					i, Be- limit	2019/ 983/EU
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	beryllium com- pounds		WEL		0,002					Be	EH40/ 2005

United Kingdom (en) Page 6 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

Notation

Be Calculated as Be (beryllium)
Be-limit Limit value 0,0006 mg/m3 until 11 July 2026
Ceiling-C Ceiling value is a limit value above which exposure should not occur cmr_NicompThe limit value shall apply from 18 January 2025
cmr_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.

Ni Pb

Inhalable fraction
Calculated as Ni (nickel)
Calculated as Pb (lead)
Respirable fraction
Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15r STEL

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA**

hours time-weighted average (unless otherwise specified)

Biological limit values

Coun	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR

United Kingdom (en) Page 7 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

Notation

Pb-bio-2 Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capa-

city, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m³ but less than 0.100 mg/m³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, be-

ing not greater than 3 months

Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb-med-2

Pb/g creatinine (urinary lead concentration)

Pb-med-3 Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatinine (urinary lead concentration)

suspension level: in respect of a woman of reproductive capacity, 60 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration)
Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-Ph-med-4

ine (urinary lead concentration)

suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (ur-

inary lead concentration)

wmn<45y Women of reproductive capacity (women < 45 years)

wmn>45y, Women of non-reproductive capacity, men (women > 45 years)

men young Adolescents (young person < 18 years)

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Cadmium nitrate	10325-94-7	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects				

Relevant PNECs of components of the mixture Name of sub-**CAS No** End-**Threshol Organism Environmental Exposure time** stance point d level compartment $0,19 \, ^{\mu g}/_{I}$ aquatic organ-Cadmium nitrate 10325-94-7 **PNEC** freshwater short-term (single isms instance) short-term (single Cadmium nitrate 10325-94-7 **PNEC** $1,14 \, ^{\mu g}/_{l}$ aquatic organmarine water isms instance) Cadmium nitrate 10325-94-7 **PNEC** $20 \, \mu g/_{1}$ aquatic organsewage treatment short-term (single isms plant (STP) instance) 1,8 ^{mg}/_{kg} Cadmium nitrate 10325-94-7 PNFC freshwater sedishort-term (single aquatic organisms ment instance) 0,64 ^{mg}/_{kg} Cadmium nitrate 10325-94-7 **PNFC** aquatic organmarine sediment short-term (single instance) isms

United Kingdom (en) Page 8 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Relevant PNECs of components of the mixture									
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time			
Cadmium nitrate	10325-94-7	PNEC	0,9 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM (fluoro rubber)

material thickness

0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

United Kingdom (en) Page 9 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling ~100 °C at 1.013 hPa

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density $\sim 1 \, {\rm g}/{\rm cm}^3$ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

United Kingdom (en) Page 10 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % ${\rm HNO_3}$

article number: 23XC

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH3), Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 ^{mg} / _l /4h
Beryllium nitrate	13597-99-4	oral	100 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	oral	1.620 ^{mg} / _{kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 ^{mg} / _l /4h
Cadmium nitrate	10325-94-7	oral	147 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	dermal	1.100 ^{mg} / _{kg}
Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 ^{mg} / _l /4h
Lead(II) nitrate	10099-74-8	oral	500 ^{mg} / _{kg}

United Kingdom (en) Page 11 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Acute toxicity estimate (A	ATE) of components	of the mixture
----------------------------	--------------------	----------------

Name of substance	CAS No	Exposure route	ATE
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 ^{mg} / _l /4h

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 ^{mg} / _l /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 ^{mg} / _{kg}	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer by inhalation.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

United Kingdom (en) Page 12 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0.1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (a	Aquatic toxicity (acute) of components of the mixture				
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	58,16 ^{µg} / _l	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	EC50	1.900 ^{µg} / _l	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	ErC50	70 ^{µg} / _l	algae	72 h
Lead(II) nitrate	10099-74-8	LC50	107 ^{µg} / _I	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 ^{µg} / _I	algae	48 h

Aquatic toxicity (chronic) of components of the mixture Exposure time **Endpoint** Name of sub-**CAS No Value Species** stance Cadmium nitrate LC50 $1.500 \, ^{\mu g}/_{l}$ 4 d 10325-94-7 fish Cadmium nitrate 10325-94-7 EC50 $8,1 \, ^{\mu g}/_{l}$ fish 100 d

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

United Kingdom (en) Page 13 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

irritant - skin irritation and eye damage

HP 7 carcinogenic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

ICAO-TI Corrosive liquid, acidic, inorganic, n.o.s.

Technical name (hazardous ingredients) Zirconium oxynitrate, Nitric acid ...% [$C \le 70 \%$]

14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

Page 14 / 23 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO_3

article number: 23XC

		•
1 A A	Dack	INA AKALIN
14.4	racki	iiiu ui vub
• -		ing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

Particulars in the transport document UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (contains: 7 irconium oxynitrate, Nitric

IC, N.O.Ś., (contains: Zirconium oxynitrate, Nitric acid ...% [$C \le 70$ %]), 8, II, (E)

Classification code C1
Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

Tunnel restriction code (TRC) E

Hazard identification No 80

Emergency Action Code 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1

Danger label(s) 8



Special provisions (SP) 274

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 L

Transport category (TC) 2

United Kingdom (en) Page 15 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Hazard identification No

International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

Particulars in the shipper's declaration UN3264, CORROSIVE LIQUID, ACIDIC, INORGAN-

IC, N.O.Ś., (contains: Zirconium oxynitrate, Nitric

acid ...% [C \leq 70 %]), 8, II

Marine pollutant

Danger label(s) 8



Special provisions (SP) 274 E2 Excepted quantities (EQ)

Limited quantities (LQ) 1 L

EmS F-A, S-B

В Stowage category

Segregation group 1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Corrosive liquid, acidic, inorganic, n.o.s.

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Zirconium oxynitrate, Nitric acid ...% [C Particulars in the shipper's declaration

≤ 70 %]), 8, II

Danger label(s) 8



Special provisions (SP) А3 Excepted quantities (EQ) E2

Limited quantities (LQ) 0,5 L

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

United Kingdom (en) Page 16 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % ${\rm HNO_3}$

article number: 23XC

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / ₁

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Beryllium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Beryllium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Beryllium nitrate	Metals and their compounds		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ

United Kingdom (en) Page 17 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium nitrate	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	

Legend

Indicative list of the main pollutants

A) B) C) HAZ List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	2	Annex I		3 % w/w	10 % w/w

Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

United Kingdom (en) Page 18 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Lead(II) nitrate	lead compounds		0,016	i(2)	sr
Cadmium nitrate	cadmium compounds		0,021	i(1) i(2)	sr sr

Legend

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use i(1) i(2)

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed

United Kingdom (en) Page 19 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Country	Inventory	Status
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Inventory of Existing and New Chemical Substances (ISHA-ENCS)

INSQ

ISHA-ENCS Inventory of Existing and New Chemical Substances (ISHA-ENCS)

KECI Korea Existing Chemicals Inventory
NDSL Non-domestic Substances List (NDSL)
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory **Toxic Substance Control Act**

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations

United Kingdom (en) Page 20 / 23

Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Abbr.	Descriptions of used abbreviations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causir 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ider fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United N tions
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulatio (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality durin specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens

United Kingdom (en) Page 21 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % HNO₃

article number: 23XC

Abbr.	Descriptions of used abbreviations
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.

United Kingdom (en) Page 22 / 23

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-Standard Solution CR-43 ROTI®Star 18 elements in 2 % $\mathrm{HNO_3}$

article number: 23XC

Code	Text
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 23 / 23