according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: **2471** Version: **1.0 en**  date of compilation: 2022-01-24

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

2471

not relevant (mixture)

ROTI®Star 1 000 mg/l Ta

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Single-Element ICP - Standard Solution

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.10	Acute toxicity (oral)		Acute Tox. 4	H302
3.1D	Acute toxicity (dermal)	3	Acute Tox. 3	H311
3.2	3.2 Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 2471

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

#### **Pictograms**

GHS05, GHS06



#### **Hazard statements**

H290	May be corrosive to metals
H302	Harmful if swallowed
H311	Toxic in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

Hazardous ingredients for labelling:

Hydrofluoric acid ... %

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)

H311	Toxic in contact with skin.
P280	Wear protective gloves/protective clothing/eye protection/face protection.
contains:	Hydrofluoric acid %

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

3.2 Mixtures

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

Description of the mixture									
Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes				
Tantalum	CAS No 7440-25-7	1	Flam. Sol. 1 / H228	<b>(*</b> )					
	EC No 231-135-5								
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	1	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV				
Hydrofluoric acid %	CAS No 7664-39-3 EC No 231-634-8 Index No 009-003-00-1	0,5	Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330 Skin Corr. 1A / H314 Eye Dam. 1 / H318		B(a) GHS-HC IOELV				

Notes

B(a): The classification refers to an aqueous solution
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
 IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	<b>M-Factors</b>	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
Hydrofluoric acid %	CAS No 7664-39-3 EC No 231-634-8 Index No 009-003-00-1	Skin Corr. 1A; H314: C ≥ 7 % Skin Corr. 1B; H314: 1 % ≤ C < 7 % Eye Dam. 1; H318: C ≥ 1 % Eye Irrit. 2; H319: 0,1 % ≤ C < 1 %	-	5 <sup>mg</sup> / <sub>kg</sub> 5 <sup>mg</sup> / <sub>kg</sub> 100 <sup>ppmV</sup> / <sub>4h</sub> 0,5 <sup>mg</sup> / <sub>l</sub> /4h	oral dermal inhalation: gas inhalation: va- pour

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing.



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### **Following ingestion**

Rinse copiously with a calcium gluconate solution.

**4.2 Most important symptoms and effects, both acute and delayed** Vomiting, Irritation

# 4.3 Indication of any immediate medical attention and special treatment needed

none

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, D-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Hydrogen fluoride (HF), May produce toxic fumes of carbon monoxide if burning

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

## **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Thorough skin-cleansing after handling the product.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### Consideration of other advice:

Store locked up.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	hydrogen fluoride	7664-39- 3	IOELV	1,8	1,5	3	2,5				2000/39/ EC

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	tantalum	7440-25- 7	WEL		5		10				EH40/ 2005
GB	hydrogen fluoride	7664-39- 3	WEL	1,8	1,5	3	2,5			F	EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Ceiling-C

STEL

Ceiling value is a limit value above which exposure should not occur Calculated as F (fluorine) Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

Relevant DNELs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time				
Hydrofluoric acid %	7664-39-3	DNEL	1,5 mg/m³	human, inhalat- ory	worker (industry)	chronic - systemic effects				
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - systemic effects				
Hydrofluoric acid %	7664-39-3	DNEL	1,5 µg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects				
Hydrofluoric acid %	7664-39-3	DNEL	2,5 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects				

Relevant PNECs of components of the mixture										
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time				
Hydrofluoric acid %	7664-39-3	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)				
Hydrofluoric acid %	7664-39-3	PNEC	0,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)				
Hydrofluoric acid %	7664-39-3	PNEC	51 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)				
Hydrofluoric acid %	7664-39-3	PNEC	11 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)				

#### 8.2 **Exposure controls**

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation.

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.



according to Regulation (EC) No. 1907/2006 (REACH)

# Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

# article number: 2471

# **SECTION 9: Physical and chemical properties**

9.1	Information on basic physical and chemical properties						
	Physical state	liquid					
	Colour	colourless					
	Odour	stinging					
	Melting point/freezing point	not determined					
	Boiling point or initial boiling point and boiling range	(unknown) not determined					
	Flammability	non-combustible					
	Lower and upper explosion limit	not determined					
	Flash point	not determined					
	Auto-ignition temperature	not determined					
	Decomposition temperature	not relevant					
	pH (value)	<2					
	Kinematic viscosity	not determined					
	Solubility(ies)						
	Water solubility	miscible in any proportion					
	Partition coefficient						
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)					
	Vapour pressure	not determined					
	Density and/or relative density						
	Density	~1 <sup>g</sup> / <sub>cm³</sub> at 20 °C					
	Relative vapour density	information on this property is not available					
	Particle characteristics	not relevant (liquid)					
	Other safety parameters						
	Oxidising properties	none					
9.2	Other information						
	Information with regard to physical hazard classes:						
	Corrosive to metals	category 1: corrosive to metals					
	Other safety characteristics:						
	Miscibility	completely miscible with water					



according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

# SECTION 10: Stability and reactivity

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Alkali hydroxide (caustic alkali), Alkali metals, Amines, Ammonia (NH3), Alkaline earth metal, Fluorine, Metals, Phosphorus oxides (e.g. P2O5), Acids, Strong alkali, Hydrogen peroxide

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different metals

#### Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium).

#### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Harmful if swallowed. Toxic in contact with skin.

cute toxicity estimate (ATE) of components of the mixture								
Name of substance	CAS No	Exposure route	ATE					
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h					
Hydrofluoric acid %	7664-39-3	oral	5 <sup>mg</sup> / <sub>kg</sub>					
Hydrofluoric acid %	7664-39-3	dermal	5 <sup>mg</sup> / <sub>kg</sub>					
Hydrofluoric acid %	7664-39-3	inhalation: gas	100 <sup>ppmV</sup> / <sub>4h</sub>					
Hydrofluoric acid %	7664-39-3	inhalation: vapour	0,5 <sup>mg</sup> /ı/4h					

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat

#### Skin corrosion/irritation

Causes skin irritation.

### Serious eye damage/eye irritation

Causes serious eye irritation.

# Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

diarrhoea, vomiting, abdominal pain, nausea

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Data are not available.

#### • If on skin

causes skin irritation

#### • Other information

This information is based upon the present state of our knowledge.

#### **11.2 Endocrine disrupting properties**

None of the ingredients are listed.

#### **11.3** Information on other hazards

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Tantalum	7440-25-7	EL50	>2.000 <sup>mg</sup> / <sub>l</sub>	algae	72 h
Hydrofluoric acid %	7664-39-3	EC50	48 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	96 h

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Hydrofluoric acid %	7664-39-3	53 - 58		

#### 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number ADR/RID/ADN UN 2922 UN 2922 IMDG-Code ICAO-TI UN 2922 14.2 UN proper shipping name ADR/RID/ADN CORROSIVE LIQUID, TOXIC, N.O.S. IMDG-Code CORROSIVE LIQUID, TOXIC, N.O.S. ICAO-TI Corrosive liquid, toxic, n.o.s. Technical name (hazardous ingredients) Hydrofluoric acid ... %, Tantalum 14.3 Transport hazard class(es) ADR/RID/ADN 8 (6.1) IMDG-Code 8 (6.1) ICAO-TI 8 (6.1) 14.4 Packing group ADR/RID/ADN III IMDG-Code III ICAO-TI III 14.5 Environmental hazards non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S.
Particulars in the transport document	UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (Hy- drofluoric acid %, Tantalum, solution), 8 (6.1), III, (E)
Classification code	CT1



according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article	number:	2471
anticicic	mannber.	

er		
	Danger label(s)	8+6.1
	Special provisions (SP)	274, 802(ADN)
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	3
	Tunnel restriction code (TRC)	E
	Hazard identification No	86
	Emergency Action Code	2X
	International Maritime Dangerous Goods Code (	IMDG) - Additional information
	Proper shipping name	CORROSIVE LIQUID, TOXIC, N.O.S.
	Particulars in the shipper's declaration	UN2922, CORROSIVE LIQUID, TOXIC, N.O.S., (Hy- drofluoric acid %, Tantalum, solution), 8 (6.1), III
	Marine pollutant	-
	Danger label(s)	8+6.1
	Special provisions (SP)	223, 274
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-A, S-B
	Stowage category	В
	International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
	Proper shipping name	Corrosive liquid, toxic, n.o.s.
	Particulars in the shipper's declaration	UN2922, Corrosive liquid, toxic, n.o.s., (Hydro- fluoric acid %, Tantalum, solution), 8 (6.1), III
	Danger label(s)	8+6.1
	Special provisions (SP)	A3
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	1 L

according to Regulation (EC) No. 1907/2006 (REACH)

#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471

# SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

#### **Restrictions according to REACH, Annex XVII**

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	No
Single-Element	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
Tantalum	flammable / pyrophoric		R40	40
Nitric acid% [C ≤ 70 %]	substances in tattoo inks and perman- ent make-up		R75	75

#### Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,

games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

 Articles not complying with paragraph 1 shall not be placed on the market.
 Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both. if they

- can be used as fuel in decorative oil lamps for supply to the general public, and

present an aspiration hazard and are labelled with H304.

4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:

ments are met:
(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil - or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';
(c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';
1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public of entertainment and decorative purposes such as the following:

for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration, - artificial snow and frost,

- 'whoopee' cushions,

- silly string aerosols

- imitation excrement,

- horns for parties,

- decorative flakes and foams,

- artificial cobwebs

stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with:

'For professional users only'.

By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
 The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.



Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.



according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471

#### Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

#### **Deco-Paint Directive**

VOC content	0 % , 0 <sup>g</sup> /l
	, 1

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content Water content was discounted	0 <sup>g</sup> /l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Tantalum	Metals and their compounds		A)	

Legend A)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH)



#### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: 2471

#### Regulation on the marketing and use of explosives precursors Explosives precursors which are subject to restrictions Name of substance **CAS No Type of registration** Remarks Limit Upper value limit value for the purpose of licensing under Article 5(3) Nitric acid ...% [C ≤ 70 %] 7697-37-2 Annex I 3 % w/w 10 % w/w

#### Legend annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



### Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

#### article number: 2471

	Country	Inventory	Status		
	PH	PICCS	all ingredients are listed		
	TR	CICR	not all ingredients are listed		
	TW	TCSI	all ingredients are listed		
	US	TSCA	all ingredients are listed		
A C C D E I I I I K N P R T	LegendAICSAustralian Inventory of Chemical SubstancesCICRChemical Inventory and Control RegulationCSCL-ENCSList of Existing and New Chemical Substances (CSCL-ENCS)DSLDomestic Substances List (DSL)ECSIEC Substance Inventory (EINECS, ELINCS, NLP)IECSCInventory of Existing chemical SubstancesISNQNational Inventory of Chemical SubstancesISHA-ENCSInventory of Existing and New Chemical Substances (ISHA-ENCS)KECIKorea Existing Chemicals InventoryNZIOCNew Zealand Inventory of Chemicals and Chemical Substances (PICCS)PICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance InventoryTSCAToxic Substance Control Act				

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

# **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

# article number: 2471

Abbr.	Descriptions of used abbreviations
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
EL50	Effective Loading 50 %: the EL50 corresponds to the loading rate required to produce a response in 50% of the test organisms
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Sol.	Flammable solid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
Ox. Liq.	Oxidising liquid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin

according to Regulation (EC) No. 1907/2006 (REACH)



# Single-Element ICP - Standard Solution ROTI®Star 1 000 mg/l Ta

article number: **2471** 

Abbr.	Descriptions of used abbreviations
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.