

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: **2474**
Version: **3.0 en**
Replaces version of: 2022-06-03
Version: (2)

date of compilation: 2018-10-17
Revision: 2023-02-07

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance	N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 % , for peptide synthesis
Article number	2474
EC number	230-392-0
CAS number	7087-68-5
Alternative name(s)	Ethyldiisopropylamine

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone: +49 (0) 721 - 56 06 0

Telefax: +49 (0) 721 - 56 06 149

e-mail: sicherheit@carlroth.de

Website: www.carlroth.de

Competent person responsible for the safety data sheet: Department Health, Safety and Environment

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	2	Flam. Liq. 2	H225
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.11	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	Specific target organ toxicity - single exposure (respiratory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS02, GHS05,
GHS06



Hazard statements

H225 Highly flammable liquid and vapour
H302 Harmful if swallowed
H318 Causes serious eye damage
H331 Toxic if inhaled
H335 May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P280 Wear protective gloves/eye protection

Precautionary statements - response

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell
P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing
P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	N,N-Diisopropylethylamine
Molecular formula	C ₈ H ₁₉ N
Molar mass	129,2 g/mol
CAS No	7087-68-5
EC No	230-392-0

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	317 mg/kg 2,63 mg/l/4h	oral inhalation: vapour

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Remove person to fresh air and keep comfortable for breathing. If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, pain, choking, and breathing difficulties, Varying degrees of pulmonary injury, Pulmonary oedema,

Following skin contact: Irritant effects,

After eye contact: Risk of serious damage to eyes, Risk of blindness,

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Following ingestion: Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory).

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge. Due to danger of explosion, prevent leakage

of vapours into cellars, flues and ditches.

Advice on general occupational hygiene

Wash hands before breaks and after work. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up. Ground/bond container and receiving equipment.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Human health values

Relevant DNELs and other threshold levels				
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DNEL	6,39 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	21,6 mg/m ³	human, inhalatory	worker (industry)	acute - systemic effects
DNEL	2,4 mg/m ³	human, inhalatory	worker (industry)	chronic - local effects
DNEL	21,6 mg/m ³	human, inhalatory	worker (industry)	acute - local effects
DNEL	9,22 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Environmental values

Relevant PNECs and other threshold levels				
End-point	Threshold level	Organism	Environmental compartment	Exposure time
PNEC	0,051 mg/l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0,005 mg/l	aquatic organisms	marine water	short-term (single instance)
PNEC	9,12 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	12,11 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	1,21 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
PNEC	2,39 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material


>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Flame-retardant protective clothing.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: ABEK (combined filters against gases and vapours, colour code: Brown/Grey/Yellow/Green).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	like: - Amines
Melting point/freezing point	-46 °C
Boiling point or initial boiling point and boiling range	128,3 °C at 1.013 hPa (ECHA)
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	0,7 vol% (LEL) - 6,3 vol% (UEL)
Flash point	12 °C at 101,3 kPa (ECHA)
Auto-ignition temperature	260,4 °C at 1.013 hPa (ECHA)
Decomposition temperature	not relevant
pH (value)	12,3 (emulsion)

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Kinematic viscosity	0,88 mm ² /s at 20 °C
Dynamic viscosity	1,22 mPa s at 20 °C
<u>Solubility(ies)</u>	
Water solubility	13,13 g/l at 20 °C (ECHA)
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	<-1,8 (pH value: 7) (ECHA)
Soil organic carbon/water (log KOC)	3,37 (ECHA)
Vapour pressure	14,25 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	0,754 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none
9.2 Other information	
Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition. Vapours may form explosive mixtures with air.

If heated

Risk of ignition.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acids

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Direct light irradiation.

10.5 Incompatible materials

plastic and rubber, copper, bronze, brass

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	317 mg/kg	rat		ECHA
inhalation: vapour	LC50	2,63 mg/l/4h	rat		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

spasms of swallowing muscles, abdominal pain, nausea, vomiting

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, cough, pain, choking, and breathing difficulties

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

- **If on skin**

slightly irritant but not relevant for classification

- **Other information**

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
LC50	69,7 mg/l	fish	ECHA	96 h
EC50	28,1 mg/l	aquatic invertebrates	ECHA	48 h
ErC50	196 mg/l	algae	ECHA	72 h

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	912 mg/l	microorganisms	ECHA	3 h

12.2 Persistence and degradability

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	0 - 10 %	d
oxygen depletion	0 %	14 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	<-1,8 (pH value: 7) (ECHA)
---------------------------	----------------------------

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	3,37 (ECHA)
--	-------------

12.5 Results of PBT and vPvB assessment

Data are not available.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\geq 0,1\%$.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 3 flammable

HP 4 irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1992

IMDG-Code UN 1992

ICAO-TI UN 1992

14.2 UN proper shipping name

ADRRID FLAMMABLE LIQUID, TOXIC, N.O.S.

IMDG-Code FLAMMABLE LIQUID, TOXIC, N.O.S.

ICAO-TI Flammable liquid, toxic, n.o.s.

Technical name N,N-Diisopropylethylamine

14.3 Transport hazard class(es)

ADRRID 3 (6.1)

IMDG-Code 3 (6.1)





Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

ICAO-TI	3 (6.1)
14.4 Packing group	
ADRRID	II
IMDG-Code	II
ICAO-TI	II
14.5 Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations
14.6 Special precautions for user	
Provisions for dangerous goods (ADR) should be complied within the premises.	
14.7 Maritime transport in bulk according to IMO instruments	
The cargo is not intended to be carried in bulk.	
14.8 Information for each of the UN Model Regulations	
Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information	
Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the transport document	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (N,N-Diisopropylethylamine), 3 (6.1), II, (D/E)
Classification code	FT1
Danger label(s)	3+6.1
 	
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	336
Emergency Action Code	3WE
Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information	
Classification code	FT1
Danger label(s)	3+6.1
 	
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
Transport category (TC)	2



Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)





N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Hazard identification No	336
International Maritime Dangerous Goods Code (IMDG) - Additional information	
Proper shipping name	FLAMMABLE LIQUID, TOXIC, N.O.S.
Particulars in the shipper's declaration	UN1992, FLAMMABLE LIQUID, TOXIC, N.O.S., (N,N-Diisopropylethylamine), 3 (6.1), II, 12°C c.c.
Marine pollutant	-
Danger label(s)	3+6.1
 	
Special provisions (SP)	274
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L
EmS	F-E, S-D
Stowage category	B

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Flammable liquid, toxic, n.o.s.
Particulars in the shipper's declaration	UN1992, Flammable liquid, toxic, n.o.s., (N,N-Diisopropylethylamine), 3 (6.1), II
Danger label(s)	3+6.1
 	
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50 200	41)

Notation

- 41) - Category 2, all exposure routes
- category 3, inhalation exposure route

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Deco-Paint Directive

VOC content	100 % 754 g/l
-------------	------------------

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	754 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
N,N-Diisopropylethylamine	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
N,N-Diisopropylethylamine	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

Legend

AIIC	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
15.1	VOC content: 100 %	VOC content: 100 % 754 g/l	yes
15.1		VOC content: 754 g/l	yes
15.1		National inventories: change in the listing (table)	yes

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



N,N-Diisopropylethylamine PEPTIPURE® ≥99,5 %, for peptide synthesis

article number: 2474

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.