

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: **2499**
Version: **3.0 en**
Replaces version of: 2022-01-14
Version: (2)

date of compilation: 2016-09-12
Revision: 2022-08-31

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb**

Article number 2499

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

| Name | Street | Postal code/city | Telephone | Website |
|---|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|--|-----------|---------------------------|------------------|
| 2.16 | Substance or mixture corrosive to metals | 1 | Met. Corr. 1 | H290 |
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 1 | Eye Dam. 1 | H318 |
| 3.7 | Reproductive toxicity | 1A | Repr. 1A | H360D |
| 3.9 | Specific target organ toxicity - repeated exposure | 2 | STOT RE 2 | H373 |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| Section | Hazard class | Cat-egory | Hazard class and category | Hazard statement |
|---------|---|-----------|---------------------------|------------------|
| 4.1C | Hazardous to the aquatic environment - chronic hazard | 3 | Aquatic Chronic 3 | H412 |

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire wa-
ter can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS05, GHS08



Hazard statements

| | |
|-------|--|
| H290 | May be corrosive to metals |
| H315 | Causes skin irritation |
| H318 | Causes serious eye damage |
| H360D | May damage the unborn child |
| H373 | May cause damage to organs (blood, immune system, kidney, central nervous system) through prolonged or repeated exposure |
| H412 | Harmful to aquatic life with long lasting effects |

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Hazardous ingredients for labelling:

Lead(II) nitrate, Nitric acid ...% [C ≤ 70 %]

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

Description of the mixture

| Name of sub-stance | Identifier | Wt% | Classification acc. to GHS | Pictograms | Notes |
|-----------------------------|--|-----------|---|------------|---|
| Nitric acid ...% [C ≤ 70 %] | CAS No 7697-37-2 EC No 231-714-2 Index No 007-030-00-3 | 3 | Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071 | | B(a) GHS-HC IOELV |
| Lead(II) nitrate | CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6 | 1 - < 2,5 | Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410 | | 1(a) A(a) GHS-HC IARC: 2A IOELV |

Notes

- 1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture
A(a): The name of substance is a general description. It is required that the correct name is stated on the label
B(a): The classification refers to an aqueous solution
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)
2A:
IOELV: Substance with a community indicative occupational exposure limit value

| Name of sub-stance | Identifier | Specific Conc. Limits | M-Factors | ATE | Exposure route |
|-----------------------------|--|--|--------------------------|--------------------------|-----------------------------------|
| Nitric acid ...% [C ≤ 70 %] | CAS No 7697-37-2 EC No 231-714-2 | Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 % | - | 2,65 mg/l/4h | inhalation: va- pour |
| Lead(II) nitrate | CAS No 10099-74-8 EC No 233-245-9 | Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 % | M-factor (acute) = 10 | 500 mg/kg 1,5 mg/l/4h | oral inhalation: dust/ mist |

Substance of Very High Concern (SVHC)

| Name of substance | Name acc. to invent-ory | CAS No | EC No | Listed in | Remarks |
|-------------------|-------------------------|------------|-----------|----------------|------------|
| Lead(II) nitrate | lead dinitrate | 10099-74-8 | 233-245-9 | Candidate list | Repr. A57c |

Legend

- candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV
Repr. A57c Toxic for reproduction (article 57c)

For full text of abbreviations: see SECTION 16

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

Following ingestion

Rinse mouth. Do not induce vomiting. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Risk of blindness, Risk of serious damage to eyes, Irritation, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Country | Name of agent | CAS No | Identifier | TWA [ppm] | TWA [mg/m ³] | STEL [ppm] | STEL [mg/m ³] | Ceiling-C [ppm] | Ceiling-C [mg/m ³] | Notation | Source |
|---------|----------------|-----------|------------|-----------|--------------------------|------------|---------------------------|-----------------|--------------------------------|----------|-------------|
| EU | lead compounds | | IOELV | | 0,15 | | | | | | 2022/431/EU |
| EU | nitric acid | 7697-37-2 | IOELV | | | 1 | 2,6 | | | | 2006/15/EC |
| GB | lead compounds | | OEL-NIR | | 0,15 | | | | | Pb | CLWR-NIR |
| GB | lead compounds | | OEL | | 0,15 | | | | | Pb | CLWR |
| GB | nitric acid | 7697-37-2 | WEL | | | 1 | 2,6 | | | | EH40/2005 |

Notation

- Ceiling-C Ceiling value is a limit value above which exposure should not occur
- Pb Calculated as Pb (lead)
- STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
- TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

| Country | Name of agent | CAS No | Parameter | Notation | Identifier | Value | Material | Source |
|---------|----------------|--------|-----------|----------------------------------|------------|----------|-------------|----------|
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-2, wmn<45y | AL_NIR | 250 µg/l | whole blood | CLWR-NIR |
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-2, wmn<45y | AL | 250 µg/l | whole blood | CLWR |
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-3, wmn>45y, men | AL_NIR | 400 µg/l | whole blood | CLWR-NIR |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| Country | Name of agent | CAS No | Parameter | Notation | Identifier | Value | Material | Source |
|---------|----------------|--------|-----------|---|------------|----------|-------------|----------|
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-3, wmn>45y, men | AL | 400 µg/l | whole blood | CLWR |
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-4, young | AL_NIR | 500 µg/l | whole blood | CLWR-NIR |
| GB | lead compounds | | lead | Pb-bio-2, Pb-med-4, young | AL | 500 µg/l | whole blood | CLWR |

Notation

| | |
|-----------------|---|
| Pb-bio-2 | Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m ³ but less than 0.100 mg/m ³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months |
| Pb-med-2 | Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 µg Pb/g creatinine (urinary lead concentration) |
| Pb-med-3 | Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatinine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration) |
| Pb-med-4 | Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatinine (urinary lead concentration) suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration) |
| wmn<45y | Women of reproductive capacity (women < 45 years) |
| wmn>45y, men | Women of non-reproductive capacity, men (women > 45 years) |
| young | Adolescents (young person < 18 years) |

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

| | |
|--|----------------------|
| Physical state | liquid |
| Colour | colourless |
| Odour | odourless |
| Melting point/freezing point | ~0 °C at 1.013 hPa |
| Boiling point or initial boiling point and boiling range | ~100 °C at 1.013 hPa |
| Flammability | non-combustible |
| Lower and upper explosion limit | not determined |
| Flash point | not determined |
| Auto-ignition temperature | not determined |
| Decomposition temperature | not relevant |
| pH (value) | <2 |
| Kinematic viscosity | not determined |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density ~1 g/cm³ at 20 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH₃), Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

| Acute toxicity estimate (ATE) of components of the mixture | | | |
|--|------------|-----------------------|--------------|
| Name of substance | CAS No | Exposure route | ATE |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | 2,65 mg/l/4h |
| Lead(II) nitrate | 10099-74-8 | oral | 500 mg/kg |
| Lead(II) nitrate | 10099-74-8 | inhalation: dust/mist | 1,5 mg/l/4h |

| Acute toxicity of components of the mixture | | | | | |
|---|------------|--------------------|----------|---------------|---------|
| Name of substance | CAS No | Exposure route | Endpoint | Value | Species |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | inhalation: vapour | LC50 | >2,65 mg/l/4h | rat |
| Lead(II) nitrate | 10099-74-8 | oral | LD50 | >2.000 mg/kg | rat |
| Lead(II) nitrate | 10099-74-8 | dermal | LD50 | >2.000 mg/kg | rat |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (blood, immune system, kidney, central nervous system) through prolonged or repeated exposure.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| Hazard category | Target organ | Exposure route |
|-----------------|------------------------|----------------|
| 2 | blood | if exposed |
| 2 | immune system | if exposed |
| 2 | kidney | if exposed |
| 2 | central nervous system | if exposed |

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

diarrhoea, nausea, gastrointestinal complaints

• If in eyes

Causes serious eye damage, risk of blindness

• If inhaled

Data are not available.

• If on skin

causes skin irritation

• Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

| Aquatic toxicity (acute) of components of the mixture | | | | | |
|---|------------|----------|-----------|---------|---------------|
| Name of substance | CAS No | Endpoint | Value | Species | Exposure time |
| Lead(II) nitrate | 10099-74-8 | LC50 | 107 µg/l | fish | 96 h |
| Lead(II) nitrate | 10099-74-8 | ErC50 | 35,9 µg/l | algae | 48 h |

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

| | |
|-----------|---------|
| ADRRID | UN 1760 |
| IMDG-Code | UN 1760 |
| ICAO-TI | UN 1760 |

14.2 UN proper shipping name

| | |
|--|---|
| ADRRID | CORROSIVE LIQUID, N.O.S. |
| IMDG-Code | CORROSIVE LIQUID, N.O.S. |
| ICAO-TI | Corrosive liquid, n.o.s. |
| Technical name (hazardous ingredients) | Nitric acid ...% [C ≤ 70 %], Lead(II) nitrate |

14.3 Transport hazard class(es)

| | |
|--------|---|
| ADRRID | 8 |
|--------|---|



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| | |
|--|--|
| IMDG-Code | 8 |
| ICAO-TI | 8 |
| 14.4 Packing group | |
| ADRRID | III |
| IMDG-Code | III |
| ICAO-TI | III |
| 14.5 Environmental hazards | non-environmentally hazardous acc. to the dangerous goods regulations |
| 14.6 Special precautions for user | |
| Provisions for dangerous goods (ADR) should be complied within the premises. | |
| 14.7 Maritime transport in bulk according to IMO instruments | |
| The cargo is not intended to be carried in bulk. | |
| 14.8 Information for each of the UN Model Regulations | |
| Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information | |
| Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| Particulars in the transport document | UN1760, CORROSIVE LIQUID, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Lead(II) nitrate), 8, III, (E) |
| Classification code | C9 |
| Danger label(s) | 8 |
|  | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Tunnel restriction code (TRC) | E |
| Hazard identification No | 80 |
| Emergency Action Code | 2X |
| Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) Additional information | |
| Classification code | C9 |
| Danger label(s) | 8 |
|  | |
| Special provisions (SP) | 274 |
| Excepted quantities (EQ) | E1 |



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| | |
|---|---|
| Limited quantities (LQ) | 5 L |
| Transport category (TC) | 3 |
| Hazard identification No | 80 |
| International Maritime Dangerous Goods Code (IMDG) - Additional information | |
| Proper shipping name | CORROSIVE LIQUID, N.O.S. |
| Particulars in the shipper's declaration | UN1760, CORROSIVE LIQUID, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Lead(II) nitrate), 8, III |
| Marine pollutant | - |
| Danger label(s) | 8 |
|  | |
| Special provisions (SP) | 223, 274 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 5 L |
| EmS | F-A, S-B |
| Stowage category | A |
| International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information | |
| Proper shipping name | Corrosive liquid, n.o.s. |
| Particulars in the shipper's declaration | UN1760, Corrosive liquid, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], Lead(II) nitrate), 8, III |
| Danger label(s) | 8 |
|  | |
| Special provisions (SP) | A3 |
| Excepted quantities (EQ) | E1 |
| Limited quantities (LQ) | 1 L |

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/18/EU (Seveso III) | | | |
|-------------------------|---------------------------------------|---|-------|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes |
| | not assigned | | |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

Deco-Paint Directive

| | |
|-------------|--------------|
| VOC content | 0 % 0 g/l |
|-------------|--------------|

Industrial Emissions Directive (IED)

| | |
|--|-------|
| VOC content | 0 % |
| VOC content (Water content was discounted) | 0 g/l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

| List of pollutants (WFD) | | | | |
|--------------------------|---|-----------|-----------|---------|
| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
| Lead(II) nitrate | lead compounds | | b) | |
| Lead(II) nitrate | lead compounds | 7439-92-1 | c) | |
| Lead(II) nitrate | Substances which contribute to eutrophication (in particular, nitrates and phosphates) | | a) | |
| Lead(II) nitrate | Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment | | a) | |
| Lead(II) nitrate | Metals and their compounds | | a) | |

Legend

- A) Indicative list of the main pollutants
- B) List of priority substances in the field of water policy
- C) Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

| Explosives precursors which are subject to restrictions | | | | | | |
|---|-----------|-----|----------------------|--------------|----------------|--|
| Name of substance | CAS No | Wt% | Type of registration | Re- marks | Limit value | Upper limit value for the purpose of licens- ing un- der Art- icle 5(3) |
| Nitric acid ...% [C ≤ 70 %] | 7697-37-2 | 3 | Annex I | | 3 % w/w | 10 % w/w |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

Legend

annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

| Name of substance | Name acc. to inventory | CAS No | Wt% | Category / subcategory | Use limitation |
|-------------------|------------------------|--------|-----|------------------------|----------------|
| Lead(II) nitrate | lead compounds | | 1,6 | i(2) | sr |

Legend

i(2) Sub-category: i(2) - industrial chemical for public use
sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|---|--|--------|----|
| Name of substance | Name acc. to inventory | CAS No | No |
| Single-Element | this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC | | 3 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|----------------------------|
| AU | AIIC | all ingredients are listed |
| CA | DSL | all ingredients are listed |
| CN | IECSC | all ingredients are listed |
| EU | ECSI | all ingredients are listed |
| EU | REACH Reg. | all ingredients are listed |
| JP | CSCL-ENCS | all ingredients are listed |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| Country | Inventory | Status |
|---------|-----------|--------------------------------|
| KR | KECI | all ingredients are listed |
| MX | INSQ | all ingredients are listed |
| NZ | NZIoC | all ingredients are listed |
| PH | PICCS | all ingredients are listed |
| TR | CICR | not all ingredients are listed |
| TW | TCSI | all ingredients are listed |
| US | TSCA | all ingredients are listed |

Legend

| | |
|------------|---|
| AIIC | Australian Inventory of Industrial Chemicals |
| CICR | Chemical Inventory and Control Regulation |
| CSCL-ENCS | List of Existing and New Chemical Substances (CSCL-ENCS) |
| DSL | Domestic Substances List (DSL) |
| ECSI | EC Substance Inventory (EINECS, ELINCS, NLP) |
| IECSC | Inventory of Existing Chemical Substances Produced or Imported in China |
| INSQ | National Inventory of Chemical Substances |
| KECI | Korea Existing Chemicals Inventory |
| NZIoC | New Zealand Inventory of Chemicals |
| PICCS | Philippine Inventory of Chemicals and Chemical Substances (PICCS) |
| REACH Reg. | REACH registered substances |
| TCSI | Taiwan Chemical Substance Inventory |
| TSCA | Toxic Substance Control Act |

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

| Section | Former entry (text/value) | Actual entry (text/value) | Safety-relevant |
|---------|---|---|-----------------|
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | contains: Lead(II) nitrate, Nitric acid ...% [C ≤ 70 %] | | yes |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-----------------|--|
| 2006/15/EC | Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC |
| 2022/431/EU | Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work |
| Acute Tox. | Acute toxicity |
| ADN | Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways) |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| Aquatic Acute | Hazardous to the aquatic environment - acute hazard |
| Aquatic Chronic | Hazardous to the aquatic environment - chronic hazard |
| ATE | Acute Toxicity Estimate |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| CLWR | Control of Lead at Work Regulations |
| CLWR-NIR | Control of Lead at Work Regulations (Northern Ireland) |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| Eye Dam. | Seriously damaging to the eye |
| Eye Irrit. | Irritant to the eye |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IARC | International Agency for Research on Cancer |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| Met. Corr. | Substance or mixture corrosive to metals |
| M-factor | Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present |
| NLP | No-Longer Polymer |
| OEL | Workplace exposure limit |
| Ox. Liq. | Oxidising liquid |
| PBT | Persistent, Bioaccumulative and Toxic |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| Repr. | Reproductive toxicity |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| Skin Corr. | Corrosive to skin |
| Skin Irrit. | Irritant to skin |
| STEL | Short-term exposure limit |
| STOT RE | Specific target organ toxicity - repeated exposure |
| TWA | Time-weighted average |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture.
Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Single-Element ICP - Standard Solution ROTI®Star 10 000 mg/l Pb

article number: 2499

List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|--------|---|
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H318 | Causes serious eye damage. |
| H331 | Toxic if inhaled. |
| H332 | Harmful if inhaled. |
| H360D | May damage the unborn child. |
| H360Df | May damage the unborn child. Suspected of damaging fertility. |
| H372 | Causes damage to organs (blood, immune system, kidney, central nervous system) through prolonged or repeated exposure. |
| H373 | May cause damage to organs (blood, immune system, kidney, central nervous system) through prolonged or repeated exposure. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.