acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: **250C** Version: **1.0 en**

date of compilation: 2023-10-24

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Form

 $\textbf{CdSe/ZnS} \text{ ROTI®nanoMETIC } \lambda \text{ max. 590 } \pm 5 \text{ nm}$

250C

Nanoform

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory and analytical use Laboratory chemical

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class		Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)		Acute Tox. 4	H332
3.2	3.2 Skin corrosion/irritation		Skin Corr. 1A	H314

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms



Hazard statements

H302+H332	Harmful if swallowed or if inhaled
H314	Causes severe skin burns and eye damage
H373	May cause damage to organs (immune system, gastro-intestinal tract, liver) through prolonged or repeated exposure
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe dust
P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
P305+P351+P338	
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor
P305+P351+P338	with water [or shower] IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Hazardous ingredients for labelling:

Hexadecylamine, Cadmium selenide

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \ge 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

Form

Nanoform

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Hexadecylamine	CAS No 143-27-1 EC No 205-596-8	10 - < 90	Skin Corr. 1A / H314 Eye Dam. 1 / H318 STOT RE 2 / H373 Asp. Tox. 1 / H304 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		
Cadmium selenide	CAS No 1306-24-7 EC No 215-148-3 Index No 034-002-00-8	10 - < 30	Acute Tox. 3 / H301 Acute Tox. 3 / H331 STOT RE 2 / H373 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		A GHS-HC IOELV

Notes

A: Without prejudice to Article 17(2), the name of the substance must appear on the label in the form of one of the designations given in Part 3. In Part 3, use is sometimes made of a general description such as '... compounds' or '... salts'. In this case, the supplier is required to state on the label the correct name, due account being taken of section 1.1.1.4.
 GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Cadmium selen- ide	CAS No 1306-24-7 EC No 215-148-3	-	M-factor (acute) = 10	100 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

For full text of abbreviations: see SECTION 16

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

None.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

Consideration of other advice:

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m ³]	Nota- tion	Source
EU	cadmium, inorganic com- pounds		IOELV	0,004			i	2019/983/ EU
GB	cadmium compounds		WEL	0,025			Cd	EH40/2005
GB	selenium compounds		WEL	0,1			Se	EH40/2005
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Calculated as Cd (cadmium) Cd

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

Se STEL Calculated as Se (selenium)

- Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)
- Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: **250C**

hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	solid
Form	nanoparticle
Colour	yellowish brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

pH (value)	not applicable
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	(poorly soluble)
Solubility in hydrocarbons, aliphatic	soluble
Solubility in diethyl ether	poorly soluble
Solubility in alcohol	poorly soluble
Solubility in toluene	soluble
Solubility in trichloromethane (chloroform)	soluble
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	not determined
Density Relative vapour density	not determined information on this property is not available
Relative vapour density Particle characteristics	information on this property is not available
Relative vapour density Particle characteristics Other safety parameters	information on this property is not available No data available.
Relative vapour density Particle characteristics <u>Other safety parameters</u> Oxidising properties	information on this property is not available
Relative vapour density Particle characteristics Other safety parameters Oxidising properties Other information	information on this property is not available No data available. none
Relative vapour density Particle characteristics <u>Other safety parameters</u> Oxidising properties	information on this property is not available No data available.
Relative vapour density Particle characteristics <u>Other safety parameters</u> Oxidising properties Other information Information with regard to physical hazard	information on this property is not available No data available. none hazard classes acc. to GHS

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Dangerous/dangerous reactions with: Acids

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm

® §ROTH

article number: 250C

- **10.5** Incompatible materials There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Harmful if swallowed. Harmful if inhaled.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No Exposure route		ΑΤΕ
Cadmium selenide	1306-24-7	oral	100 ^{mg} / _{kg}
Cadmium selenide	1306-24-7	inhalation: dust/mist	0,5 ^{mg} / _l /4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Cadmium selenide	1306-24-7	oral	LD50	2.000 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs (immune system, gastro-intestinal tract, liver) through prolonged or repeated exposure.

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Roth

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm

article number: **250C**

Hazard category	Target organ	Exposure route
2	immune system	if exposed
2	gastro-intestinal tract	if exposed
2	liver	if exposed

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

irritant effects, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\ge 0,1\%$.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Hexadecylamine	143-27-1	EC50	0,98 ^{mg} / _l	aquatic invertebrates	48 h
Hexadecylamine	143-27-1	ErC50	0,46 ^{mg} / _l	algae	72 h
Cadmium selenide	1306-24-7	EC50	31,2 ^{µg} / _l	aquatic invertebrates	48 h
Cadmium selenide	1306-24-7	ErC50	84,47 ^{µg} / _l	algae	72 h

12.2 Persistence and degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

12.4 Mobility in soil

Data are not available.

- **12.5** Results of PBT and vPvB assessment Does not contain a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.
- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (ED) in a concentration of \ge 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- **HP 4** irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 6 acute toxicity
- HP8 corrosive
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SEC	SECTION 14: Transport information		
14.1	UN number or ID number		
	ADRRID	UN 1759	
	IMDG-Code	UN 1759	
	ICAO-TI	UN 1759	

14.2 UN proper shipping name

ADRRID

CORROSIVE SOLID, N.O.S.

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

	IMDG-Code	CORROSIVE SOLID, N.O.S.
	ICAO-TI	Corrosive solid, n.o.s.
	Technical name (hazardous ingredients)	Hexadecylamine, Cadmium selenide
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	Ι
	IMDG-Code	I
	ICAO-TI	Ι
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment):	Hexadecylamine

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name	CORROSIVE SOLID, N.O.S.
Particulars in the transport document	UN1759, CORROSIVE SOLID, N.O.S., (contains: Hexadecylamine, Cadmium selenide), 8, I, (E), en- vironmentally hazardous
Classification code	C10
Danger label(s)	8, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	274
Excepted quantities (EQ)	EO
Limited quantities (LQ)	0
Transport category (TC)	1
Tunnel restriction code (TRC)	E
Hazard identification No	88
Emergency Action Code	2X

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: **250C**

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information			
Classification code	C10		
Danger label(s)	8 Fish and tree		
Environmental hazards	Yes Hazardous to water		
Special provisions (SP)	274		
Excepted quantities (EQ)	EO		
Limited quantities (LQ)	0		
Transport category (TC)	1		
Hazard identification No	88		
International Maritime Dangerous Goods Code	e (IMDG) - Additional information		
Proper shipping name	CORROSIVE SOLID, N.O.S.		
Particulars in the shipper's declaration	UN1759, CORROSIVE SOLID, N.O.S., (contains: Hexadecylamine, Cadmium selenide), 8, I, MAR- INE POLLUTANT		
Marine pollutant	YES (hazardous to the aquatic environment), (Hexadecylam- ine)		
Danger label(s)	8, "Fish and tree"		
Special provisions (SP)	274		
Excepted quantities (EQ)	EO		
Limited quantities (LQ)	0		
EmS	F-A, S-B		
Stowage category	В		
International Civil Aviation Organization (ICA	D-IATA/DGR) - Additional information		
Proper shipping name	Corrosive solid, n.o.s.		
Particulars in the shipper's declaration	UN1759, Corrosive solid, n.o.s., (contains: Hexa- decylamine, Cadmium selenide), 8, I		
Environmental hazards	Yes (hazardous to the aquatic environment)		
Danger label(s)	8		
Special provisions (SP)	A3		
Excepted quantities (EQ)	EO		

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
N	No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes
E	E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100 200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content 0 %

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium selenide	cadmium compounds		b)	HAZ
Cadmium selenide	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	C)	
Cadmium selenide	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium selenide	Metals and their compounds		a)	

Legend

a)
b)
c)
HAZ

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Identified as priority hazardous substance

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Cadmium selenide	cadmium compounds		29	i(1) i(2)	sr sr
Cadmium selenide	cadmium compounds		29	i	sr

Legend

Category: i - industrial chemical

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use

- i(1) i(2) sr
 - Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Cadmium selenide	Cadmium compounds		23

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Inventory	Status
AIIC	all ingredients are listed
DSL	all ingredients are listed
IECSC	all ingredients are listed
ECSI	all ingredients are listed
REACH Reg.	all ingredients are listed
CSCL-ENCS	all ingredients are listed
KECI	all ingredients are listed
-	AIIC DSL IECSC ECSI REACH Reg. CSCL-ENCS

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

Country	Inventory	Status	
NZ	NZIoC	all ingredients are listed	
PH	PICCS	all ingredients are listed	
TW	TCSI	all ingredients are listed	
VN	NCI	all ingredients are listed	
US	TSCA	all ingredients are listed (ACTIVE)	

Legend

Legena	
AIIĊ	Australian Inventory of Industrial Chemicals
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
KECI	Korea Existing Chemicals Inventory
NCI	National Chemical Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protec- tion of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: **250C**

Abbr.	Descriptions of used abbreviations
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

acc. to Regulation (EC) No. 1907/2006 (REACH)

CdSe/ZnS ROTI®nanoMETIC λ max. 590 ±5 nm



article number: 250C

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H304	May be fatal if swallowed and enters airways.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H373	May cause damage to organs (immune system, gastro-intestinal tract, liver) through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.