acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l - 3 N, volumetric standard solution

#### article number: **255P** Version: **1.0 en**

date of compilation: 2023-10-31

**Ammonia solution** 3 mol/l – 3 N, volumetric

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

### 1.1 Product identifier

Identification of the substance

	standard solution
Article number	255P
Index No (GB CLP)	[ 007-001-01-2 ]
EC number	[ 215-647-6 ]
CAS number	[ 1336-21-6 ]

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for private purposes (house- hold). Food, drink and animal feedingstuffs.

#### **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment sheet:

#### e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l - 3 N, volumetric standard solution

article number: 255P

Classification acc. to GHS									
Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement					
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314					
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318					
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335					
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412					

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

Labelling

**Signal word** Danger

#### **Pictograms**

GHS05, GHS07



#### **Hazard statements**

H314	Causes severe skin burns and eye damage
H335	May cause respiratory irritation
H412	Harmful to aquatic life with long lasting effects

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P260	Do not breathe dust/fume/gas/mist/vapours/spray
P280	Wear protective gloves/eye protection/face protection

#### **Precautionary statements - response**

P303+P361+P353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin
	with water [or shower]
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor
	5

Hazardous ingredients for labelling: Ammonia ...%

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Ammonia solution 3 mol/l - 3 N, volumetric standard solution

article number: 255P

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq 0,1\%$ .

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0,1\%$ .

### **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

not relevant (mixture)

#### 3.2 **Mixtures**

#### Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Ammonia%	CAS No 1336-21-6 EC No 215-647-6 Index No 007-001-01-2	5-<10	Skin Corr. 1B / H314 Eye Dam. 1 / H318 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411		B(a) GHS-HC IOELV

Notes

B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI)

IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Ammonia%	CAS No 1336-21-6	STOT SE 3; H335: C ≥ 5 %	-	-	
	EC No 215-647-6				

For full text of abbreviations: see SECTION 16

### SECTION 4: First aid measures

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off immediately all contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.



acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l - 3 N, volumetric standard solution

#### article number: 255P

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Cough, Dyspnoea

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

### **SECTION 6: Accidental release measures**

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: 255P

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	ammonia, anhyd- rous	7664-41- 7	IOELV	20	14	50	36				2000/39/ EC
GB	ammonia, anhyd- rous	7664-41- 7	WEL	25	18	35	25				EH40/ 2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

#### article number: 255P

Г

Relevant DNELs of components									
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time			
Ammonia%	1336-21-6	DNEL	47,6 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects			
Ammonia%	1336-21-6	DNEL	47,6 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects			
Ammonia%	1336-21-6	DNEL	14 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - local ef- fects			
Ammonia%	1336-21-6	DNEL	36 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	acute - local ef- fects			
Ammonia%	1336-21-6	DNEL	6,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects			
Ammonia%	1336-21-6	DNEL	6,8 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects			

#### **Relevant PNECs of components**

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Ammonia%	1336-21-6	PNEC	0,001 <sup>mg</sup> /l	aquatic organ- isms	freshwater	short-term (single instance)
Ammonia%	1336-21-6	PNEC	0,001 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)

#### 8.2 Exposure controls

#### Individual protection measures (personal protective equipment)

#### Eye/face protection



Use safety goggle with side protection. Wear face protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: 255P

- type of material
- NBR (Nitrile rubber)
- material thickness
- >0,11 mm
- breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Aerosol or mist formation. Type: K (against ammonia and organic ammonia derivatives, colour code: Green).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	like ammonia
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	100 °C
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	11 – 12 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: 255P

	Vapour pressure	23 hPa at 20 °C
	Density and/or relative density	
	Density	0,976 <sup>g</sup> / <sub>cm³</sub> at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Miscibility	completely miscible with water

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material is not reactive under normal ambient conditions.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Strong acid

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# 10.5 Incompatible materials

aluminium, copper, zinc, different metals

### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: **255P** 

# ® Roth

## Acute toxicity

Shall not be classified as acutely toxic.

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes severe burns, causes poorly healing wounds

#### Other information

none

#### **11.2 Endocrine disrupting properties**

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0,1\%$ .

#### **11.3** Information on other hazards

There is no additional information.

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: **255P** 

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

#### Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Ammonia%	1336-21-6	EC50	2.700 <sup>mg</sup> / <sub>l</sub>	algae	18 d

#### 12.2 Persistence and degradability

Data are not available.

**12.3 Bioaccumulative potential** Data are not available.

#### 12.4 Mobility in soil

Data are not available.

### 12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of  $\geq$  0,1%.

#### 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of  $\ge 0,1\%$ .

**12.7 Other adverse effects** Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

HP8 corrosive

HP 14 ecotoxic

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: 255P

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

### **SECTION 14: Transport information**

14.1	UN number or ID number	not assigned
14.2	UN proper shipping name	not assigned
14.3	Transport hazard class(es)	not assigned
14.4	Packing group	not assigned
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

not assigned

**International Maritime Dangerous Goods Code (IMDG) - Additional information** Not subject to IMDG.

**International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information** Not subject to ICAO-IATA.

### **SECTION 15: Regulatory information**

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### Seveso Directive

2012/	2012/18/EU (Seveso III)			
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

**Deco-Paint Directive** 

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

article number: **255P** 

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

#### Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Ammonia%	7664-41-7		10 000

#### Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Ammonia%	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	

Legend

a) Indicative list of the main pollutants

#### Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

#### **Regulation on persistent organic pollutants (POP)**

none of the ingredients are listed

#### National regulations(GB)

### List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

#### **Restrictions according to GB REACH, Annex 17**

none of the ingredients are listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l - 3 N, volumetric standard solution

article number: 255P

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

#### Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

#### 15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

### **SECTION 16: Other information**

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

#### article number: 255P

Abbr.	Descriptions of used abbreviations
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Ammonia solution 3 mol/l – 3 N, volumetric standard solution

#### article number: 255P

Abbr.	Descriptions of used abbreviations
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.