acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

date of compilation: 2016-10-10 Revision: 2022-10-10 article number: 2638 Version: 4.0 en

Replaces version of: 2022-10-05

Version: (3)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance Multi-Element ICP - Standard Solution IV

ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

Article number 2638

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

2.1

e-mail (competent person):

#### sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

#### Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# $\textbf{Multi-Element ICP - Standard Solution IV ROTI} \\ \textbf{@Star 23 elements in 2 \% HNO}_3$

- 1 000 mg/l

article number: 2638

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1A	Carc. 1A	H350i
3.7	Reproductive toxicity	1B	Repr. 1B	H360FD
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

#### 2.2 Label elements

#### Labelling

Signal word Danger

### **Pictograms**

GHS05, GHS07, GHS08, GHS09



#### **Hazard statements**

H290	May be corrosive to metals
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H350i	May cause cancer by inhalation
H360FD	May damage fertility. May damage the unborn child (if exposed)
H373	May cause damage to organs through prolonged or repeated exposure
H411	Toxic to aquatic life with long lasting effects

## **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

**Hazardous ingredients for labelling:**Nickel dinitrate, Cobalt dinitrate, Boric acid, Cadmium

## 2.3 Other hazards

#### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

United Kingdom (en) Page 2 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# ${\bf Multi-Element~ICP-Standard~Solution~IV~ROTI@Star~23~elements~in~2~\%~HNO_3}$

- 1 000 mg/l

article number: 2638

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

## **Description of the mixture**

Name of sub-	Identifier	Wt%	Classification acc. to	Pictograms	Notes
stance			GHS		
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2	<1	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331		B(a) GHS-HC IOELV
	EC No 231-714-2		Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		
	Index No 007-030-00-3		2011071		
cobalt dinitrate	CAS No 10141-05-6	<1	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341	(1) (1) (1) (1) (1) (1) (1) (1) (1) (1)	1(a) GHS-HC
	EC No 233-402-1		Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400		
	Index No 027-009-00-2		Aquatic Active 17 H400 Aquatic Chronic 1 / H410		
Boric acid	CAS No 10043-35-3	<1	Repr. 1B / H360FD		GHS-HC
	EC No 233-139-2			•	
	Index No 005-007-00-2				
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5 Index No 028-012-00-1	<1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
copper dinitrate	CAS No 3251-23-8 EC No 221-838-5	<1	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>(1)</u>	
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9 Index No 082-001-00-6	<1	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) (\$) (**)	1(a) A(a) GHS-HC IARC: 2A IOELV

United Kingdom (en) Page 3 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Thallium nitrate	CAS No 10102-45-1 EC No 233-273-1 Index No	<1	Acute Tox. 2 / H300 Acute Tox. 2 / H330 STOT RE 2 / H373 Aquatic Chronic 2 / H411	<b>*</b>	A(a) GHS-HC
Zinc oxide	081-002-00-9  CAS No 1314-13-2  EC No 215-222-5  Index No 030-013-00-7	<1	Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<u>\$</u>	GHS-HC
Cadmium	CAS No 7440-43-9 EC No 231-152-8 Index No 048-002-00-0	<1	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<b>\$</b>	GHS-HC IARC: 1 IOELV RoC "Known"

#### Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total

weight of the mixture

A(a): B(a): The name of substance is a general description. It is required that the correct name is stated on the label

UHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list 2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

IARC: Substance with a community indicative occupational exposure in the list 2008/EC, Annex VI)

IARC: I B(a): The classification refers to an aqueous solution GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

RoC "Known" NTP-RoC: Known To Be A Human Carcinogen

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	-	
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	M-factor (acute) = 1 M-factor (chronic) = 1	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
copper dinitrate	CAS No 3251-23-8 EC No 221-838-5	-	-	794 <sup>mg</sup> / <sub>kg</sub>	oral

United Kingdom (en) Page 4 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	Repr. 1A; H360D: $C \ge 0.3 \%$ Repr. 2; H361f: $C \ge 2.5 \%$ STOT RE 2; H373: $C \ge 0.5 \%$	M-factor (acute) = 10	500 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
Thallium nitrate	CAS No 10102-45-1 EC No 233-273-1	-	-	5 <sup>mg</sup> / <sub>kg</sub> 0,05 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
Cadmium	CAS No 7440-43-9 EC No 231-152-8	-	M-factor (acute) = 10	0,05 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: dust/ mist

#### Substance of Very High Concern (SVHC)

Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks
Boric acid	boric acid	10043-35-3	233-139-2	Candidate list	Repr. A57c
Lead(II) nitrate	lead dinitrate	10099-74-8	233-245-9	Candidate list	Repr. A57c
cobalt dinitrate	cobalt dinitrate	10141-05-6	233-402-1	Candidate list	Carc. A57a Repr. A57c
Cadmium	cadmium	7440-43-9	231-152-8	Candidate list	Carc. A57a STOT-re A57(f)-HH

#### Legend

Carc. A57a Repr. A57c STOT-re A57(f)-HH

Carcinogenic (article 57a)
Toxic for reproduction (article 57c)
Specific target organ toxicity - repo candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Specific target organ toxicity - repeated exposure (article 57(f) - human health)

For full text of abbreviations: see SECTION 16

# **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

United Kingdom (en) Page 5 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

#### Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

## 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide  $(CO_2)$ 

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx), Metal oxide smoke, toxic

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

United Kingdom (en) Page 6 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Use extractor hood (laboratory). Avoid exposure.

## Measures to protect the environment

Avoid release to the environment.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

# Incompatible substances or mixtures

Observe hints for combined storage.

#### **Consideration of other advice:**

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

## 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU

United Kingdom (en) Page 7 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	silver	7440-22- 4	IOELV		0,1						2000/39/ EC
EU	cadmium	7440-43- 9	IOELV		0,001					i, Cd- limit	2019/ 983/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	cobalt compounds		WEL		0,1					Со	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	silver	7440-22- 4	WEL		0,01						EH40/ 2005
GB	cadmium	7440-43- 9	WEL		0,025						EH40/ 2005
GB	indium	7440-74- 6	WEL		0,1		0,3				EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005

#### Notation

Cd-limit Limit value 0,004 mg/m3 until 11 July 2027
Ceiling-C Ceiling value is a limit value above which exposure should not occur
cmr\_NicompThe limit value shall apply from 18 January 2025
cmr\_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.

2 Co Calculated as Co (cobalt) Inhalable fraction Calculated as Ni (nickel) Calculated as Pb (lead) Respirable fraction Ni Pb

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

**TWA** Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

## **Biological limit values**

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR

United Kingdom (en) Page 8 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

#### **Notation**

Pb-med-4

Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers Pb-bio-2

have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m³ but less than 0.100 mg/m³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months

Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb-med-2 Pb/g creatinine (urinary lead concentration) Pb-med-3

Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatinine (urinary lead concentration)

Suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration) Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatin-

ine (urinary lead concentration)

suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration)

Women of reproductive capacity (women < 45 years)
Women of non-reproductive capacity, men (women > 45 years) wmn<45y

wmn>45y, men

Adolescents (young person < 18 years) young

United Kingdom (en) Page 9 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 mg/l

article number: 2638

Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Boric acid	10043-35-3	DNEL	8,3 mg/m <sup>3</sup>	human, inhalat- ory	worker (industry)	chronic - systemic effects
Boric acid	10043-35-3	DNEL	392 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Cadmium	7440-43-9	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects

# Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Boric acid	10043-35-3	PNEC	2,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Boric acid	10043-35-3	PNEC	2,9 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Boric acid	10043-35-3	PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Boric acid	10043-35-3	PNEC	5,7 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	20,6 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	6,1 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	100 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	117,8 <sup>mg</sup> / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	56,5 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Zinc oxide	1314-13-2	PNEC	35,6 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,19 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,14 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	marine water	short-term (single instance)
Cadmium	7440-43-9	PNEC	20 <sup>µg</sup> / <sub>I</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,8 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,64 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

United Kingdom (en) Page 10 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### 8.2 Exposure controls

Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. P2 (filters at least 94 % of airborne particles, colour code: White). Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

United Kingdom (en) Page 11 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# $\textbf{Multi-Element ICP - Standard Solution IV ROTI} \\ \textbf{@Star 23 elements in 2 \% HNO}_{3}$

- 1 000 mg/l

article number: 2638

# SECTION 9: Physical and chemical properties

# 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour stinging

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling (unknown) not determined

range

Flammability non-combustible

Lower and upper explosion limit not determined

Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) <2 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density  $\sim 1 \, {\rm ^{9}}/{\rm _{cm^3}}$  at 20  $^{\circ}{\rm C}$ 

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

United Kingdom (en) Page 12 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

Miscibility

completely miscible with water

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: Alkali metals, Ammonia (NH3), Alkaline earth metal, Strong alkali

#### 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

#### 10.5 Incompatible materials

different metals

#### Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium).

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### **Classification procedure**

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

# **Acute toxicity**

Shall not be classified as acutely toxic.

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h
nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h
copper dinitrate	3251-23-8	oral	794 <sup>mg</sup> / <sub>kg</sub>
Lead(II) nitrate	10099-74-8	oral	500 <sup>mg</sup> / <sub>kg</sub>
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h
Thallium nitrate	10102-45-1	oral	5 <sup>mg</sup> / <sub>kg</sub>

United Kingdom (en) Page 13 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

# Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Thallium nitrate	10102-45-1	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h
Cadmium	7440-43-9	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h

## Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat
Boric acid	10043-35-3	oral	LD50	3.450 <sup>mg</sup> / <sub>kg</sub>	rat
Boric acid	10043-35-3	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat
copper dinitrate	3251-23-8	oral	LD50	794 <sup>mg</sup> / <sub>kg</sub>	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Zinc oxide	1314-13-2	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Zinc oxide	1314-13-2	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Cadmium	7440-43-9	oral	LD50	2.330 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

# **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

May cause cancer by inhalation.

#### Reproductive toxicity

May damage the unborn child (if exposed). May damage fertility (if exposed).

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

United Kingdom (en) Page 14 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

diarrhoea, vomiting, nausea, gastrointestinal complaints

#### • If in eyes

Causes serious eye irritation

#### If inhaled

Data are not available.

#### • If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

#### Other information

none

## 11.2 Endocrine disrupting properties

Information on this property is not available.

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Lead(II) nitrate	10099-74-8	LC50	107 <sup>µg</sup> / <sub>l</sub>	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 <sup>µg</sup> / <sub>l</sub>	algae	48 h
Zinc oxide	1314-13-2	LC50	112 <sup>µg</sup> / <sub>l</sub>	fish	96 h
Zinc oxide	1314-13-2	EC50	360 <sup>µg</sup> / <sub>I</sub>	aquatic invertebrates	48 h
Zinc oxide	1314-13-2	ErC50	0,3 <sup>mg</sup> / <sub>l</sub>	algae	96 h
Cadmium	7440-43-9	LC50	58,16 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	48 h
Cadmium	7440-43-9	EC50	1.900 <sup>µg</sup> / <sub>l</sub>	aquatic invertebrates	24 h
Cadmium	7440-43-9	ErC50	120 <sup>µg</sup> / <sub>l</sub>	algae	72 h

#### Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Zinc oxide	1314-13-2	EC50	2,065 <sup>mg</sup> / <sub>l</sub>	fish	84 h
Zinc oxide	1314-13-2	EC50	0,112 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	21 d

United Kingdom (en) Page 15 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

Aquatic toxicity (chronic) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
Cadmium	7440-43-9	LC50	1.500 <sup>µg</sup> / <sub>l</sub>	fish	4 d	
Cadmium	7440-43-9	EC50	8,1 <sup>µg</sup> / <sub>l</sub>	fish	100 d	

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Boric acid	10043-35-3		-1,09 (pH value: 7,5, 22 °C)			
Zinc oxide	1314-13-2	0,002				

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

Information on this property is not available.

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

United Kingdom (en) Page 16 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### **Properties of waste which render it hazardous**

**HP 4** irritant - skin irritation and eye damage

**HP 7** carcinogenic

**HP 10** toxic for reproduction

**HP 14** ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

Technical name (hazardous ingredients)

#### 14.1 UN number or ID number

ADRRID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

#### 14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.

Nitric acid ...% [C ≤ 70 %], Lithium nitrate

#### 14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

#### 14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

#### **14.5 Environmental hazards** hazardous to the aquatic environment

Environmentally hazardous substance (aquatic	Cobalt dinitrate
environment):	

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 17 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

#### Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C  $\leq$  70 %], Particulars in the transport document

Lithium nitrate), 8, III, (E), environmentally haz-

ardous

Classification code C1

8, "Fish and tree" Danger label(s)





**Environmental hazards YES** (hazardous to the aquatic environment)

Special provisions (SP) 274 Excepted quantities (EQ) E1 5 L Limited quantities (LQ) Transport category (TC) 3 Tunnel restriction code (TRC) Ε Hazard identification No 80 2X **Emergency Action Code** 

#### Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code C1

Danger label(s)

Fish and tree





**Environmental hazards** 

Hazardous to water

Special provisions (SP) 274 **Excepted quantities (EQ)** E1 Limited quantities (LQ) 5 L **Transport category (TC)** 3 **Hazard identification No** 80

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. Proper shipping name

Particulars in the shipper's declaration

UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C  $\leq$  70 %], Lithium nitrate, cobalt dinitrate), 8, III, MARINE

**POLLUTANT** 

Marine pollutant **YES** (hazardous to the aquatic environment), (cobalt dinitrate)

United Kingdom (en) Page 18 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

Danger label(s) 8, "Fish and tree"





Special provisions (SP) 223, 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

**EmS** F-A, S-B

Stowage category Α

1 - Acids **Segregation group** 

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Corrosive liquid, acidic, inorganic, n.o.s. Proper shipping name

UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C  $\leq$  70 %], Lithium ni-Particulars in the shipper's declaration

trate), 8, III

**Environmental hazards YES** (hazardous to the aquatic environment)

Danger label(s)



Special provisions (SP) **A3** Excepted quantities (EQ) E1 Limited quantities (LQ) 1 L

# **SECTION 15: Regulatory information**

# Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

## **Seveso Directive**

2012/18/EU (Seveso III)					
No	O Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements				
E2	environmental hazards (hazardous to the aquatic environment, cat. 2)	200 500	57)		

#### Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

#### **Deco-Paint Directive**

VOC content 0 % 0 9/I	VOC content	l o q.
-----------------------	-------------	--------

United Kingdom (en) Page 19 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

# Hazardous substances in electrical and electronic equipment (RoHS)

Name acc. to inventory	Maximum concentration values tolerated by weight in homogeneous materials
cadmium	0,01 % Cd

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

# Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Cadmium	7440-43-9	(8)	10

#### Legend

## **Water Framework Directive (WFD)**

# List of pollutants (WFD)

List of pollutarits (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Boric acid	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	

United Kingdom (en) Page 20 / 27

<sup>(8)</sup> All metals shall be reported as the total mass of the element in all chemical forms present in the release

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 $\rm mg/l$

article number: 2638

List of pollutants (WFD)				
--------------------------	--	--	--	--

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Thallium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Thallium nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	
Zinc oxide	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrinerelated functions in or via the aquatic environment		a)	
Zinc oxide	Metals and their compounds		a)	
copper dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
copper dinitrate	Metals and their compounds		a)	
Cadmium	cadmium	7440-43-9	b)	HAZ
Cadmium	cadmium compounds		b)	HAZ
Cadmium	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	

United Kingdom (en) Page 21 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub>

- 1 000 mg/l

article number: 2638

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cadmium	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium	Metals and their compounds		a)	

#### Legend

A) B) C) HAZ Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants Identified as priority hazardous substance

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	2	Annex I		3 % w/w	10 % w/w

#### Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

## **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

United Kingdom (en) Page 22 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Wt% Name of substance **CAS No Use limita-**Name acc. to inventory Category / subcattion egory Lead(II) nitrate lead compounds 0,16 i(2) sr i(1) i(2) Cadmium cadmium 7440-43-0,1 sr sr

#### Legend

Sub-category: i(1) - industrial chemical for professional use Sub-category: i(2) - industrial chemical for public use i(1) i(2)

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

## Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

none of the ingredients are listed

### Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

# Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Multi-Element	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

# **National inventories**

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed

United Kingdom (en) Page 23 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Country	Inventory	Status
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC
CICR
CSCL-ENCS
DSL
ECSI
IECSC Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

INSQ KECI Non-domestic Substances List (NDSL)
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS) **NDSL** NZIoC

REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## **SECTION 16: Other information**

#### **Indication of changes (revised safety data sheet)**

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Boric acid, Cobalt dinitrate	Hazardous ingredients for labelling: Nickel dinitrate, Cobalt dinitrate, Boric acid, Cadmium	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)

United Kingdom (en) Page 24 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 $\rm mg/l$

article number: 2638

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code

United Kingdom (en) Page 25 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % $\rm HNO_3$ - 1 000 $\rm mg/l$

article number: 2638

Abbr.	Descriptions of used abbreviations
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
log KOW	n-Octanol/water
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

United Kingdom (en) Page 26 / 27

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP - Standard Solution IV ROTI®Star 23 elements in 2 % HNO<sub>3</sub> - 1 000 mg/l

article number: 2638

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer (if inhaled).
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child (if exposed).
H360Df	May damage the unborn child. Suspected of damaging fertility (if exposed).
H360F	May damage fertility (if exposed).
H360FD	May damage fertility. May damage the unborn child (if exposed).
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child (if exposed).
H372	Causes damage to organs through prolonged or repeated exposure.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 27 / 27