

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: **2640**
Version: **3.0 en**
Replaces version of: 2022-03-17
Version: (2)

date of compilation: 2016-10-14
Revision: 2022-08-17

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance **Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l**

Article number 2640

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical
Laboratory and analytical use

Uses advised against: Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet: :Department Health, Safety and Environment

e-mail (competent person): **sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word

Danger

Pictograms

GHS05, GHS07,
GHS08



Hazard statements

H290 May be corrosive to metals
H315 Causes skin irritation
H317 May cause an allergic skin reaction
H319 Causes serious eye irritation
H350 May cause cancer

Precautionary statements

Precautionary statements - prevention

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Name of substance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	2	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	0,01 - < 0,1	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6	0,021	Acute Tox. 3 / H301 Acute Tox. 4 / H312 Acute Tox. 4 / H332 Muta. 1B / H340 Carc. 1B / H350 STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC IARC: 1 RoC "Known"
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	0,016	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		1(a) A(a) GHS-HC IARC: 2A IOELV

Notes

- 1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total weight of the mixture
- A(a): The name of substance is a general description. It is required that the correct name is stated on the label
- B(a): The classification refers to an aqueous solution
- GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/2008/EC, Annex VI)
- IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)
- IARC: 2A: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)
- IOELV: Substance with a community indicative occupational exposure limit value
- RoC NTP-RoC: Known To Be A Human Carcinogen
- "Known"
- :

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid ...% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 mg/l/4h	inhalation: vapour
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 % STOT RE 2; H373: 0,1 % ≤ C < 1 %	-	1.620 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Name of substance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Cadmium nitrate	CAS No 10325-94-7 EC No 233-710-6	Carc. 1B; H350: C ≥ 0,01 %	M-factor (acute) = 10 M-factor (chronic) = 10	147 mg/kg 1.100 mg/kg 1,5 mg/l/4h	oral dermal inhalation: dust/ mist
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %	M-factor (acute) = 10	500 mg/kg 1,5 mg/l/4h	oral inhalation: dust/ mist

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NO_x)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid exposure.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
EU	lead compounds		IOELV		0,15						2022/431/EU
EU	beryllium, inorganic compounds	1304-56-9	IOELV		0,0002					i, Be-limit	2019/983/EU
EU	nickel compounds	13138-45-9	IOELV		0,05					i, cmr_N icomp 2	2022/431/EU
EU	nickel compounds	13138-45-9	IOELV		0,01					r, cmr_N icomp	2022/431/EU
EU	nitric acid	7697-37-2	IOELV			1	2,6				2006/15/EC
EU	arsenic acid	7778-39-4	IOELV		0,01					i, As-limit	2019/983/EU
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR-NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	beryllium compounds	1304-56-9	WEL		0,002					Be	EH40/2005

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m ³]	STEL [ppm]	STEL [mg/m ³]	Ceiling-C [ppm]	Ceiling-C [mg/m ³]	Notation	Source
GB	nickel, soluble compounds	13138-45-9	WEL		0,1					Ni	EH40/2005
GB	nitric acid	7697-37-2	WEL			1	2,6				EH40/2005
GB	arsenic compounds	7778-39-4	WEL		0,1					As	EH40/2005

Notation

As	Calculated as As (arsenic)
As-limit	For the copper smelting sector, the limit value shall apply from 11 July 2023
Be	Calculated as Be (beryllium)
Be-limit	Limit value 0,0006 mg/m ³ until 11 July 2026
Ceiling-C	Ceiling value is a limit value above which exposure should not occur
cmr_Nicomp	The limit value shall apply from 18 January 2025
cmr_Nicomp	The limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m ³ shall apply.
i	Inhalable fraction
Ni	Calculated as Ni (nickel)
Pb	Calculated as Pb (lead)
r	Respirable fraction
STEL	Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)
TWA	Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Biological limit values

Country	Name of agent	CAS No	Parameter	Notation	Identifier	Value	Material	Source
GB	lead compounds		lead	Pb-bio-2, Pb-med-2, wmn<45y	AL_NIR	250 µg/l	whole blood	CLWR-NIR
GB	lead compounds		lead	Pb-bio-2, Pb-med-2, wmn<45y	AL	250 µg/l	whole blood	CLWR
GB	lead compounds		lead	Pb-bio-2, Pb-med-3, wmn>45y, men	AL_NIR	400 µg/l	whole blood	CLWR-NIR
GB	lead compounds		lead	Pb-bio-2, Pb-med-3, wmn>45y, men	AL	400 µg/l	whole blood	CLWR

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Country	Name of agent	CAS No	Parameter	Notation	Identifier	Value	Material	Source
GB	lead compounds		lead	Pb-bio-2, Pb-med-4, young	AL_NIR	500 µg/l	whole blood	CLWR-NIR
GB	lead compounds		lead	Pb-bio-2, Pb-med-4, young	AL	500 µg/l	whole blood	CLWR

Notation

Pb-bio-2	Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than 0.075 mg/m ³ but less than 0.100 mg/m ³ and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months
Pb-med-2	Medical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration)
Pb-med-3	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatinine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration)
Pb-med-4	Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatinine (urinary lead concentration) suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (urinary lead concentration)
wmn<45y	Women of reproductive capacity (women < 45 years)
wmn>45y, men	Women of non-reproductive capacity, men (women > 45 years)
young	Adolescents (young person < 18 years)

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
Cadmium nitrate	10325-94-7	DNEL	4 µg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	0,19 µg/l	aquatic organisms	freshwater	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,14 µg/l	aquatic organisms	marine water	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	20 µg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	1,8 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Cadmium nitrate	10325-94-7	PNEC	0,64 mg/kg	aquatic organisms	marine sediment	short-term (single instance)

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Relevant PNECs of components of the mixture						
Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
Cadmium nitrate	10325-94-7	PNEC	0,9 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

• material thickness

>0,11 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: Hg (against mercury vapour, colour code: Red).

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	characteristic
Melting point/freezing point	0 °C at 1.013 hPa
Boiling point or initial boiling point and boiling range	100 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	<2
Kinematic viscosity	not determined
<u>Solubility(ies)</u>	
Water solubility	miscible in any proportion
<u>Partition coefficient</u>	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	23 hPa at 20 °C
<u>Density and/or relative density</u>	
Density	1 g/cm ³ at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
<u>Other safety parameters</u>	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:

Corrosive to metals category 1: corrosive to metals

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

Substance or mixture corrosive to metals.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: Ammonia (NH₃), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity estimate (ATE) of components of the mixture			
Name of substance	CAS No	Exposure route	ATE
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 mg _i /4h
nickel dinitrate	13138-45-9	oral	1.620 mg _{/kg}
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 mg _i /4h
Cadmium nitrate	10325-94-7	oral	147 mg _{/kg}
Cadmium nitrate	10325-94-7	dermal	1.100 mg _{/kg}
Cadmium nitrate	10325-94-7	inhalation: dust/mist	1,5 mg _i /4h
Lead(II) nitrate	10099-74-8	oral	500 mg _{/kg}
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 mg _i /4h

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Acute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid ...% [C ≤ 70 %]	7697-37-2	inhalation: vapour	LC50	>2,65 mg/l/4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 mg/kg	rat
Cadmium nitrate	10325-94-7	oral	LD50	147 mg/kg	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 mg/kg	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 mg/kg	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	58,16 µg/l	aquatic invertebrates	48 h
Cadmium nitrate	10325-94-7	EC50	1.900 µg/l	aquatic invertebrates	24 h
Cadmium nitrate	10325-94-7	ErC50	70 µg/l	algae	72 h
Lead(II) nitrate	10099-74-8	LC50	107 µg/l	fish	96 h
Lead(II) nitrate	10099-74-8	ErC50	35,9 µg/l	algae	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium nitrate	10325-94-7	LC50	1.500 µg/l	fish	4 d
Cadmium nitrate	10325-94-7	EC50	8,1 µg/l	fish	100 d

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 3264
IMDG-Code	UN 3264
ICAO-TI	UN 3264

14.2 UN proper shipping name

ADRRID	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
Technical name (hazardous ingredients)	Nitric acid ...% [C ≤ 70 %], Chromium trinitrate

14.3 Transport hazard class(es)

ADRRID	8
IMDG-Code	8
ICAO-TI	8

14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazards

non-environmentally hazardous acc. to the dangerous goods regulations

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

14.6 Special precautions for user


Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments


The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the transport document	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Chromium trinitrate), 8, III, (E)
Classification code	C1
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	80
Emergency Action Code	2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code	C1
Danger label(s)	8
	
Special provisions (SP)	274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	80

Safety data sheet Safety data sheet


acc. to Regulation (EC) No. 1907/2006 (REACH)




Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid ...% [C ≤ 70 %], Chromium trinitrate), 8, III
Marine pollutant	-
Danger label(s)	8
	
Special provisions (SP)	223, 274
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-A, S-B
Stowage category	A
Segregation group	1 - Acids

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s., (contains: Nitric acid ...% [C ≤ 70 %], Chromium trinitrate), 8, III
Danger label(s)	8
	
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Deco-Paint Directive

VOC content	0 % 0 g/l
-------------	--------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
Cadmium nitrate	cadmium compounds		b)	HAZ
Cadmium nitrate	Cadmium and its compounds (depending on water hardness classes)	7440-43-9	c)	
Cadmium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Cadmium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
Cadmium nitrate	Metals and their compounds		a)	

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to possess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-related functions in or via the aquatic environment		a)	
nickel dinitrate	Metals and their compounds		a)	

Legend

- A) Indicative list of the main pollutants
- B) List of priority substances in the field of water policy
- C) Environmental Quality Standards for Priority Substances and certain other pollutants
- HAZ Identified as priority hazardous substance

Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions						
Name of substance	CAS No	Wt%	Type of registration	Re- marks	Limit value	Upper limit value for the purpose of licens- ing un- der Art- icle 5(3)
Nitric acid ...% [C ≤ 70 %]	7697-37-2	2	Annex I		3 % w/w	10 % w/w

Legend

- annex I Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

Additional statements

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcategory	Use limitation
Lead(II) nitrate	lead compounds		0,016	i(2)	sr
Cadmium nitrate	cadmium compounds		0,021	i(1)	sr

Legend

i(1) Sub-category: i(1) - industrial chemical for professional use
i(2) Sub-category: i(2) - industrial chemical for public use
sr Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

Restrictions according to GB REACH, Annex 17

none of the ingredients are listed

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Multi-Element ICP Standard Solution IX ROTI®Star 9 elements in 2 % nitric acid - 100 mg/l	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Country	Inventory	Status
US	TSCA	all ingredients are listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
ISHA-ENCS	Inventory of Existing and New Chemical Substances (ISHA-ENCS)
KECI	Korea Existing Chemicals Inventory
NDSL	Non-domestic Substances List (NDSL)
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.2	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate, Ammonium dichromate	Hazardous ingredients for labelling: Nickel dinitrate, Cadmium nitrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Nickel dinitrate, Cadmium nitrate, Ammonium dichromate		yes

Abbreviations and acronyms

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
2019/983/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
2022/431/EU	Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLWR	Control of Lead at Work Regulations
CLWR-NIR	Control of Lead at Work Regulations (Northern Ireland)
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Abbr.	Descriptions of used abbreviations
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Safety data sheet Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP - Standard Solution IX ROTI®Star 9 elements in 2 % HNO₃ - 100 mg/l

article number: 2640

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H340	May cause genetic defects.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.