according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: **3123**Version: **3.0 en**date of compilation: 2015-08-31
Revision: 2021-08-13

Replaces version of: 2019-10-10

Version: (2)

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Identification of the substance 1-Methoxy-2-propanol ≥99 %, for synthesis

Article number 3123

Registration number (REACH) 01-2119457435-35-xxxx

Index number in CLP Annex VI 603-064-00-3
EC number 203-539-1
CAS number 107-98-2

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Formulation [mixing] of preparations and/or re-

packaging (excluding alloys)

İntermediate Industrial uses Professional uses

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.8D	Specific target organ toxicity - single exposure (narcotic effects, drowsiness)	3	STOT SE 3	H336

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Warning

#### **Pictograms**

GHS02, GHS07



#### **Hazard statements**

H226 Flammable liquid and vapour H336 May cause drowsiness or dizziness

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

#### **Precautionary statements - response**

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

Labelling of packages where the contents do not exceed 125 ml

Signal word: Warning

Symbol(s)



United Kingdom (en) Page 2 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTH

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance 1-Methoxy-2-propanol

Molecular formula  $C_4H_{10}O_2$  Molar mass  $90,12 \, {}^g/_{mol}$ 

REACH Reg. No 01-2119457435-35-xxxx

CAS No 107-98-2 EC No 203-539-1 Index No 603-064-00-3

## **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

#### 4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Dizziness, Drowsiness, Narcosis

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTH

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 4 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

## ROTH

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation.

#### Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### **Consideration of other advice:**

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	1-methoxy-2-pro- panol	107-98-2	IOELV	100	375	150	568				2000/39/ EC
GB	1-methoxypropan-2- ol	107-98-2	WEL	100	375	150	560				EH40/ 2005

United Kingdom (en) Page 5 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA** 

#### **Human health values**

Relevant DNI	Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	369 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	553,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - systemic effects		
DNEL	553,5 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	acute - local effects		
DNEL	183 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		

#### **Environmental values**

#### **Relevant PNECs and other threshold levels**

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	water	intermittent release
PNEC	10 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)
PNEC	1 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)
PNEC	100 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	52,3 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	5,2 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)
PNEC	4,59 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)

#### 8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

### **Eye/face protection**





Use safety goggle with side protection.

#### **Skin protection**





United Kingdom (en) Page 6 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

Butyl caoutchouc (butyl rubber)

#### material thickness

0,7mm

#### breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C, colour code: Brown).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid
Colour colourless
Odour like ether
Odour threshold 96 ppm

Melting point/freezing point -96 °C at 101.325 Pa (ECHA)

Boiling point or initial boiling point and boiling 120,2 °C at 101.325 Pa (ECHA)

range

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 1,48 vol% - 13,74 vol%

Flash point 31,1 °C at 101,3 hPa (ECHA)
Auto-ignition temperature 287 °C at 101,3 hPa (ECHA)

Decomposition temperature not relevant

United Kingdom (en) Page 7 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

# ROTH

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

pH (value) 4 – 7 (in aqueous solution: 200 <sup>g</sup>/<sub>l</sub>, 20 °C)

Kinematic viscosity 1,848 mm²/s at 25 °C

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): <1 (pH value: 6,8, 20 °C) (ECHA)

Vapour pressure 11,7 mmHg at 25 °C

Density  $0.92 \, {}^{9}/_{cm^3}$  at 25  ${}^{\circ}\text{C}$ 

Relative vapour density 3,11 at 25 °C (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics:

Miscibility completely miscible with water Surface tension  $70.7 \,^{\text{mN}}/_{\text{m}} (20 \,^{\circ}\text{C}, 1 \,^{\text{g}}/_{\text{l}}) \text{ (ECHA)}$ 

Temperature class (EU, acc. to ATEX)

Maximum permissible surface temperature on

There is no additional information.

the equipment: 200°C

## **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

It's a reactive substance. Risk of ignition.

#### If heated

Risk of ignition. Vapours may form explosive mixtures with air.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

United Kingdom (en) Page 8 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

#### 10.5 Incompatible materials

There is no additional information.

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Classification according to GHS (1272/2008/EC, CLP)

#### **Acute toxicity**

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3.739 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

#### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

#### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

Data are not available.

United Kingdom (en) Page 9 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### • If in eyes

Data are not available.

#### • If inhaled

fatique, narcosis

#### • If on skin

Data are not available.

#### Other information

none

#### 11.2 Endocrine disrupting properties

Not listed.

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	≥1.000 <sup>mg</sup> / <sub>l</sub>	rainbow trout	ECHA	96 h	

#### **Biodegradation**

The substance is readily biodegradable.

#### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,953  $^{\rm mg}$ / $_{\rm mg}$  Theoretical Carbon Dioxide: 1,953  $^{\rm mg}$ / $_{\rm mg}$ 

#### **Process of degradability**

Process	Degradation rate	Time
biotic/abiotic	90 %	29 d
DOC removal	96 %	28 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	<1 (pH value: 6,8, 20 °C) (ECHA)
---------------------------	----------------------------------

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

United Kingdom (en) Page 10 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### 12.6 Endocrine disrupting properties

Not listed.

#### 12.7 Other adverse effects

Data are not available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 3092
	IMDG-Code	UN 3092
	ICAO-TI	UN 3092
14.2	UN proper shipping name	
	ADR/RID/ADN	1-METHOXY-2-PROPANOL
	IMDG-Code	1-METHOXY-2-PROPANOL
	ICAO-TI	1-Methoxy-2-propanol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	3
	IMDG-Code	3
	ICAO-TI	3
14.4	Packing group	
	ADR/RID/ADN	III
	IMDG-Code	III
	ICAO-TI	III

United Kingdom (en) Page 11 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name 1-METHOXY-2-PROPANOL

Particulars in the transport document UN3092, 1-METHOXY-2-PROPANOL, 3, III, (D/E)

Classification code F1
Danger label(s) 3



Excepted quantities (EQ)

Limited quantities (LQ)

Transport category (TC)

Tunnel restriction code (TRC)

Hazard identification No

Emergency Action Code

24

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name 1-METHOXY-2-PROPANOL

Particulars in the shipper's declaration UN3092, 1-METHOXY-2-PROPANOL, 3, III, 31,1°C

c.c.

Marine pollutant -

Danger label(s) 3



Special provisions (SP)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L

EmS F-E, S-D

Stowage category A

United Kingdom (en) Page 12 / 17

according to Regulation (EC) No. 1907/2006 (REACH)

#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name 1-Methoxy-2-propanol

Particulars in the shipper's declaration UN3092, 1-Methoxy-2-propanol, 3, III

Danger label(s) 3



Excepted quantities (EQ) E1

Limited quantities (LQ) 10 L

## SECTION 15: Regulatory information

#### Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1 Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

#### Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
1-Methoxy-2-propanol	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
1-Methoxy-2-propanol	flammable / pyrophoric		R40	40

#### Legend

- 1. Shall not be used in:
- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,
- tricks and jokes,
- games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
- Articles not complying with paragraph 1 shall not be placed on the market.
   Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they
- can be used as fuel in decorative oil lamps for supply to the general public, and present an aspiration hazard and are labelled with H304.
- 4. Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation
- 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met:
- (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil

- or even sucking the wick of lamps may lead to life-threatening lung damage";

  (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage';

  (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';

United Kingdom (en) Page 13 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### Legend

R40 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following:

- metallic glitter intended mainly for decoration,

- artificial snow and frost,
- 'whoopee' cushions,
- silly string aerosols,
- imitation excrement,
- horns for parties,
  decorative flakes and foams,
- artificial cobwebs,
- stink bombs.
- 2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.
- 3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).
- 4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Deco-Paint Directive**

VOC content	100 % 920 <sup>9</sup> / <sub>1</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	920 <sup>g</sup> / <sub>l</sub>

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

#### Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

not listed

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 14 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

#### **National inventories**

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS CICR CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Chemical Substances
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

#### Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	The most important adverse physicochemical, human health and environmental effects: Narcotic effects.	The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources.	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes

United Kingdom (en) Page 15 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



## 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

## **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval

United Kingdom (en) Page 16 / 17

according to Regulation (EC) No. 1907/2006 (REACH)



#### 1-Methoxy-2-propanol ≥99 %, for synthesis

article number: 3123

Abbr.	Descriptions of used abbreviations
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H336	May cause drowsiness or dizziness.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17