acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132 Version: **5.0 en** Revision: 2022-10-24

Replaces version of: 2021-10-27

Version: (4)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Silicone oil M 500 000, blue

Article number 3132

EC number 613-156-5 CAS number 63148-62-9

Polydimethylsiloxane Alternative name(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

This substance does not meet the criteria for classification.

2.2 **Label elements**

Labelling

not required

United Kingdom (en) Page 1 / 15



date of compilation: 2016-03-17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132

2.3 Other hazards

Special danger of slipping by leaking/spilling product.

Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

Endocrine disrupting properties

The substance has an endocrine disrupting potential.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

Name of substance Silicone oil Molecular formula (C₂H₆OSi)n CAS No 63148-62-9 EC No 613-156-5

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Dodecamethylcyclohexasiloxane	CAS No 540-97-6 EC No 208-762-8	0,1 - 3
Decamethylcyclopentasiloxane	CAS No 541-02-6 EC No 208-764-9	0,1 - 3

Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
Dodecamethylcyclohexasiloxane	540-97-6	208-762-8	Candidate list	PBT A57d vPvB A57e
Decamethylcyclopentasiloxane	541-02-6	208-764-9	Candidate list	PBT A57d vPvB A57e

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Persistent, Bioaccumulative and Toxic (article 57d) Very Persistent and very Bioaccumulative (article 57e) vPvB A57e

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 2 / 15



acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

No special measures are necessary.

Following inhalation

Provide fresh air.

Following skin contact

Wash with plenty of soap and water.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.

4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

United Kingdom (en) Page 3 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Special danger of slipping by leaking/spilling product.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Advice on general occupational hygiene

Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

United Kingdom (en) Page 4 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



Relevant DNELs of components of the mixture Name of sub-**CAS No** End-**Threshol Used** in **Exposure time Protection** goal, route of stance point d level exposure Dodecamethylcyclo-540-97-6 **DNEL** 11 mg/m³ human, inhalatworker (industry) chronic - systemic effects hexasiloxané orv Dodecamethylcyclo-540-97-6 DNEL 1,22 mg/ human, inhalatworker (industry) chronic - local efhexasiloxane fects ory Dodecamethylcyclohuman, inhalatacute - local ef-540-97-6 DNEL 6,1 mg/m³ worker (industry) hexasiloxane ory fects 97,3 mg/ Decamethylcyclo-541-02-6 DNEL human, inhalatworker (industry) chronic - systemic effects pentasiloxane m³ ory Decamethylcyclo-541-02-6 DNEL 97,3 mg/ human, inhalatworker (industry) acute - systemic pentasiloxane effects human, inhalatchronic - local ef-Decamethylcyclo-541-02-6 DNEL 24,2 mg/ worker (industry) pentasiloxane m³ fects ory Decamethylcyclo-541-02-6 DNEL 24,2 mg/ human, inhalatworker (industry) acute - local efpentasiloxane fects ory

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	13 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	3,77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,2 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	0,12 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,27 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

United Kingdom (en) Page 5 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown). Usually no personal respirative protection necessary.

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid
Form viscous
Colour light blue
Odour odourless

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

United Kingdom (en) Page 6 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

Flammability

article number: 3132



readily

Lower and upper explosion limit not determined

Flash point >300 °C

Auto-ignition temperature not determined

Decomposition temperature >150 °C

pH (value) not determined

Kinematic viscosity 500.000 mm²/_s at 25 °C

Solubility(ies)

Water solubility (The study does not need to be conducted be-

cause the substance is known to be insoluble in

water)

Solubility in hydrocarbons, aliphatic soluble
Solubility in hydrocarbons, aromatic soluble

Solubility in ethylene glycol practically insoluble

Solubility in ethyl acetate soluble
Solubility in n-butyl acetate soluble
Solubility in toluene soluble
Solubility in trichloroethylene soluble

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density and/or relative density

Density 0,97 – 0,98 ^g/_{cm³} at 25 °C

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS

classes: (physical hazards): not relevant

Other safety characteristics: There is no additional information.

United Kingdom (en) Page 7 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >150 °C.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

This substance does not meet the criteria for classification.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>5.000 ^{mg} / _{kg}	rat		TOXNET
dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit		TOXNET

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Decamethylcyclopentasiloxane	541-02-6	oral	LD50	>5.000 ^{mg} / _{kg}	rat
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	LC50	8,67 ^{mg} / _l /4h	rat
Decamethylcyclopentasiloxane	541-02-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit

United Kingdom (en) Page 8 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

Other information

Health effects are not known. This information is based upon the present state of our knowledge.

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	ErC50	>2 ^{µg} / _I	algae	72 h
Decamethylcyclo- pentasiloxane	541-02-6	LC50	>16 ^{µg} / _l	fish	96 h
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>2,9 ^{µg} / _l	aquatic invertebrates	48 h

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 ^{µg} / _I	aquatic invertebrates	21 d

Biodegradation

Not readily biodegradable.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0,14 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)	
Decamethylcyclopentasiloxane	541-02-6	7.060	8,023 (25,3 °C)	

12.4 Mobility in soil

Data are not available.

United Kingdom (en) Page 10 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

12.5 Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Not listed.

Other adverse effects 12.7

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 10 toxic for reproduction

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	not subject to transport regulations

14.2 UN proper shipping name not assigned

14.3 Transport hazard class(es) none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

Maritime transport in bulk according to IMO instruments 14.7

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations 14.8

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

United Kingdom (en) Page 11 / 15



article number: 3132

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



International Maritime Dangerous Goods Code (IMDG) - Additional informationNot subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)								
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes						
	not assigned								

Deco-Paint Directive

VOC content	0 % 0 ⁹ / ₁

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

United Kingdom (en) Page 12 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
Dodecamethylcyclohexasiloxane	540-97-6	Candidate list	PBT A57d vPvB A57e desc-cand-5 rem-cand-3
Decamethylcyclopentasiloxane	541-02-6	Candidate list	PBT A57d vPvB A57e desc-cand-7 rem-cand-4

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list desc-cand-5 D6 desc-cand-7 D5

PBT A57d PBT (Article 57d)

rem-cand-3 Dodecamethylcyclohexasiloxane (D6) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasiloxane (D4) (EC No. 209-136-7). In addition to its intrinsic properties, it also meets the criteria of Article 57 (e) of Regulation (EC) 1907/2006 (REACH) as a substance which is very persistent and very bioaccumulative (vPvB) when it contains ≥ 0.1 % w/w decamethylcyclopentasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclotetrasiloxane (D5) (EC No. 208-764-9) or ≥ 0.1% w/w octamethylcyclo

ane (D4) (EC No. 209-136-7).

rem-cand-4 Decamethylcyclopentasiloxane (D5) meets the criteria of Article 57 (d) of Regulation (EC) 1907/2006 (REACH) as a substance which is persistent, bioaccumulative and toxic when it contains ≥ 0.1 % w/w octamethylcyclotetrasilox-

ane (D4) (EC No: 209-136-7).

vPvB A57e VPvB (Article 57e)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17) Name of substance Name acc. to inventory **CAS No** No Dodecamethylcyclohexasiloxane this product meets the criteria for classi-3 fication in accordance with Regulation No 1272/2008/EC Decamethylcyclopentasiloxane Decamethylcyclopentasiloxane (D5) 541-02-6 70(b) 3 this product meets the criteria for classi-Decamethylcyclopentasiloxane fication in accordance with Regulation No 1272/2008/EC

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed

United Kingdom (en) Page 13 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



Country	Inventory	Status
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed

Legend

AIIC CICR CSCL-ENCS DSL Australian Inventory of Industrial Chemicals

Chemical Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances

Vorce Spiriting Chemical Substances ECSI IECSC

INSQ KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1	Classification according to Regulation (EC) No 1272/2008 (CLP): This substance does not meet the criteria for classification in accordance with Regulation No 1272/2008/EC.	Classification acc. to GHS: This substance does not meet the criteria for classification.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

United Kingdom (en) Page 14 / 15

acc. to Regulation (EC) No. 1907/2006 (REACH)

Silicone oil M 500 000, blue

article number: 3132



Abbr.	Descriptions of used abbreviations
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 15 / 15