acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: **3224**Version: **2.0 en**date of compilation: 2019-06-06
Revision: 2022-07-26

Replaces version of: 2019-06-06

Version: (1)



1.1 Product identifier

Identification of the substance Zinc selenite ≥98,5 %, extra pure

Article number 3224

EC number 237-048-9 CAS number 13597-46-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory and analytical use

Laboratory chemical

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.9	Specific target organ toxicity - repeated exposure	2	STOT RE 2	H373

United Kingdom (en) Page 1 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08, GHS09







Hazard statements

H301+H331 Toxic if swallowed or if inhaled

H373 May cause damage to organs through prolonged or repeated exposure

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust

P273 Avoid release to the environment P280 Wear protective gloves/eye protection

Precautionary statements - response

P308+P311 IF exposed or concerned: Call a POISON CENTER/doctor

Precautionary statements - storage

P405 Store locked up

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Zinc selenite Molecular formula $ZnSeO_3$ Molar mass 192,3 g/mol CAS No 13597-46-1 EC No 237-048-9

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
÷	-	200 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral inhalation: dust/ mist

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

none

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



SECTION 7: Handling and storage

Precautions for safe handling

Use extractor hood (laboratory). Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

Control parameters 8.1

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	selenium compounds		WEL	0,1			Se	EH40/2005
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

Se STEL Calculated as Se (selenium)

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Human health values

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	1,7 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	72 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects	

Environmental values

Relevant	Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental compartment	Exposure time			
PNEC	2,67 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	2 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	1.500 ^{µg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	8,2 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	6,2 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	0,1 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 °C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P3 (filters at least 99,95 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid Form powder Colour white Odour odourless

621 °C at 1.013 hPa (ECHA) Melting point/freezing point Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible Lower and upper explosion limit not determined not applicable Flash point not determined Auto-ignition temperature Decomposition temperature not relevant

~ 6 (in aqueous solution: $0.017 \,^{9}$ /_I, $19.5 \,^{\circ}$ C) pH (value)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 0,016 ^g/_l at 20 °C (practically insoluble)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

United Kingdom (en) Page 7 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224

Density and/or relative density

Density 4,689 g/_{cm3} at 20 °C

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	200 – 500 ^{mg} / _{kg}	rat		ECHA
inhalation: dust/ mist	LC50	>1 – ≤5 ^{mg} / _I /4h	rat		ECHA

United Kingdom (en) Page 8 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Data are not available.

• If inhaled

cough, breathing difficulties

• If on skin

Data are not available.

Other information

Other adverse effects: Irreversible damage to internal organs

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

ROTH

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	2.060 ^{µg} / _l	fish	ECHA	96 h
ErC50	45.000 ^{µg} / _l	algae	ECHA	96 h
EC50	32.000 ^{µg} / _l	algae	ECHA	96 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste


The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).


United Kingdom (en) Page 10 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224





Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 2630 **IMDG-Code UN 2630** ICAO-TI UN 2630

14.2 UN proper shipping name

ADRRID SELENITES IMDG-Code SELENITES ICAO-TI Selenites Technical name Zinc selenite

14.3 Transport hazard class(es)

6.1 **ADRRID IMDG-Code** 6.1 **ICAO-TI** 6.1

14.4 Packing group

ADRRID Ι **IMDG-Code** Ι ICAO-TI T

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name **SELENITES**

UN2630, SELENITES, (Zinc selenite), 6.1, I, (C/E), Particulars in the transport document

environmentally hazardous

Classification code **T5**

Danger label(s) 6.1, "Fish and tree"

Environmental hazards YES (hazardous to the aquatic environment)

United Kingdom (en) Page 11 / 17





acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Special provisions (SP) 274, 802(ADN) E5 Excepted quantities (EQ)

0 Limited quantities (LQ) Transport category (TC) 1 C/E Tunnel restriction code (TRC)

Hazard identification No 66 **Emergency Action Code** 2X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code T5

Danger label(s) 6.1 Fish and tree

Environmental hazards

Hazardous to water

Special provisions (SP) 274, 802(ADN)

Excepted quantities (EQ) E5 Limited quantities (LQ) 0 **Transport category (TC)** 1 **Hazard identification No** 66

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name **SELENITES**

Particulars in the shipper's declaration UN2630, SELENITES, (Zinc selenite), 6.1, I, MAR-

INE POLLUTANT

Marine pollutant yes (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"





Special provisions (SP) 274 Excepted quantities (EQ) **E**5 Limited quantities (LQ) 0

EmS F-A, S-A


Ε Stowage category

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Proper shipping name Selenites

Particulars in the shipper's declaration UN2630, Selenites, (Zinc selenite), 6.1, I

Environmental hazards yes (hazardous to the aquatic environment)

6.1 Danger label(s)

Excepted quantities (EQ) E5

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire		Notes		
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)		

Notation

Deco-Paint Directive

VOC content	0 % 0 ⁹ / _I
-------------	--------------------------------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 ^g / _I

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

United Kingdom (en) Page 13 / 17



⁻ Category 2, all exposure routes - category 3, inhalation exposure route

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Zinc selenite	Metals and their compounds		a)	

Legend

4)

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	NDSL	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC Australian Inventory of Industrial Chemicals CICR Chemical Inventory and Control Regulation

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224

Legend

CSCL-ENCS ECSI INSQ List of Existing and New Chemical Substances (CSCL-ENCS) EC Substance Inventory (EINECS, ELINCS, NLP) National Inventory of Chemical Substances KECI Korea Existing Chemicals Inventory

NDSL Non-domestic Substances List (NDSL)

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Delayed or immediate effects can be expected after short or long-term exposure. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

United Kingdom (en) Page 15 / 17



Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Ir Iand Waterways) ADR Accord relatif au transport international des marchandises dangereuses par route (Agreement concerring the International Carriage of Dangerous Goods by Road) ATE Acute Toxicity Estimate CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances Ceiling-C DGR Dangerous Goods Regulations (see IATA/DGR) DNEL Derived No-Effect Level ECS0 Effective Concentration 50 %s. The ECS0 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Inventory of Existing Commercial Chemical Substances ELINCS European Inventory of Existing Commercial Chemical Substances EmS Emergency Schedule ECS0: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EDCS0) or growth fare (ErCS0) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATAOR Dangerous Goods Regulations (DGR) for the air transport (IATA) IATOR Dangerous Goods Regulations (DGR) for the air transport (IATA) IATOR Dangerous Goods Regulations (DGR) for the air transport (IATA) IATOR INDER Dangerous Goods Code INTERNATIONAL International Maritime Dangerous Goods Code IATOR International Maritime Dangerous Goods Code IATOR International Maritime Dangerous Goods Code IATOR	Abbr.	Descriptions of used abbreviations
ATE Acute Toxicity Estimate Ceiling-C Ceiling-C Ceiling-C Dangerous Goods Regulations (see IATA/DGR) DNEL Derived No-Effect Level EC50 Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Lino). EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Inventory of Existing Commercial Chemical Substances Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, S1 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations LIATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 tethality during a specified time interval NLP No-Longer Polymer PRE Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Reglement concernant le transport International and Restriction of Chemicals	ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
CAS Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances Ceiling-C Ceiling-C Ceiling value DGR Dangerous Goods Regulations (see IATA/DGR) DNEL Derived No-Effect Level ECS0 Effective Concentration 50 %. The ECS0 corresponds to the concentration of a tested substance causins 50 % changes in response (e.g., on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-lajts) to the source for the seven-digite EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Inventory of Existing Commercial Chemical Substances EEMS Erec50: In this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA International Air Transport Association IATA Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code International Maritime Dangerous Goods Code ICS0 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 (lethality during specified time interval) No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals	ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Ceiling-C Ceiling-C Ceiling-C DGR Dangerous Goods Regulations (see IATA/DGR) DNEL Derived No-Effect Level EC50 Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g., on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances Ems Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations LATA International Air Transport Association LATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic Predicted No-Effect Concentration Rèqlement concernant le transport International An area survival and Toxic Predicted No-Effect Concentration Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Requia-	ATE	Acute Toxicity Estimate
DGR Dangerous Goods Regulations (see IATA/DGR) DREL Derived No-Effect Level EC50 Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causins 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances EMS Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (Ebc50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 (ethality during a specified time interval) LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 (ethality during a specified time interval) PREC Persistent, Bioaccumulative and Toxic PREC Persistent, Bioaccumulative and Restriction of Chemicals RED Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Requia-	CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Derived No-Effect Level ECSO Effective Concentration 50 %. The ECSO corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Uniter Plance). EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances EMS Emergency Schedule ErCSO # ECSO: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbCSO) or growth rate (ErCSO) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code INDG-Code International Maritime Dangerous Goods Code LCSO Lethal Concentration 50%: the LCSO corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals	Ceiling-C	Ceiling value
EC50 Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances Em5 Emergency Schedule EFC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (EFC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 (lethality during a specified time interval) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals REQLEM REQLEMENT (Eugula-	DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances EMS Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GH5 "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 (lethality during a specified time interval) NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic Predicted No-Effect Concentration Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Requia-	DNEL	Derived No-Effect Level
fier of substances commercially available within the EU (European Union) EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances Ems Emergency Schedule ErC50 ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RiD Reglement concernant le transport International ferroviaire des marchandises Dangereuses (Requia-	EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances Ems Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ELINCS EmS Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	EH40/2005	
EmS Emergency Schedule ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	EINECS	European Inventory of Existing Commercial Chemical Substances
ErC50 = EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	ELINCS	European List of Notified Chemical Substances
growth (EbC50) or growth rate (ErC50) relative to the control GB REACH The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	EmS	Emergency Schedule
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
ICAO International Civil Aviation Organization ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	IATA	International Air Transport Association
ICAO-TI Technical instructions for the safe transport of dangerous goods by air IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
IMDG International Maritime Dangerous Goods Code IMDG-Code International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	ICAO	International Civil Aviation Organization
International Maritime Dangerous Goods Code LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
LC50 Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	IMDG	International Maritime Dangerous Goods Code
Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Rid Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	IMDG-Code	International Maritime Dangerous Goods Code
NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
PBT Persistent, Bioaccumulative and Toxic PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
PNEC Predicted No-Effect Concentration REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	NLP	No-Longer Polymer
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	PBT	Persistent, Bioaccumulative and Toxic
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	PNEC	Predicted No-Effect Concentration
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula-	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
tions concerning the international carriage of Dangerous goods by Rail)	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL Short-term exposure limit	STEL	Short-term exposure limit

Page 16 / 17 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Zinc selenite ≥98,5 %, extra pure

article number: 3224



Abbr.	Descriptions of used abbreviations
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H331	Toxic if inhaled.
H373	May cause damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17