acc. to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2016-02-16

Revision: 2022-06-28

#### Hydroquinone ≥99,5 %, p.a.

article number: **3586** Version: **4.0 en** Replaces version of: 2019-11-29 Version: (3)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	<b>Hydroquinone</b> ≥99,5 %, p.a.
Article number	3586
EC number	204-617-8
CAS number	123-31-9
Alternative name(s)	1,4-Dihydroxybenzene

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

### e-mail (competent person):

### sicherheit@carlroth.de

### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

### **SECTION 2: Hazards identification**

### 2.1 Classification of the substance or mixture

**Classification acc. to GHS** 

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

### article number: 3586

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	2	Carc. 2	H351
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

**The most important adverse physicochemical, human health and environmental effects** Spillage and fire water can cause pollution of watercourses.

### 2.2 Label elements

### Labelling

Signal word Danger

### Pictograms



### Hazard statements

Harmful if swallowed
May cause an allergic skin reaction
Causes serious eye damage
Suspected of causing genetic defects
Suspected of causing cancer
Very toxic to aquatic life with long lasting effects

### **Precautionary statements**

### **Precautionary statements - prevention**

P273	Avoid release to the environment
P280	Wear protective gloves/protective clothing/eye protection/face protection/hear-
	ing protection/

### **Precautionary statements - response**

P301+P312	IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell
P302+P352	IF ON SKIN: Wash with plenty of soap and water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P333+P313	If skin irritation or rash occurs: Get medical advice/attention

For professional users only

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: **3586** 

### 2.3 Other hazards

### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

### **SECTION 3: Composition/information on ingredients**

### 3.1 Substances

Name of substance	Hydroquinone
Molecular formula	$C_6H_6O_2$
Molar mass	110,1 <sup>g</sup> / <sub>mol</sub>
CAS No	123-31-9
EC No	204-617-8

Substance, Specific Conc. Limits, M-factors, ATE				
Specific Conc. Limits	M-Factors	ATE	Exposure route	
-	M-factor (acute) = 10 M-factor (chronic) = 1	>375 <sup>mg</sup> / <sub>kg</sub>	oral	

### **SECTION 4: First aid measures**

### 4.1 Description of first aid measures



### **General notes**

Take off contaminated clothing.

### **Following inhalation**

Provide fresh air. IF exposed or concerned: Call a doctor.

#### Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

### 4.2 Most important symptoms and effects, both acute and delayed

Irritation, Allergic reactions, Cough, pain, choking, and breathing difficulties, Vomiting, Diarrhoea, Circulatory collapse, Risk of blindness, Corneal opacity, Risk of serious damage to eyes

### 4.3 Indication of any immediate medical attention and special treatment needed

none

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: 3586

### SECTION 5: Firefighting measures

### 5.1 Extinguishing media



### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

### 5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

#### Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

### **SECTION 6: Accidental release measures**

### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: 3586

### **SECTION 7: Handling and storage**

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

### Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

### Measures to protect the environment

Avoid release to the environment.

### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage.

### Consideration of other advice:

### **Ventilation requirements**

Use local and general ventilation.

### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

### 7.3 Specific end use(s)

No information available.

### **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### National limit values

### **Occupational exposure limit values (Workplace Exposure Limits)**

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m <sup>3</sup> ]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	hydroquinone	123-31-9	WEL	0,5				EH40/2005

Notation

 

 Ceiling-C
 Ceiling value is a limit value above which exposure should not occur

 i
 Inhalable fraction

 r
 Respirable fraction

 STEL
 Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

#### article number: 3586

Human health values Relevant DNELs and other threshold levels				
DNEL	2,1 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects
DNEL	3,33 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects

### **Environmental values**

Relevant	Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,57 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,057 <sup>µg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)		
PNEC	0,71 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	4,9 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,49 <sup>µg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	0,64 <sup>µg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)		

### 8.2 Exposure controls

### Individual protection measures (personal protective equipment)

### Eye/face protection



Use safety goggle with side protection.

#### **Skin protection**



#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hydroquinone ≥99,5 %, p.a.

article number: 3586

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

### **SECTION 9: Physical and chemical properties**

### 9.1 Information on basic physical and chemical properties

	•
Physical state	solid
Colour	whitish
Odour	odourless
Melting point/freezing point	172,3 °C (ECHA)
Boiling point or initial boiling point and boiling range	287 °C at 1.013 hPa (ECHA)
Flammability	this material is combustible, but will not ignite readily
Lower and upper explosion limit	not determined
Flash point	165 °C at 1.013 hPa (ECHA)
Auto-ignition temperature	515 °C at 1.013 hPa (ECHA) (relative self-ignition temperature for solids)
Decomposition temperature	>170 °C
pH (value)	~ 3,8 (in aqueous solution: 70 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	71 <sup>g</sup> / <sub>l</sub> at 25 °C (ECHA)
Partition coefficient	
Partition coefficient n-octanol/water (log value):	0,59 (ECHA)
Soil organic carbon/water (log KOC)	0,97 – 1,7 (ECHA)



acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hydroquinone ≥99,5 %, p.a.

article number: 3586



	Vapour pressure	0 hPa at 25 °C
	Density and/or relative density	
	Density	1,33 <sup>g</sup> / <sub>cm³</sub> at 15 °C (ECHA)
	Relative vapour density	3,81 (air = 1)
	Bulk density	~600 <sup>kg</sup> / <sub>m³</sub>
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

### **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

### 10.3 Possibility of hazardous reactions

**Exothermic reaction with:** strong oxidiser, Alkalis, **Danger of explosion:** Oxygen, **Violent reaction with:** Sodium and potassium hydroxide

### 10.4 Conditions to avoid

Keep away from heat. Decompositon takes place from temperatures above: >170 °C. Direct light irradiation.

### 10.5 Incompatible materials

aluminium

### **10.6** Hazardous decomposition products

Hazardous combustion products: see section 5.

### **SECTION 11: Toxicological information**

### **11.1** Information on toxicological effects

### Classification acc. to GHS

### Acute toxicity

Harmful if swallowed.

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hydroquinone ≥99,5 %, p.a.

article number: 3586

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>375 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rabbit		ECHA

### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

### Serious eye damage/eye irritation

Causes serious eye damage.

### **Respiratory or skin sensitisation**

May cause an allergic skin reaction.

### Germ cell mutagenicity

Suspected of causing genetic defects.

#### Carcinogenicity

Suspected of causing cancer.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

### Symptoms related to the physical, chemical and toxicological characteristics

### • If swallowed

diarrhoea, vomiting, nausea

### • If in eyes

corneal opacity, Causes serious eye damage, risk of blindness

### • If inhaled

cough, pain, choking, and breathing difficulties, Inhalation of dust may cause irritation of the respiratory system

### • If on skin

May produce an allergic reaction, pruritis, localised redness

### Other information

Circulatory collapse

### **11.2 Endocrine disrupting properties**

Not listed.

### **11.3** Information on other hazards

There is no additional information.



acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

#### article number: 3586

### **SECTION 12: Ecological information**

### 12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

#### Aquatic toxicity (acute) Exposure time Endpoint Value **Species** Source LC50 0,638 <sup>mg</sup>/<sub>l</sub> fish ECHA 96 h 0,134 <sup>mg</sup>/<sub>l</sub> 48 h EC50 aquatic invertebrates ECHA ErC50 0,33 <sup>mg</sup>/<sub>l</sub> ECHA 72 h algae Aquatic toxicity (chronic)

Aquatic toxicity (cili				
Endpoint	Value	Species	Source	Exposure time
LC50	0,061 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d
EC50	0,08 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	21 d

### **Biodegradation**

The substance is readily biodegradable.

### 12.2 Process of degradability

Theoretical Oxygen Demand: 1,889 <sup>mg</sup>/<sub>mg</sub> Theoretical Carbon Dioxide: 2,398 <sup>mg</sup>/<sub>mg</sub>

Process of degradability		
Process	Degradation rate	Time
oxygen depletion	70 %	14 d

### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	0,59 (ECHA)
---------------------------	-------------

### 12.4 Mobility in soil

Henry's law constant	0 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,97 – 1,7 (ECHA)

### 12.5 Results of PBT and vPvB assessment

Data are not available.

**12.6 Endocrine disrupting properties** Not listed.

### 12.7 Other adverse effects

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: 3586

Data are not available.

### **SECTION 13: Disposal considerations**

### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

### **SECTION 14: Transport information**

UN number or ID number	
ADRRID	UN 3077
IMDG-Code	UN 3077
ICAO-TI	UN 3077
UN proper shipping name	
ADRRID	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
IMDG-Code	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.
ICAO-TI	Environmentally hazardous substance, solid, n.o.s.
Technical name	Hydroquinone
Transport hazard class(es)	
ADRRID	9
IMDG-Code	9
ICAO-TI	9
Packing group	
ADRRID	III
IMDG-Code	III
	ADRRID IMDG-Code ICAO-TI <b>UN proper shipping name</b> ADRRID IMDG-Code ICAO-TI Technical name <b>Transport hazard class(es)</b> ADRRID IMDG-Code ICAO-TI <b>Packing group</b> ADRRID

# **Safety data sheet Safety data sheet** acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

### article number: 3586

	ICAO-TI	III	
14.5	Environmental hazards	hazardous to the aquatic environment	
14.6	Special precautions for user		
	Provisions for dangerous goods (ADR) should		
14.7	Maritime transport in bulk according to IM		
	The cargo is not intended to be carried in bu	IK.	
14.8	Information for each of the UN Model Reg	ulations	
	Transport of dangerous goods by road, rai information	il and inland waterway (ADR/RID/ADN) - Additional	
	Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
	Particulars in the transport document	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (Hydroquinone), 9, III, (-)	
	Classification code	M7	
	Danger label(s)	9, "Fish and tree"	
	Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)	
	Special provisions (SP)	274, 335, 375, 601	
	Excepted quantities (EQ)	E1	
	Limited quantities (LQ)	5 kg	
	Transport category (TC)	3	
	Tunnel restriction code (TRC)	-	
	Hazard identification No	90	
	Emergency Action Code	2Z	
	Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information		
	Classification code	M7	
	Danger label(s)	9 Fish and tree	
	Environmental hazards	Yes Hazardous to water	
	Special provisions (SP)	274, 335, 375, 601	
	Excepted quantities (EQ)	E1	
	Limited quantities (LQ)	5 kg	
	Transport category (TC)	3	
	Hazard identification No	90	

acc. to Regulation (EC) No. 1907/2006 (REACH)

### Hydroquinone ≥99,5 %, p.a.



article number: **3586** 

International Maritime Dangerous Goods Code (IMDG) - Additional information		
Proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.	
Particulars in the shipper's declaration	UN3077, ENVIRONMENTALLY HAZARDOUS SUB- STANCE, SOLID, N.O.S., (Hydroquinone), 9, III	
Marine pollutant	<b>Yes</b> (hazardous to the aquatic environment), (Hydroquinone)	
Danger label(s)	9, "Fish and tree"	
Special provisions (SP)	274, 335, 966, 967, 969	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	5 kg	
EmS	F-A, S-F	
Stowage category	A	
International Civil Aviation Organization (ICAO	-IATA/DGR) - Additional information	
Proper shipping name	Environmentally hazardous substance, solid, n.o.s.	
Particulars in the shipper's declaration	UN3077, Environmentally hazardous substance, solid, n.o.s., (Hydroquinone), 9, III	
Environmental hazards	<b>Yes</b> (hazardous to the aquatic environment)	
Danger label(s)	9, "Fish and tree"	
Special provisions (SP)	A97, A158, A179, A197, A215	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	30 kg	

### **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive				
2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100	200	56)

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: 3586

#### **Deco-Paint Directive**

VOC content	0 % 0 <sup>g</sup> / <sub>l</sub>
-------------	--------------------------------------

### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content	0 g/l

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

### Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Hydroquinone	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

A) Indicative list of the main pollutants

### Regulation on the marketing and use of explosives precursors

not listed

### **Regulation on drug precursors**

not listed

### Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

### **Regulation on persistent organic pollutants (POP)**

not listed

### National regulations(GB)

## List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

### **Restrictions according to GB REACH, Annex 17**

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

article number: 3586

### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

#### Legend

AIIC CICR	Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

### **SECTION 16: Other information**

### Indication of changes (revised safety data sheet)

### Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes

# Safety data sheet Safety data sheet acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

### article number: 3586

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses.	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

#### article number: **3586**

Abbr.	Descriptions of used abbreviations
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H341	Suspected of causing genetic defects.

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Hydroquinone ≥99,5 %, p.a.

### article number: 3586

Code	Text
H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.