® ROTH

date of compilation: 2017-12-21

Revision: 2021-09-22

Glutaraldehyde 25% in water, for electromicroscopy

article number: **3778** Version: **2.0 en** Replaces version of: 2017-12-21 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

1.2

Identification of the substance

Article number

scopy 3778

Registration number (REACH)

not relevant (mixture)

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for squirting or spraying. Do not use for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

Glutaraldehyde 25% in water, for electromicro-

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS05, GHS06, GHS08, GHS09



Hazard statements

H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H317	May cause an allergic skin reaction
H330	Fatal if inhaled
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260	Do not breathe mist/vapours
P270	Do not eat, drink or smoke when using this product
P280	Wear protective gloves/protective clothing/eye protection/face protection

according to Regulation (EC) No. 1907/2006 (REACH)

Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
P310	lenses, if present and easy to do. Continue rinsing Immediately call a POISON CENTER

Supplemental hazard information

EUH071 Corrosive to the respiratory tract.

Hazardous ingredients for labelling:

Glutardialdehyde, Methanol

Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H330	Fatal if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
P260 P280 P302+P352 P305+P351+P338	Do not breathe mist/vapours. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER.
EUH071	Corrosive to the respiratory tract.
contains:	Glutardialdehyde, Methanol

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

not relevant (mixture)

3.2 Mixtures

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Glutardialdehyde	CAS No 111-30-8 EC No 203-856-5 Index No 605-022-00-X REACH Reg. No 01-2119455549- 26-xxxx	≤ 25	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Corr. 1B / H314 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 STOT SE 3 / H335 Aquatic Acute 1 / H400 Aquatic Chronic 2 / H411 EUH071		



according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X REACH Reg. No 01-2119433307- 44-xxxx	0,3 - < 1	Flam. Liq. 2 / H225 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Acute Tox. 3 / H331 STOT SE 1 / H370		GHS-HC IOELV

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/ 2008/EC, Annex VI) IOELV: Substance with a community indicative occupational exposure limit value

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Glutardialde- hyde	CAS No 111-30-8 EC No 203-856-5 Index No 605-022-00-X	Skin Corr. 1B; H314: C ≥ 10 % Skin Irrit. 2; H315: 0,5 % ≤ C < 10 % Skin Sens. 1; H317: C ≥ 0,5 %	-	246 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h 0,28 ^{mg} / _l /4h	oral inhalation: va- pour inhalation: dust/ mist
Methanol	CAS No 67-56-1 EC No 200-659-6 Index No 603-001-00-X	STOT SE 1; H370: C ≥ 10 % STOT SE 2; H371: 3 % ≤ C < 10 %	-	100 ^{mg} / _{kg} 300 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral dermal inhalation: va- pour

Substance of Very High Concern (SVHC)								
Name of substance	Name acc. to invent- ory	CAS No	EC No	Listed in	Remarks			
Glutardialdehyde	glutaral	111-30-8	203-856-5	Candidate list	RSP (57f- hh)			

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

list RSP (57f-hh) Respiratory sensitising properties (article 57(f) - human health)

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

Description of first aid measures 4.1



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure. In case of skin reactions, consult a physician.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Vomiting, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Irritation, Allergic reactions, Cough, Dyspnoea

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Ingredients of the mixture combustible. The product itself does not burn.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Wearing of suitable protective equipment (including personal protective equipment referred to under Section 8 of the safety data sheet) to prevent any contamination of skin, eyes and personal clothing. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Use extractor hood (laboratory). Handle and open container with care. Provision of sufficient ventilation. Clear contaminated areas thoroughly.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	methanol	67-56-1	IOELV	200	260						2006/15/ EC
GB	glutaraldehyde	111-30-8	WEL	0,05	0,2	0,05	0,2				EH40/ 2005
GB	methanol	67-56-1	WEL	200	266	250	333				EH40/ 2005

Notation

Ceiling-C STEL

TWA

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Methanol	67-56-1	DNEL	130 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Methanol	67-56-1	DNEL	20 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects	

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Glutardialdehyde	111-30-8	PNEC	0,003 ^{mg} /l	aquatic organ- isms	freshwater	short-term (single instance)	
Glutardialdehyde	111-30-8	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Glutardialdehyde	111-30-8	PNEC	0,8 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Glutardialdehyde	111-30-8	PNEC	0,091 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Glutardialdehyde	111-30-8	PNEC	0,009 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)	
Glutardialdehyde	111-30-8	PNEC	0,21 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Methanol	67-56-1	PNEC	20,8 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Methanol	67-56-1	PNEC	2,08 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Methanol	67-56-1	PNEC	100 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Methanol	67-56-1	PNEC	77 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Methanol	67-56-1	PNEC	7,7 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Methanol	67-56-1	PNEC	100 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection. Wear face protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

® §ROTH

Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

- type of material
 - Butyl caoutchouc (butyl rubber)
 - material thickness
 - 0,7mm
 - breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 $^{\circ}$ C, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless - light yellow
Odour	characteristic
Melting point/freezing point	-6 °C
Boiling point or initial boiling point and boiling range	>100 °C at 1.013 hPa
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not determined
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	>3 (20 °C)
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	miscible in any proportion
Partition coefficient	this information is not availab
Partition coefficient n-octanol/water (log value):	this information is not availab

ble

Glutaraldehyde 25% in water, for electromicroscopy



article number: 3778

	Vapour pressure	0,27 hPa at 20 °C
	Density	1,06 ^g / _{cm³} at 20 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	
	Miscibility	completely miscible with water
CEC		

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Strong alkali

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed. Fatal if inhaled.

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Acute toxicity estimate (ATE) of components of the mixture					
Name of substance	CAS No	Exposure route	ΑΤΕ		
Glutardialdehyde	111-30-8	oral	246 ^{mg} / _{kg}		
Glutardialdehyde	111-30-8	inhalation: vapour	0,5 ^{mg} / _l /4h		
Glutardialdehyde	111-30-8	inhalation: dust/mist	0,28 ^{mg} / _l /4h		
Methanol	67-56-1	oral	100 ^{mg} / _{kg}		
Methanol	67-56-1	dermal	300 ^{mg} / _{kg}		
Methanol	67-56-1	inhalation: vapour	3 ^{mg} / _l /4h		

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Glutardialdehyde	111-30-8	oral	LD50	246 ^{mg} / _{kg}	rat
Glutardialdehyde	111-30-8	inhalation: dust/mist	LC50	0,28 – 0,39 ^{mg} / _l /4h	rat
Glutardialdehyde	111-30-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit
Methanol	67-56-1	inhalation: va- pour	LC50	131 ^{mg} / _l /4h	rat
Methanol	67-56-1	oral	LD50	5.628 ^{mg} / _{kg}	rat
Methanol	67-56-1	oral	LDLo	143 ^{mg} / _{kg}	human
Methanol	67-56-1	dermal	LD50	15.800 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

• If inhaled

Irritation to respiratory tract, corrosive to the respiratory tract, May produce an allergic reaction, cough, Dyspnoea

• If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Glutardialdehyde	111-30-8	LC50	10 ^{mg} / _l	fish	96 h		
Glutardialdehyde	111-30-8	EC50	29,73 ^{mg} / _l	aquatic invertebrates	48 h		
Glutardialdehyde	111-30-8	ErC50	1,2 ^{mg} / _l	algae	72 h		
Methanol	67-56-1	LC50	15.400 ^{mg} / _l	fish	96 h		
Methanol	67-56-1	ErC50	22.000 ^{mg} / _l	algae	96 h		

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Glutardialdehyde	111-30-8	EC50	80 ^{mg} /l	microorganisms	30 min

Biodegradation

Data are not available.

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

12.2 Process of degradability

Degradability of components of the mixture

5 7 1						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Glutardialde- hyde	111-30-8	DOC removal	90 – 100 %	28 d		ECHA
Glutardialde- hyde	111-30-8	carbon dioxide generation	90 – 100 %	70 d		ECHA
Methanol	67-56-1	biotic/abiotic	99 %	30 d		
Methanol	67-56-1	oxygen deple- tion	69 %	5 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Glutardialdehyde	111-30-8		-0,36 (pH value: 7, 23 °C)			
Methanol	67-56-1		-0,77			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the

according to Regulation (EC) No. 1907/2006 (REACH)

Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

EEC, specific to the industry and process. Waste catalogue ordinance (Germany).


13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN number or ID number	
	ADR/RID/ADN	UN 2927
	IMDG-Code	UN 2927
	ICAO-TI	UN 2927
14.2	UN proper shipping name	
	ADR/RID/ADN	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
	IMDG-Code	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
	ICAO-TI	Toxic liquid, corrosive, organic, n.o.s.
	Technical name (hazardous ingredients)	Glutardialdehyde, Methanol
14.3	Transport hazard class(es)	
	ADR/RID/ADN	6.1 (8)
	IMDG-Code	6.1 (8)
	ICAO-TI	6.1 (8)
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment
	Environmentally hazardous substance (aquatic environment):	Glutardialdehyde
14.6	Special precautions for user	
	Provisions for dangerous goods (ADR) should be c	
14.7	Maritime transport in bulk according to IMO in	struments
	The cargo is not intended to be carried in bulk.	
14.8	Information for each of the UN Model Regulation	ons
	Transport of dangerous goods by road, rail and information	inland waterway (ADR/RID/ADN) - Additional
	Proper shipping name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
	Particulars in the transport document	UN2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (contains: Glutardialdehyde, Methanol), 6.1 (8), II, (D/E), environmentally hazardous
	Classification code	TC1

6.1+8, "Fish and tree"





according to Regulation (EC) No. 1907/2006 (REACH)

Glutaraldehyde 25% in water, for electromicroscopy



article number: 3778

Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	274, 802(ADN)
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 ml
Transport category (TC)	2
Tunnel restriction code (TRC)	D/E
Hazard identification No	68
Emergency Action Code	2X
International Maritime Dangerous Goods (Code (IMDG) - Additional information
Proper shipping name	TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S.
Particulars in the shipper's declaration	UN2927, TOXIC LIQUID, CORROSIVE, ORGANIC, N.O.S., (contains: Glutardialdehyde, Methanol), 6.1 (8), II, MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment), (Glutardialde- hyde)
Danger label(s)	6.1+8, "Fish and tree"
Special provisions (SP)	274
Excepted quantities (EQ)	E4
Limited quantities (LQ)	100 mL
EmS	F-A, S-B
Stowage category	В
International Civil Aviation Organization (I	CAO-IATA/DGR) - Additional information
Proper shipping name	Toxic liquid, corrosive, organic, n.o.s.
Particulars in the shipper's declaration	UN2927, Toxic liquid, corrosive, organic, n.o.s., (contains: Glutardialdehyde, Methanol), 6.1 (8), II
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	6.1+8
Special provisions (SP)	A4, A137
Excepted quantities (EQ)	E4
Limited quantities (LQ)	0,5 L

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture 15.1

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)					
Name of substance	Name acc. to inventory	CAS No	Restriction	No	
Glutaraldehyde	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3	
Glutardialdehyde	substances in tattoo inks and perman- ent make-up		R75	75	
Methanol	methanol	67-56-1	R69	69	
Methanol	flammable / pyrophoric		R40	40	

Legend R3

R40

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

 tricks and lokes. - games for one or more participants, or any article intended to be used as such, even with ornamental aspects,

2. Articles not complying with paragraph 1 shall not be placed on the market. 3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and packaging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

(a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage";
(b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by the general public are legibly and i

1 December 2010 as follows: Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.;

1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: - metallic glitter intended mainly for decoration,

- artificial snow and frost,

- 'whoopee' cushions,

silly string aerosols

- imitation excrement.

horns for parties,
 decorative flakes and foams,

- artificial cobwebs,

- stink bombs.

2. Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

Shall not be placed on the market to the general public after 9 May 2019 in windscreen washing or defrosting fluids, in a concentration equal to or greater than 0,6 % by weight. R69

Glutaraldobyda 25% in water for electromicrosco



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclus-ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Substance of Very High Concern (SVHC)

Name acc. to inventory	CAS No	Listed in	Remarks
glutaral	111-30-8	Candidate list	RSP (57f-hh)

Legend

candidate list Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV RSP (57f-hh) Respiratory sensitising properties (article 57(f) - human health)

Seveso Directive

2012/18/EU (Seveso III) Qualifying quantity (tonnes) for the ap-plication of lower and upper-tier re-No Dangerous substance/hazard categories **Notes** quirements F1 environmental hazards (hazardous to the aquatic en-100 200 56) vironment, cat. 1) acute toxic (cat. 2 + cat. 3, inhal.) 50 200 H2 41)

Notation

41)

 Category 2, all exposure routes
 category 3, inhalation exposure route
 Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1 56)

Deco-Paint Directive

, 1.291 ^g / _l

Industrial Emissions Directive (IED)

VOC content	25,9 %
VOC content	1.060 ^g / _l
VOC content Water content was discounted	1.291 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

none of the ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

ater Framework Directive (WFD)				
List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Methanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		A)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Country	Inventory	Status
US	TSCA	all ingredients are listed
CICR CSCL-ENCS DSL ECSI IECSC INSQ KECI NZIoC PICCS	Domestic Substances List EC Substance Inventory (E Inventory of Existing Chen National Inventory of Che Korea Existing Chemicals New Zealand Inventory of	iontrol Regulation hemical Substances (CSCL-ENCS) (DSL) EINECS, ELINCS, NLP) mical Substances Produced or Imported in China mical Substances Inventory f Chemicals nemicals and Chemical Substances (PICCS) nces ce Inventory

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible dam- age to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Hazard statements: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2006/15/EC	Commission Directive establishing a second list of indicative occupational exposure limit values in imple- mentation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Flam. Liq.	Flammable liquid
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: **3778**

Abbr.	Descriptions of used abbreviations
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT SE	Specific target organ toxicity - single exposure
SVHC	Substance of Very High Concern
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

according to Regulation (EC) No. 1907/2006 (REACH)



Glutaraldehyde 25% in water, for electromicroscopy

article number: 3778

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H370	Causes damage to organs.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.