

date of compilation: 2015-08-24

Revision: 2021-10-25

Silicone oil OF-OH 50 organo functional

article number: **4076** Version: **2.0 en** Replaces version of: 2015-08-24 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Silicone oil OF-OH 50 organo functional

4076

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

not required



article number: 4076

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB. Containing a PBT-/ vPvB-substance in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance

Silicone oil OF-OH 50

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Decamethylcyclopentasiloxane	CAS No 541-02-6	1-<3
	EC No 208-764-9	
Dodecamethylcyclohexasiloxane	CAS No 540-97-6	1
	EC No 208-762-8	
Octamethylcyclotetrasiloxane	CAS No 556-67-2	1
	EC No 209-136-7	
	Index No 014-018-00-1	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes Take off contaminated clothing.

Following inhalation Provide fresh air.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Rinse cautiously with water for several minutes.

Following ingestion

Rinse mouth. Call a doctor if you feel unwell.



article number: 4076

- **4.2 Most important symptoms and effects, both acute and delayed** Symptoms and effects are not known to date.
- **4.3 Indication of any immediate medical attention and special treatment needed** none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO $_2$), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

No special measures are necessary.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.



Silicone oil OF-OH 50 organo functional

article number: 4076

SECTION 7: Handling and storage

7.1 Precautions for safe handling Provision of sufficient ventilation.

> Advice on general occupational hygiene Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	97,3 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Decamethylcyclo- pentasiloxane	541-02-6	DNEL	24,2 mg/ m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	11 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	1,22 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Dodecamethylcyclo- hexasiloxane	540-97-6	DNEL	6,1 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects	



article number: 4076

Relevant DNELs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects	
Octamethylcyclotet- rasiloxane	556-67-2	DNEL	73 mg/m ³	human, inhalat- ory	worker (industry)	acute - local ef- fects	

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,2 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	0,12 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	11 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,1 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Decamethylcyclo- pentasiloxane	541-02-6	PNEC	1,27 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	13 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	1,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Dodecamethylcyclo- hexasiloxane	540-97-6	PNEC	3,77 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	1,5 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,15 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	3 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,3 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)	
Octamethylcyclotet- rasiloxane	556-67-2	PNEC	0,54 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)	



Silicone oil OF-OH 50 organo functional

article number: 4076

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374.

• type of material

NBR (Nitrile rubber)

material thickness

>0,11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	colourless
Odour	faintly perceptible
Melting point/freezing point	-50 °C
Boiling point or initial boiling point and boiling range	170 °C at 1.013 hPa



article number: 4076

artici	e number: 4076	
	Flammability	this material is combustible, but will not ignite readily
	Lower and upper explosion limit	not determined
	Flash point	>100 °C
	Auto-ignition temperature	not determined
	Decomposition temperature	>250 °C
	pH (value)	not determined
	Kinematic viscosity	21 ^{mm²} / _s at 20 °C
	Solubility(ies)	
	Water solubility	not determined
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	this information is not available
	Vapour pressure	7 hPa at 20 °C 22 hPa at 50 °C
	Density	0,97 ^g / _{cm³} at 25 °C
	Relative vapour density	information on this property is not available
	Particle characteristics	not relevant (liquid)
	Other safety parameters	
	Oxidising properties	none
9.2	Other information	
	Information with regard to physical hazard classes:	hazard classes acc. to GHS (physical hazards): not relevant
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.



article number: 4076

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

- **10.4 Conditions to avoid** Keep away from heat. Decompositon takes place from temperatures above: >250 °C.
- **10.5 Incompatible materials** There is no additional information.
- **10.6 Hazardous decomposition products** Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

This substance does not meet the criteria for classification in accordance with Regulation No 1272/ 2008/EC.

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity								
Exposure route	Endpoint	Value	Species	Method	Source			
oral	LD50	>5.000 ^{mg} / _{kg}	rat		TOXNET			

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Decamethylcyclopentasiloxane	541-02-6	oral	LD50	>5.000 ^{mg} / _{kg}	rat
Decamethylcyclopentasiloxane	541-02-6	inhalation: dust/mist	LC50	8,67 ^{mg} /ı/4h	rat
Decamethylcyclopentasiloxane	541-02-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rabbit
Dodecamethylcyclohexasiloxane	540-97-6	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Dodecamethylcyclohexasiloxane	540-97-6	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Octamethylcyclotetrasiloxane	556-67-2	oral	LD50	>4.800 ^{mg} / _{kg}	rat
Octamethylcyclotetrasiloxane	556-67-2	inhalation: dust/mist	LC50	36 ^{mg} / _l /4h	rat

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.



Silicone oil OF-OH 50 organo functional

article number: 4076

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

Data are not available.

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

Data are not available.

• Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components of the mixture							
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time		
Decamethylcyclo- pentasiloxane	541-02-6	LC50	>16 ^{µg} / _l	fish	96 h		
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>2,9 ^{µg} / _l	aquatic invertebrates	48 h		



Silicone oil OF-OH 50 organo functional

article number: 4076

Aquatic toxicity (acute) of components of the mixture								
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time			
Dodecamethylcyclo- hexasiloxane	540-97-6	ErC50	>2 ^{µg} / _l	algae	72 h			
Octamethylcyclotet- rasiloxane	556-67-2	LC50	>22 ^{µg} / _l	fish	96 h			
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _l	aquatic invertebrates	48 h			
Octamethylcyclotet- rasiloxane	556-67-2	ErC50	>22 ^{µg} / _l	algae	96 h			

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Decamethylcyclo- pentasiloxane	541-02-6	EC50	>15 ^{µg} / _l	aquatic invertebrates	21 d
Dodecamethylcyclo- hexasiloxane	540-97-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
Octamethylcyclotet- rasiloxane	556-67-2	EC50	>15 ^{µg} / _I	aquatic invertebrates	21 d

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Decamethyl- cyclopentas- iloxane	541-02-6	carbon dioxide generation	0,14 %	28 d		ECHA
Dodecamethyl- cyclohexasilox- ane	540-97-6	carbon dioxide generation	4,47 %	28 d		ECHA
Octamethylcyc- lotetrasiloxane	556-67-2	carbon dioxide generation	3,7 %	29 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture				
Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Decamethylcyclopentasiloxane	541-02-6	7.060	8,023 (25,3 °C)	
Dodecamethylcyclohexasiloxane	540-97-6	1.160	8,87 (23,6 °C)	
Octamethylcyclotetrasiloxane	556-67-2	12.400	6,488 (25,1 °C)	



Silicone oil OF-OH 50 organo functional

article number: 4076

12.4 Mobility in soil Data are not available.

12.5 Results of PBT and vPvB assessment

Containing a PBT-/vPvB-substance in a concentration of $\ge 0,1\%$.

12.6 Endocrine disrupting properties Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



Consult the appropriate local waste disposal expert about waste disposal.

Sewage disposal-relevant information

Do not empty into drains.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

- 14.1 UN number or ID number
- 14.2 UN proper shipping name
- 14.3 Transport hazard class(es)
- 14.4 Packing group
- 14.5 Environmental hazards
- 14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

not subject to transport regulations

not assigned

none

not assigned

non-environmentally hazardous acc. to the dangerous goods regulations



article number: 4076

International Maritime Dangerous Goods Code (IMDG) - Additional information Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information Not subject to ICAO-IATA.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

not listed

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list Not listed.

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes	
	not assigned			

Deco-Paint Directive

VOC content	100 % , 970 ⁹ /l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	970 ^g /l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed



article number: 4076

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Signal word: not required		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB. Containing a PBT-/vPvB-substance in a concentration of \geq 0,1%.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval



Silicone oil OF-OH 50 organo functional

article number: **4076**

Abbr.	Descriptions of used abbreviations
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
ΙΑΤΑ	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
SVHC	Substance of Very High Concern
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.