acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: **4360**Version: **7.0 en**date of compilation: 2015-09-02
Revision: 2023-05-24

Replaces version of: 2021-05-03

Version: (6)

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

## 1.1 Product identifier

Identification of the substance Sodium dodecyl sulphate ≥99 %, for biochem-

istry

Article number 4360

EC number 205-788-1
CAS number 151-21-3
Alternative name(s) SDS

## 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for private purposes (household).

Food, drink and animal feedingstuffs.

## 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

## 1.4 Emergency telephone number

	Name	Street	Postal code/city	Telephone	Website
Natio	onal Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.7	Flammable solid	2	Flam. Sol. 2	H228
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.1I	Acute toxicity (inhal.)	4	Acute Tox. 4	H332
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

## The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

## 2.2 Label elements

## Labelling

Signal word Danger

## **Pictograms**

GHS02, GHS05, GHS07







#### **Hazard statements**

H228 Flammable solid

H302+H332 Harmful if swallowed or if inhaled

H315 Causes skin irritation
H318 Causes serious eye damage
H335 May cause respiratory irritation

H412 Harmful to aquatic life with long lasting effects

## **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from heat, sparks, open flames, hot surfaces. No smoking

P261 Avoid breathing dust

P280 Wear protective clothing/eye protection

#### **Precautionary statements - response**

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing


P312 Call a POISON CENTRE/doctor if you feel unwell

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



## **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 **Substances**

Name of substance Sodium dodecyl sulphate

Molecular formula C<sub>12</sub>H<sub>25</sub>NaO<sub>4</sub>S Molar mass 288,4 <sup>g</sup>/<sub>mol</sub> CAS No 151-21-3 205-788-1 EC No

## Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.200 <sup>mg</sup> / <sub>kg</sub> 3,9 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist

## **SECTION 4: First aid measures**

#### 4.1 **Description of first aid measures**



#### **General notes**

Take off contaminated clothing.

## Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

## Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

## Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

## Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

After eye contact: Risk of serious damage to eyes, Risk of blindness, Following skin contact: Localised redness, oedema, pruritis and/or pain,

Following ingestion: Gastrointestinal complaints, Vomiting,

Following inhalation: Cough, pain, choking, and breathing difficulties

United Kingdom (en) Page 3 / 18



#### 2.3 Other hazards


## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



none

## **SECTION 5: Firefighting measures**

## 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

## Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible.

## **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>), Sulphur oxides (SOx)

## 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

## **SECTION 6: Accidental release measures**

## 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

## **6.2** Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

## Advice on how to clean up a spill

Take up mechanically. Control of dust.

## Other information relating to spills and releases

Place in appropriate containers for disposal.

United Kingdom (en) Page 4 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

## Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

## Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Protect against external exposure, such as

heat, high temperatures

#### Consideration of other advice:

## **Ventilation requirements**

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted. Use local and general ventilation.

## Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

# SECTION 8: Exposure controls/personal protection

#### 8.1 **Control parameters**

## **National limit values**

## Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 **TWA** 

hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



#### **Human health values**

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	285 mg/m <sup>3</sup>	human, inhalatory	worker (industry)	chronic - systemic effects	
DNEL	4.060 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	

#### **Environmental values**

Relevant PNECs and other threshold levels					
End- point	Threshold level	Organism	Environmental com- partment	Exposure time	
PNEC	0,176 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	freshwater	short-term (single instance)	
PNEC	0,018 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	marine water	short-term (single instance)	
PNEC	1,35 <sup>mg</sup> / <sub>l</sub>	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)	
PNEC	6,97 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	freshwater sediment	short-term (single instance)	
PNEC	0,697 <sup>mg</sup> / <sub>kg</sub>	aquatic organisms	marine sediment	short-term (single instance)	
PNEC	1,29 <sup>mg</sup> / <sub>kg</sub>	terrestrial organisms	soil	short-term (single instance)	

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

#### **Eye/face protection**





Use safety goggle with side protection.

## Skin protection





## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a quide.

## type of material

NBR (Nitrile rubber)

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



>0,11 mm

## breakthrough times of the glove material

>480 minutes (permeation: level 6)

## other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended

## **Respiratory protection**





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

## **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

## 9.1 Information on basic physical and chemical properties

Physical state solid

Colour white - whitish yellow

Odour odourless

Melting point/freezing point 205 °C (ECHA)

Boiling point or initial boiling point and boiling

range

216 °C at 1.022 hPa (ECHA)

Flammability flammable solid in accordance with GHS criteria

Lower and upper explosion limit not determined Flash point 170 °C (ECHA)

Auto-ignition temperature 310,5 °C (ECHA) (relative self-ignition temperat-

ure for solids)

Decomposition temperature >216 °C at 1.022 hPa (ECHA)

pH (value) 9,1 (in aqueous solution:  $10^{9}/_{1}$ ,  $20^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility  $>130 \, {}^{9}/_{1}$  at 20 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): ≤-2,03 (20 °C) (ECHA)

Soil organic carbon/water (log KOC) 2,5 – 2,65 (ECHA)

United Kingdom (en) Page 7 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)



## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360

Vapour pressure ≤0,18 Pa at 20 °C

Density and/or relative density

Density not determined

Relative vapour density information on this property is not available

Bulk density  $\sim 200 - 600 \text{ kg/m}^3$ 

Particle characteristics No data available.

Oxidising properties none

9.2 Other information

Information with regard to physical hazard There is no additional information.

classes:

Other safety characteristics:

Surface tension  $25,2^{\text{mN}}/_{\text{m}}$  (23 °C) (ECHA)

## **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

It's a reactive substance. Risk of ignition. The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

#### If heated

Risk of ignition.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

## 10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

## 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep away from heat. Decompostion takes place from temperatures above: >216 °C at 1.022 hPa.

## 10.5 Incompatible materials

There is no additional information.

## 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



## **SECTION 11: Toxicological information**

## 11.1 Information on toxicological effects

#### Classification acc. to GHS

## **Acute toxicity**

Harmful if swallowed. Harmful if inhaled.

GHS of the United Nations, annex 4. May be harmful in contact with skin.

## **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	1.200 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA
dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat		ECHA

## Skin corrosion/irritation

Causes skin irritation.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

## Specific target organ toxicity - single exposure

May cause respiratory irritation.

## Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## If swallowed

vomiting, nausea

#### If in eyes

Causes serious eye damage, risk of blindness

#### If inhaled

cough, pain, choking, and breathing difficulties, Irritation to respiratory tract

#### • If on skin

causes skin irritation, localised redness, pruritis

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



none

## 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

## **SECTION 12: Ecological information**

## 12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Aquatic toxicity (acute)					
Endpoint	Value	Species	Source	Exposure time	
LC50	29 <sup>mg</sup> / <sub>l</sub>	fish	ECHA	96 h	
ErC50	>120 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h	

Aquatic toxicity (chronic)				
Endpoint	Value	Species	Source	Exposure time
EC50	135 <sup>mg</sup> / <sub>l</sub>	microorganisms	ECHA	3 h

## 12.2 Persistence and degradability

Process of degradability				
Process	Degradation rate	Time		
biotic/abiotic	90 %	28 d		
carbon dioxide generation	95 %	28 d		

## 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	≤-2,03 (20 °C) (ECHA)
---------------------------	-----------------------

## 12.4 Mobility in soil

Henry's law constant	0,019 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	2,5 – 2,65 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

## 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 10 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



Data are not available.

## **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

## Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

## Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

## 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

## Properties of waste which render it hazardous

**HP3** flammable

**HP 4** irritant - skin irritation and eye damage

**HP 5** specific target organ toxicity (STOT)/aspiration toxicity

**HP 6** acute toxicity

HP 14 ecotoxic

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

# **SECTION 14: Transport information**

## 14.1 UN number or ID number

ADRRID UN 1325 IMDG-Code UN 1325 ICAO-TI UN 1325

## 14.2 UN proper shipping name

ADRRID FLAMMABLE SOLID, ORGANIC, N.O.S.

IMDG-Code FLAMMABLE SOLID, ORGANIC, N.O.S.

ICAO-TI Flammable solid, organic, n.o.s.

Technical name Sodium dodecyl sulphate

14.3 Transport hazard class(es)

ADRRID 4.1

United Kingdom (en) Page 11 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360

IMDG-Code 4.1

ICAO-TI 4.1

14.4 Packing group

ADRRID III
IMDG-Code III
ICAO-TI III

**14.5** Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name FLAMMABLE SOLID, ORGANIC, N.O.S.

Particulars in the transport document UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S.,

(Sodium dodecyl sulphate), 4.1, III, (E)

Classification code F1
Danger label(s) 4.1



Special provisions (SP) 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

Tunnel restriction code (TRC) E

Hazard identification No 40

Emergency Action Code 12

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code F1

Danger label(s) 4.1



Special provisions (SP)274Excepted quantities (EQ)E1Limited quantities (LQ)5 kg

United Kingdom (en) Page 12 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360

**Transport category (TC)** 3 **Hazard identification No** 40

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name FLAMMABLE SOLID, ORGANIC, N.O.S.

UN1325, FLAMMABLE SOLID, ORGANIC, N.O.S., Particulars in the shipper's declaration

(Sodium dodecyl sulphate), 4.1, III

Marine pollutant

Danger label(s) 4.1



Special provisions (SP) 223, 274

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

**EmS** F-A, S-G

Stowage category

## International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Flammable solid, organic, n.o.s.

UN1325, Flammable solid, organic, n.o.s., (Sodium dodecyl sulphate), 4.1, III Particulars in the shipper's declaration

Danger label(s) 4.1



А3 Special provisions (SP) Excepted quantities (EQ) E1 Limited quantities (LQ) 10 kg

## **SECTION 15: Regulatory information**

## Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
	not assigned		

#### **Deco-Paint Directive**

VOC content	100 %

United Kingdom (en) Page 13 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry



article number: 4360

## **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

#### Water Framework Directive (WFD)

# List of pollutants (WFD) Name of substance Name acc. to inventory CAS No Listed in Remarks Sodium dodecyl sulphate Metals and their compounds a)

Legend

A) Indicative list of the main pollutants

## Regulation on the marketing and use of explosives precursors

not listed

## **Regulation on drug precursors**

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

## Restrictions according to GB REACH, Annex 17

# Dangerous substances with restrictions (GB REACH, Annex 17) Name of substance Name acc. to inventory CAS No No Sodium dodecyl sulphate flammable / pyrophoric 40

## Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)

Legend

AIIC CICR CSCL-ENCS DSL ECSI IECSC

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

INSQ KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

Taiwan Chemical Substance Inventory Toxic Substance Control Act

## 15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

## **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes
14.8		Danger label(s): 4.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 274	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 kg	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 40	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Sodium dodecyl sulphate ≥99 %, for biochemistry

article number: 4360



Abbreviations and acronyms		
Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
TWA	Time-weighted average	

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 4360



Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H228	Flammable solid.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18