acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

date of compilation: 2016-07-05 article number: 4365 Version: **3.0 en** Revision: 2022-07-08

Replaces version of: 2019-11-27

Version: (2)



Product identifier 1.1

Identification of the substance **Sodium persulfate** ≥ 99%

Article number 4365

EC number 231-892-1 CAS number 7775-27-1

Disodium peroxodisulphate Alternative name(s)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr, 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

United Kingdom (en) Page 1 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	3	Ox. Sol. 3	H272
3.10	Acute toxicity (oral)		Acute Tox. 4	H302
3.2	Skin corrosion/irritation		Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

2.2 **Label elements**

Labelling

Signal word **Danger**

Pictograms

GHS03, GHS07, GHS08







Hazard statements

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H335	May cause respiratory irritation

Precautionary statements

Precautionary statements - prevention

P220 Keep/store away from clothing/combustible materials

Do not breathe dust P260

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P312 Call a POISON CENTRE/doctor if you feel unwell

United Kingdom (en) Page 2 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Sodium persulfate

Molecular formula $Na_2S_2O_8$ Molar mass 238,1 $^g/_{mol}$ CAS No 7775-27-1EC No 231-892-1

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.200 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Remove person to fresh air and keep comfortable for breathing. In case of allergic symptoms, especially in the breathing area, seek medical advice immediately.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Breathing difficulties, Headache, Allergic reactions, Nausea, Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

Following inhalation: Glucocorticoids in a metered-dose inhaler (in case of poisoning with nitrous gases). Treat symptomatically.

United Kingdom (en) Page 3 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Sulphur oxides (SOx)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



SECTION 7: Handling and storage

Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits. Keep away from combustible material.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) **TWA**

Human health values

United Kingdom (en) Page 5 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Relevant DNELs and other threshold levels							
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time			
DNEL	2,06 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects			
DNEL	590 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects			
DNEL	DNEL 400 mg/kg bw/ human, day		worker (industry)	acute - systemic effects			
DNEL	0,824 mg/m³	human, inhalatory	worker (industry)	chronic - local effects			
DNEL	12,7 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects			

Environmental values

Relevant PNECs and other threshold levels							
End- point	Threshold level	Organism	Environmental com- partment	Exposure time			
PNEC	0,763 ^{mg} / _l	aquatic organisms	water	intermittent release			
PNEC	0,518 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)			
PNEC	0,052 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)			
PNEC	3,6 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)			
PNEC	2,03 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)			
PNEC	0,203 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)			
PNEC	0,1 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)			

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





United Kingdom (en) Page 6 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form crystalline
Colour white

Odour odourless

Melting point/freezing point 148 °C (slow decomposition)

Boiling point or initial boiling point and boiling not determined

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature 180 °C at 101,1 kPa (ECHA)

United Kingdom (en) Page 7 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365

pH (value) 3,5 – 3,8 (in aqueous solution: $100 \, ^{\rm g}$ /_I, $20 \, ^{\circ}$ C)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility $\sim 730 \, {\rm g}/{\rm l}$ at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure 0 mmHg at 25 °C

Density and/or relative density

Density $\sim 1.7 \, {\rm g/_{cm^3}}$ at 20 °C

Relative vapour density 2 (air = 1) Bulk density $\sim 1.150 \, {\rm kg/m^3}$

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics: There is no additional information.

There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

May cause decomposition by long-term light influence. Hygroscopic solid.

10.3 Possibility of hazardous reactions

Violent reaction with: Strong alkali, Strong acid, Combustible materials, **Danger of explosion:** Reducing agents

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: 180 °C at 101,1 kPa.

10.5 Incompatible materials

combustible materials

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity							
Exposure route	Endpoint	Value	Species	Method	Source		
oral	LD50	1.200 ^{mg} / _{kg}	rat		ECHA		
inhalation: dust/ mist	LC50	>5,1 ^{mg} / _l /4h	rat		ECHA		
dermal	LD50	>2.000 ^{mg} / _{kg}	rat		ECHA		

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

If inhaled

Irritation to respiratory tract, May produce an allergic reaction, cough, Dyspnoea

United Kingdom (en) Page 9 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



11.2 Endocrine disrupting properties

Aquatic toxicity (acute)							
Endpoint	Value	Species	Source	Exposure time			
LC50	76,3 ^{mg} / _l	fish	ECHA	96 h			
EC50	120 ^{mg} / _l	aquatic invertebrates	ECHA	48 h			

Aquatic toxicity (chronic)							
Endpoint	Value	Species	Source	Exposure time			
LC50	203,3 ^{mg} / _l	fish	ECHA	24 h			
EC50	11 ^{mg} / _l	aquatic invertebrates	ECHA	5 d			

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 10 / 17



• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

Other adverse effects, Headache, Nausea

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1	UN	numl	ber or	ID	number

ADRRID	UN 1505
IMDG-Code	UN 1505
ICAO-TI	UN 1505

14.2 UN proper shipping name

ADRRID	SODIUM PERSULPHATE
IMDG-Code	SODIUM PERSULPHATE
ICAO-TI	Sodium persulphate

14.3 Transport hazard class(es)

ADRRID	5.1
IMDG-Code	5.1
ICAO-TI	5.1

14.4 Packing group

ADRRID	III
IMDG-Code	III
ICAO-TI	III

14.5 Environmental hazardsnon-environmentally hazardous acc. to the dangerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

United Kingdom (en) Page 11 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name SODIUM PERSULPHATE

Particulars in the transport document UN1505, SODIUM PERSULPHATE, 5.1, III, (E)

Classification code O2
Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) E
Hazard identification No 50
Emergency Action Code 12

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code O2

Danger label(s) 5.1



Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Hazard identification No 50

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name SODIUM PERSULPHATE

Particulars in the shipper's declaration UN1505, SODIUM PERSULPHATE, 5.1, III

Marine pollutant -

Danger label(s) 5.1



Special provisions (SP)
Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

United Kingdom (en) Page 12 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365

EmS F-A, S-Q

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Sodium persulphate

Particulars in the shipper's declaration UN1505, Sodium persulphate, 5.1, III

Danger label(s) 5.1

Excepted quantities (EQ) E1

Limited quantities (LQ) 10 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories		(tonnes) for the ap- and upper-tier re- ments	Notes
P8	oxidising liquids and solids	50	200	55)

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

Deco-Paint Directive

VOC content	0 % 0 ⁹ / _I
-------------	--------------------------------------

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

United Kingdom (en) Page 13 / 17



acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Sodium persulfate	Metals and their compounds		a)	

Legend

A) Indic

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed

United Kingdom (en) Page 14 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AIIC
Australian Inventory of Industrial Chemicals
CICR
CSCL-ENCS
Chemical Inventory and Control Regulation
List of Existing and New Chemical Substances (CSCL-ENCS)
DSL
Domestic Substances List (DSL)
ECSI
ECSI
ECSU
Inventory of Existing Chemical Substances Produced or Imported in China
INSO
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory NATION Inventory of Chemicals Substances

KECI Korea Existing Chemicals Inventory

NZIOC New Zealand Inventory of Chemicals

PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)

REACH Reg. REACH registered substances

TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

United Kingdom (en) Page 15 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average

United Kingdom (en) Page 16 / 17

acc. to Regulation (EC) No. 1907/2006 (REACH)

Sodium persulfate ≥ 99%

article number: 4365



Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 17 / 17