acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788 Version: **2.0 en** Revision: 2022-09-08

Replaces version of: 2019-08-22

Version: (1)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **o-Toluidine** ≥99,5 %, p.a.

Article number 4788

EC number 202-429-0 CAS number 95-53-4

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Do not use for products which come into contact Uses advised against:

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de

Emergency telephone number 1.4

e-mail (competent person):

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	3	Acute Tox. 3	H301
3.1I	Acute toxicity (inhal.)	3	Acute Tox. 3	H331
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.6	Carcinogenicity	1B	Carc. 1B	H350
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08, GHS09







Hazard statements

H301+H331 Toxic if swallowed or if inhaled H319 Causes serious eye irritation

H350 May cause cancer

H410 Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing gas/mist/vapours/spray P280 Wear protective gloves/eye protection

Precautionary statements - response

P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/doctor

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention P337+P313 If eye irritation persists: Get medical advice/attention

For professional users only

2.3 Other hazards

This material is combustible, but will not ignite readily.

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance o-Toluidine

Molecular formula C₇H₉N

Molar mass 107,2 g/_{mol}

CAS No 95-53-4

EC No 202-429-0

Substance of Very High Concern (SVHC)

Name of substance	CAS No	EC No	Listed in	Remarks
o-Toluidine	95-53-4	202-429-0	Candidate list	Carc. A57a

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (article 57a)

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	100 ^{mg} / _{kg} 3,78 ^{mg} / _l /4h	oral inhalation: vapour

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Localised redness

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours are heavier than air, spread along floors and form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Avoid exposure. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

UV-radiation/sunlight, contact with air/oxygen

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	o-toluidine	95-53-4	IOELV	0,1	0,5						2017/ 2398/EU
GB	o-toluidine	95-53-4	WEL	0,1	0,5						EH40/ 2005

Notation

Ceiling-C STEL

Ceiling value is a limit value above which exposure should not occur

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified) TWA

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified)

Environmental values

Relevant PNECs and other threshold levels

End- point	Threshold level	Organism	Environmental com- partment	Exposure time
PNEC	0 ^{mg} / _l	aquatic organisms	freshwater	short-term (single instance)
PNEC	0 ^{mg} / _l	aquatic organisms	marine water	short-term (single instance)
PNEC	15,5 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
PNEC	0,002 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)
PNEC	0 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)
PNEC	0 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM (fluoro rubber), Butyl caoutchouc (butyl rubber)

material thickness

0,5 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - clear - light yellow

Odour characteristic - amine

Melting point/freezing point -24,4 °C (ECHA)

Boiling point or initial boiling point and boiling 200,2 °C at 1.013 hPa (ECHA)

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 1,5 vol% (LEL) - 7,5 vol% (UEL)

Flash point 85 °C at 1.013 hPa (ECHA)
Auto-ignition temperature 480 °C at 1.013 hPa (ECHA)

Decomposition temperature not relevant pH (value) 7,4 (20 °C)

Kinematic viscosity not determined

Solubility(ies)

Water solubility $16,6 \, ^{9}/_{1}$ at 20 °C (ECHA)

United Kingdom (en) Page 7 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788

ROTH

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,4 (pH value: 7,9, 24,5 °C) (ECHA)

Soil organic carbon/water (log KOC) 1,678 (ECHA)

Vapour pressure 0,2 hPa at 20 °C

Density and/or relative density

Density $0,998 \, {}^{9}/_{cm^3}$ at 20 °C (ECHA)

Relative vapour density 3,7 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

(physical hazards): not relevant

hazard classes acc. to GHS

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Mineral acids

10.4 Conditions to avoid

UV-radiation/sunlight. Contact with air/oxygen.

10.5 Incompatible materials

different plastics

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Toxic if swallowed. Toxic if inhaled.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
inhalation: vapour	LC50	3,78 ^{mg} / _I /4h	rat		
oral	LD50	750 ^{mg} / _{kg}	rat		ECHA
dermal	LD50	3.250 ^{mg} / _{kg}	rabbit		ECHA

Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

May cause cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

renal impairment

• If in eyes

Causes serious eye irritation

• If inhaled

cough, pain, choking, and breathing difficulties, irritant effects

• If on skin

Irritating to skin

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	0,52 ^{mg} / _l	aquatic invertebrates	ECHA	48 h
EC50	30,9 ^{mg} / _l	algae	ECHA	72 h
ErC50	110,5 ^{mg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

•				
Endpoint	Value	Species	Source	Exposure time
LC50	81,3 ^{mg} / _l	fish	ECHA	14 d
EC50	0,066 ^{mg} / _l	aquatic invertebrates	ECHA	21 d

Biodegradation

Data are not available.

12.2 Process of degradability

Theoretical Oxygen Demand with nitrification: 3,061 mg/mg

Theoretical Oxygen Demand: 2,538 ^{mg}/_{mg} Theoretical Carbon Dioxide: 2,875 ^{mg}/_{mg}

Process of degradability

Process	Degradation rate	Time
biotic/abiotic	88 – 90 %	28 d
DOC removal	88 – 90 %	28 d

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

United Kingdom (en) Page 10 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



n-octanol/water (log KOW)	1,4 (pH value: 7,9, 24,5 °C) (ECHA)
BCF	<1,3 (ECHA)

12.4 Mobility in soil

The Organic Carbon normalised adsorption coefficient	1,678 (ECHA)
--	--------------

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1708
IMDG-Code UN 1708
ICAO-TI UN 1708

14.2 UN proper shipping name

ADRRID TOLUIDINES, LIQUID IMDG-Code TOLUIDINES, LIQUID

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



	ICAO-TI	Toluidines, liquid
14.3	Transport hazard class(es)	
	ADRRID	6.1
	IMDG-Code	6.1
	ICAO-TI	6.1
14.4	Packing group	
	ADRRID	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	TOLUIDINES, LIQUID
Particulars in the transport document	UN1708, TOLUIDINES, LIQUID, 6.1, II, (D/E), environmentally hazardous
Classification code	T1
Danger label(s)	6.1, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E4

Limited quantities (LQ) 100 ml

Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 60
Emergency Action Code 3X

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code T1

Danger label(s) 6.1

Fish and tree

United Kingdom (en) Page 12 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Environmental hazards

Hazardous to water

Special provisions (SP) 279, 802(ADN)

Excepted quantities (EQ) E4

Limited quantities (LQ) 100 ml

2 **Transport category (TC) Hazard identification No** 60

International Maritime Dangerous Goods Code (IMDG) - Additional information

TOLUIDINES, LIQUID Proper shipping name

Particulars in the shipper's declaration UN1708, TOLUIDINES, LIQUID, 6.1, II, MARINE

POLLUTANT

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 6.1, "Fish and tree"

Special provisions (SP) 279 Excepted quantities (EQ) E4 Limited quantities (LQ) 100 mL

EmS F-A, S-A

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Toluidines, liquid

Particulars in the shipper's declaration UN1708, Toluidines, liquid, 6.1, II

Environmental hazards YES (hazardous to the aquatic environment)

Danger label(s) 6.1

Special provisions (SP) A113 Excepted quantities (EQ) E4 Limited quantities (LQ) 1 L

United Kingdom (en) Page 13 / 18









acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quirer		Notes
H2	acute toxic (cat. 2 + cat. 3, inhal.)	50	200	41)

Notation

Deco-Paint Directive

VOC content	100 % 998 ^g / _l
-------------	--

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	998 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
o-Toluidine	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

United Kingdom (en) Page 14 / 18

⁻ Category 2, all exposure routes - category 3, inhalation exposure route

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

Substance of Very High Concern (SVHC) acc. to GB REACH and HSE

Name of substance	CAS No	Listed in	Remarks
o-Toluidine	95-53-4	Candidate list	Carc. A57a

Legend

candidate Substances meeting the criteria referred to in Article 57 and for eventual inclusion in Annex XIV

Carc. A57a Carcinogenic (Article 57a)

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
o-Toluidine	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
o-Toluidine	carcinogenic		28

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Country	Inventory	Status
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Australian Inventory of Industrial Chemicals

CSCL-ENCS DSL ECSI IECSC

List of Existing and New Chemical Substances (CSCL-ENCS)

Domestic Substances List (DSL)

EC Substance Inventory (EINECS, ELINCS, NLP)

Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances

Inventory of Existing and New Chemical Substances (ISHA-ENCS)

INSQ

ISHA-ENCS

KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
REACH registered substances
TCSI Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Spillage and fire water can cause pollution of watercourses.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards: This material is combustible, but will not ignite readily.	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2017/2398/EU	Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Ir land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerr ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an iden fier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
HSE	Health and Safety Executive
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval
LEL	Lower explosion limit (LEL)

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

o-Toluidine ≥99,5 %, p.a.

article number: 4788



Abbr.	Descriptions of used abbreviations
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H301	Toxic if swallowed.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H350	May cause cancer.
H400	Very toxic to aquatic life.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18