

## Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: **5058** Version: **2.0 en** Replaces version of: 2019-11-29 Version: (1)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

# 1.1 Product identifier

Identification of the substance	<b>Calcium nitrate hydrate</b> ROTI®METIC 99,999 % (5N)
Article number	5058
EC number	233-332-1
CAS number	35054-52-5

(household).

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

# sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

date of compilation: 2019-11-29 Revision: 2022-07-08

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



#### article number: 5058

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word

## **Pictograms**



## **Hazard statements**

H272	May intensify fire; oxidiser
H302	Harmful if swallowed
H318	Causes serious eye damage

Danger

## **Precautionary statements**

#### **Precautionary statements - prevention**

P210 Keep away from open flames and hot surfaces. No smoking

# **Precautionary statements - response**

P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P310	Immediately call a POISON CENTER/doctor

## 2.3 Other hazards

## Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

## 3.1 Substances

Name of substance	Calcium nitrate hydrate
Molecular formula	$Ca(NO_3)_2 * x H_2O$
Molar mass	164,1 <sup>g</sup> / <sub>mol</sub> + x H <sub>2</sub> O
CAS No	35054-52-5
EC No	233-332-1

Substance, Specific Conc. Limits, M-factors, ATE			
Specific Conc. Limits	M-Factors	ATE	Exposure route
-	-	1.500 <sup>mg</sup> / <sub>kg</sub>	oral

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



article number: 5058

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### **Following ingestion**

Rinse mouth with water (only if the person is conscious). Call a doctor.

#### 4.2 Most important symptoms and effects, both acute and delayed

Risk of serious damage to eyes, Gastrointestinal complaints, Vomiting, Nausea, Irritation, Methaemoglobinaemia

## 4.3 Indication of any immediate medical attention and special treatment needed

none

# SECTION 5: Firefighting measures

# 5.1 Extinguishing media



## Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

## 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



article number: 5058

# **SECTION 6: Accidental release measures**

# 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

## 6.2 Environmental precautions

Keep away from drains, surface and ground water.

## 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

## Consideration of other advice:

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

## Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



article number: 5058

# **SECTION 8: Exposure controls/personal protection**

8.1 Control parameters

# **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

## 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

## **Eye/face protection**



Use safety goggle with side protection.

## **Skin protection**



## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,3 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

# **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



article number: 5058

## Environmental exposure controls

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

# 9.1 Information on basic physical and chemical properties

	•
Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	40 – 45 °C
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
Lower and upper explosion limit	not determined
Flash point	not applicable
Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	5 – 7 (in aqueous solution: 50 <sup>g</sup> / <sub>l</sub> , 20 °C)
Kinematic viscosity	not relevant
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
Vapour pressure	not determined
Density and/or relative density	
Density	not determined
Relative vapour density	information on this property is not available
Particle characteristics	No data available.
Other safety parameters	
Oxidising properties	oxidiser
Other information	
Information with regard to physical hazard classes:	There is no additional information.

9.2

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)

article number: 5058

Other safety characteristics:

There is no additional information.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

It's a reactive substance. Oxidising property.

## 10.2 Chemical stability

Reactivity if exposed to light. Hygroscopic solid.

# 10.3 Possibility of hazardous reactions

**Danger of explosion:** Organic substances, Ammonium nitrate, Combustible liquid, Metal powder, Aluminium, **Violent reaction with:** Reducing agents, Combustible substance

# 10.4 Conditions to avoid

Direct light irradiation. Protect from moisture. Keep away from heat.

# 10.5 Incompatible materials

aluminium, combustible materials, metal powder

# 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

# **SECTION 11: Toxicological information**

# 11.1 Information on toxicological effects

# Classification acc. to GHS

# Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	>300 - <2.000 <sup>mg</sup> / kg	rat		

## Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

## Serious eye damage/eye irritation

Causes serious eye damage.

## Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

## Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

## Carcinogenicity

Shall not be classified as carcinogenic.

## **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



#### article number: 5058

# Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

# Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

## Symptoms related to the physical, chemical and toxicological characteristics

## • If swallowed

vomiting, nausea, gastrointestinal complaints

#### • If in eyes

Causes serious eye damage, risk of blindness

#### • If inhaled

irritant effects

#### • If on skin

Frequently or prolonged contact with skin may cause dermal irritation

## Other information

Other adverse effects: Methaemoglobinaemia

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

# 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

## Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

# 12.2 Process of degradability

Data are not available.

- **12.3 Bioaccumulative potential** Data are not available.
- **12.4 Mobility in soil** Data are not available.

**12.5 Results of PBT and vPvB assessment** Data are not available.

- **12.6 Endocrine disrupting properties** Not listed.
- **12.7 Other adverse effects** Data are not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



article number: 5058

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

# Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADRRID	UN 1454
	IMDG-Code	UN 1454
	ICAO-TI	UN 1454
14.2	UN proper shipping name	
	ADRRID	CALCIUM NITRATE
	IMDG-Code	CALCIUM NITRATE
	ICAO-TI	Calcium nitrate
14.3	Transport hazard class(es)	
	ADRRID	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations


#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.


acc. to Regulation (EC) No. 1907/2006 (REACH)



article number: 5058



Proper shipping name	CALCIUM NITRATE
Particulars in the transport document	UN1454, CALCIUM NITRATE, 5.1, III, (E)
Classification code	02
Danger label(s)	5.1
Special provisions (SP)	208
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Z
Regulations concerning the International Carri information	age of Dangerous Goods by Rail (RID)Additional
Classification code	02
Danger label(s)	5.1
51	
Special provisions (SP)	208
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
Transport category (TC)	3
Hazard identification No	50
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	CALCIUM NITRATE
Particulars in the shipper's declaration	UN1454, CALCIUM NITRATE, 5.1, III
Marine pollutant	-
Danger label(s)	5.1
Special provisions (SP)	208, 967





acc. to Regulation (EC) No. 1907/2006 (REACH)



# Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)

Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
Proper shipping name	Calcium nitrate
Particulars in the shipper's declaration	UN1454, Calcium nitrate, 5.1, III
Danger label(s)	5.1
Special provisions (SP)	A83
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 kg

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

# **Seveso Directive**

2012/	12/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity plication of lower quire		Notes		
P8	oxidising liquids and solids	50	200	55)		

Notation

55) Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

## **Deco-Paint Directive**

VOC content	0 %
-------------	-----

## Industrial Emissions Directive (IED)

VOC content

0 %

# Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

# Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 5058

Vater Framework Directive (WFD) List of pollutants (WFD)				
			Name of substance	Name acc. to inventory
Calcium nitrate hydrate	Substances which contribute to eutrophication (in particular, ni- trates and phosphates)		a)	
Calcium nitrate hydrate	Metals and their compounds		a)	

#### Legend

A) Indicative list of the main pollutants

## Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### **Regulation on substances that deplete the ozone layer (ODS)**

not listed

## Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

## **Regulation on persistent organic pollutants (POP)**

not listed

# National regulations(GB)

# List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

## **Restrictions according to GB REACH, Annex 17**

not listed

## **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

## National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed

Legend

AIIC	
CICR	
ECSI	
KECI	
PICCS	

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



#### article number: 5058

#### Legend

REACH Reg. REACH registered substances TCSI Taiwan Chemical Substance Inventory

# 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

#### Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

#### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Calcium nitrate hydrate ROTI®METIC 99,999 % (5N)



#### article number: **5058**

Abbr.	Descriptions of used abbreviations
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

## Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H302	Harmful if swallowed.
H318	Causes serious eye damage.

# Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.