acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Calcium hypochlorite ≥65 % Cl, granulated

article number: **5164**Version: **2.0 en**date of compilation: 2021-07-13
Revision: 2023-10-11

Replaces version of: 2021-07-13

Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Identification of the substance Calcium hypochlorite ≥65 % Cl, granulated

Article number 5164

 Index No (GB CLP)
 017-012-00-7

 EC number
 231-908-7

 CAS number
 7778-54-3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data
Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400

Supplemental hazard information

Code	Supplemental hazard information
EUH031	contact with acids liberates toxic gas

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS03, GHS05, GHS07, GHS09









Hazard statements

H272 May intensify fire; oxidiser H302 Harmful if swallowed

H314 Causes severe skin burns and eye damage

H400 Very toxic to aquatic life

Precautionary statements

Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/eye protection

Precautionary statements - response

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

P370+P378 In case of fire: Use sand to extinguish - never use water

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Supplemental hazard information

EUH031 Contact with acids liberates toxic gas.

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Calcium hypochlorite

Molecular formula $Ca(OCI)_2$ Molar mass $143 \, ^{9}/_{mol}$ CAS No 7778-54-3 EC No 231-908-7 Index No (GB CLP) 017-012-00-7

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Sodium chloride	CAS No 7647-14-5	≤16
	EC No 231-598-3	
Water	CAS No 7732-18-5	≤8,5
	EC No 231-791-2	
Calcium carbonate	CAS No 471-34-1	≤ 5
	EC No 207-439-9	
Calcium hydroxide	CAS No 1305-62-0	≤3
	EC No 215-137-3	
Calcium chloride	CAS No 10043-52-4	≤2
	EC No 233-140-8	
	Index No 017-013-00-2	
Calcium chlorate	CAS No 10137-74-3	≤ 2
	EC No 233-378-2	

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
Skin Corr. 1B; H314: C ≥ 5 % Skin Irrit. 2; H315: 1 % ≤ C < 5 % Eye Dam. 1; H318: C ≥ 3 % Eye Irrit. 2; H319: 0,5 % ≤ C < 3 %	M-factor (acute) = 10	850 ^{mg} / _{kg}	oral

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

Following ingestion

Rinse mouth immediately and drink plenty of water. Rinse mouth with water (only if the person is conscious). Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Cough, pain, choking, and breathing difficulties, Following skin contact: Causes severe burns, Causes poorly healing wounds, After eye contact: Causes burns, Risk of serious damage to eyes, Risk of blindness, Following ingestion: Vomiting, Corrosion, Gastric perforation

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! sand, cement

United Kingdom (en) Page 4 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164



water jet

5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Hydrogen chloride (HCl)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. If substance has entered a water course or sewer, inform the responsible authority.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handle and open container with care. Avoid dust formation. Clear contaminated areas thoroughly.

Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

ROTH

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

7.2 Conditions for safe storage, including any incompatibilities

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

Protect against external exposure, such as

high temperatures, UV-radiation/sunlight, humidity, contact with air/oxygen

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 4 – 15 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Sodium chloride	7647-14-5	DNEL	2.069 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Sodium chloride	7647-14-5	DNEL	2.069 mg/ m³	human, inhalat- ory	worker (industry)	acute - systemic effects
Sodium chloride	7647-14-5	DNEL	295,5 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Sodium chloride	7647-14-5	DNEL	295,5 mg/ kg bw/day	human, dermal	worker (industry)	acute - systemic effects
Calcium carbonate	471-34-1	DNEL	6,36 mg/ m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium hydroxide	1305-62-0	DNEL	1 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium hydroxide	1305-62-0	DNEL	4 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects
Calcium chloride	10043-52-4	DNEL	5 mg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Calcium chloride	10043-52-4	DNEL	10 mg/m³	human, inhalat- ory	worker (industry)	acute - local ef- fects

United Kingdom (en) Page 6 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Sodium chloride	7647-14-5	PNEC	5 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Sodium chloride	7647-14-5	PNEC	500 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Sodium chloride	7647-14-5	PNEC	4,86 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	0,49 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	0,32 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	3 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Calcium hydroxide	1305-62-0	PNEC	1.080 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection. Wear face protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

≥0,3 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 7 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). Type: B-P2 (combined filters for acidic gases and particles, colour code: Grey/White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid

Form granulate
Colour white

Odour like: - chlorine

Melting point/freezing point 100 °C (spontaneous decomposition)

Boiling point or initial boiling point and boiling

range

not determined

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined

Decomposition temperature >100 °C pH (value) 11,5 (25 °C) Kinematic viscosity not relevant

Solubility(ies)

Water solubility 200 – 220 ^g/_l at 20 °C (spontaneous decomposi-

tion)

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

Density and/or relative density

Density 2,35 g/_{cm³} at 20 °C

United Kingdom (en) Page 8 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties oxidiser

9.2 Other information

Information with regard to physical hazard

classes:

There is no additional information.

There is no additional information. Other safety characteristics:

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Oxidising property.

10.2 Chemical stability

Reactivity if heated. Moisture-sensitive. May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Contact with acids liberates toxic gas => Chlorine (CI₂),

Violent reaction with: Acetylene, Alkali metals, Alcohols, Amines, Ammonia (NH3), Acids, => Explosive properties

10.4 Conditions to avoid

Keep away from heat. Decompostion takes place from temperatures above: >100 °C. Protect from moisture.

10.5 Incompatible materials

combustible materials

Release of toxic materials with

Acids.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	850 ^{mg} / _{kg}	rat		TOXNET

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Sodium chloride	7647-14-5	oral	LD50	3.000 ^{mg} / _{kg}	rat
Sodium chloride	7647-14-5	dermal	LD50	>10.000 ^{mg} / _{kg}	rabbit
Calcium carbonate	471-34-1	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Calcium carbonate	471-34-1	inhalation: dust/mist	LC50	>3 ^{mg} / _l /4h	rat
Calcium carbonate	471-34-1	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Calcium hydroxide	1305-62-0	oral	LD50	>2.000 ^{mg} / _{kg}	rat
Calcium hydroxide	1305-62-0	inhalation: dust/mist	LC50	>6,04 ^{mg} / _l /4h	rat
Calcium hydroxide	1305-62-0	dermal	LD50	>2.500 ^{mg} / _{kg}	rabbit
Calcium chloride	10043-52-4	oral	LD50	2.120 ^{mg} / _{kg}	rat
Calcium chloride	10043-52-4	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit

Skin corrosion/irritation

Causes severe skin burns and eye damage.

Serious eye damage/eye irritation

Causes serious eye damage.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

• If in eyes

causes burns, Causes serious eye damage, risk of blindness

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

• If inhaled

cough, pain, choking, and breathing difficulties

• If on skin

causes severe burns, causes poorly healing wounds

• Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life.

Aquatic toxicity (acute) of components of the mixture									
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time				
Sodium chloride	7647-14-5	LC50	5.840 ^{mg} / _l	fish	96 h				
Calcium carbonate	471-34-1	EC50	>14 ^{mg} / _l	algae	72 h				
Calcium hydroxide	1305-62-0	LC50	50,6 ^{mg} / _l	fish	96 h				
Calcium hydroxide	1305-62-0	EC50	49,1 ^{mg} / _l	aquatic invertebrates	48 h				
Calcium hydroxide	1305-62-0	ErC50	184,6 ^{mg} / _l	algae	72 h				
Calcium chloride	10043-52-4	LC50	4.630 ^{mg} / _I	fish	96 h				
Calcium chloride	10043-52-4	ErC50	>4.000 ^{mg} / _l	algae	72 h				

Aquatic toxicity (chronic) of components of the mixture									
Name of sub- stance									
Sodium chloride	7647-14-5	EC50	2.430 ^{mg} / _l	algae	120 h				
Calcium carbonate	471-34-1	EC50	>1.000 ^{mg} / _I	microorganisms	3 h				
Calcium hydroxide	1305-62-0	LC50	53,1 ^{mg} / _l	aquatic invertebrates	14 d				
Calcium hydroxide	1305-62-0	EC50	300,4 ^{mg} / _l	microorganisms	3 h				
Calcium chloride	10043-52-4	EC50	610 ^{mg} / _l	aquatic invertebrates	21 d				

United Kingdom (en) Page 11 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % CI, granulated

article number: 5164

12.2 Persistence and degradability

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Calcium car- bonate	471-34-1	carbon dioxide generation	90 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 2 oxidising

HP 4 irritant - skin irritation and eye damage

HP 6 acute toxicity

HP8 corrosive

HP 12 release of an acute toxic gas

HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164



SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 1748
IMDG-Code UN 1748
ICAO-TI UN 1748

14.2 UN proper shipping name

ADRRID CALCIUM HYPOCHLORITE, DRY IMDG-Code CALCIUM HYPOCHLORITE, DRY ICAO-TI Calcium hypochlorite, dry

14.3 Transport hazard class(es)

ADRRID 5.1 IMDG-Code 5.1 ICAO-TI 5.1

14.4 Packing group

ADRRID II
IMDG-Code II
ICAO-TI II

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name CALCIUM HYPOCHLORITE, DRY

Particulars in the transport document UN1748, CALCIUM HYPOCHLORITE, DRY, 5.1, II,

(E), environmentally hazardous

Classification code O2

Danger label(s) 5.1, "Fish and tree"



Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 314
Excepted quantities (EQ) E2
Limited quantities (LQ) 1 kg

United Kingdom (en) Page 13 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 50
Emergency Action Code 1W

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

information

Classification code O2

Danger label(s) 5.1
Fish and tree



Environmental hazards Yes

Hazardous to water

Special provisions (SP) 314

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

Transport category (TC) 2

Hazard identification No 50

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name CALCIUM HYPOCHLORITE, DRY

Particulars in the shipper's declaration UN1748, CALCIUM HYPOCHLORITE, DRY, 5.1, II,

MARINE POLLUTANT

Marine pollutant yes (P) (hazardous to the aquatic environment)

Danger label(s) 5.1, "Fish and tree"





Stowage category

Special provisions (SP) 314

Excepted quantities (EQ) E2

Limited quantities (LQ) 1 kg

EmS F-H, S-Q

Segregation group 8 - Hypochlorites

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Calcium hypochlorite, dry

Particulars in the shipper's declaration UN1748, Calcium hypochlorite, dry, 5.1, II

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 5.1

United Kingdom (en) Page 14 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % CI, granulated

article number: 5164



Special provisions (SP) A136
Excepted quantities (EQ) E2

Limited quantities (LQ) 2,5 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes		
P8	oxidising liquids and solids	50	200	55)		

Notation

Deco-Paint Directive

VOC content	0 %
VOC content (Water content was discounted)	0 ^g / _l

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content (Water content was discounted)	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Calcium hypochlorite	Metals and their compounds		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

United Kingdom (en) Page 15 / 20

⁵⁵⁾ Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3

acc. to Regulation (EC) No. 1907/2006 (REACH)

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed (ACTIVE)
VN	NCI	substance is listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC CICR CSCL-ENCS

DSL ECSI

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China National Inventory of Chemical Substances
Korea Existing Chemicals Inventory

NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

United Kingdom (en) Page 16 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Legend

Taiwan Chemical Substance Inventory Toxic Substance Control Act

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: O2	yes
14.8		Danger label(s): 5.1 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 314	yes
14.8		Excepted quantities (EQ): E2	yes
14.8		Limited quantities (LQ): 1 kg	yes
14.8		Transport category (TC): 2	yes

United Kingdom (en) Page 17 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Hazard identification No: 50	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 0 % 0 ^g / _l	VOC content: 0 %	yes
15.1		VOC content (Water content was discounted): 0 ^g / _l	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17: not listed	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	

United Kingdom (en) Page 18 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164



Abbr.	Descriptions of used abbreviations	
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)	
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during specified time interval	
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H302	Harmful if swallowed.	
H314	Causes severe skin burns and eye damage.	
H318	Causes serious eye damage.	
H400	Very toxic to aquatic life.	

United Kingdom (en) Page 19 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Calcium hypochlorite ≥65 % Cl, granulated

article number: 5164

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20