

ß-Pinene ROTICHROM® GC for gas chromatography

article number: **5172** Version: **3.0 en** Replaces version of: 2019-12-11 Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	ß-Pinene ROTICHROM® GC for gas chromato- graphy
Article number	5172
Registration number (REACH)	This information is not available.
EC number	204-872-5
CAS number	127-91-3
Alternative name(s)	Pin-2(10)-ene

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

date of compilation: 2015-11-26

Revision: 2021-08-30

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1B	Skin Sens. 1B	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms



Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat. No smoking
P273	Avoid release to the environment
P280	Wear protective gloves/eye protection

Precautionary statements - response

P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor
P302+P352	IF ON SKIN: Wash with plenty of water
P331	Do NOT induce vomiting

according to Regulation (EC) No. 1907/2006 (REACH)





article number: 5172

Labelling of packages where the contents do not exceed 125 ml Signal word: Danger

Symbol(s)



H304	May be fatal if swallowed and enters airways.
H317	May cause an allergic skin reaction.
P280	Wear protective gloves/eye protection.
P301+P310	IF SWALLOWED: Immediately call a POISON CENTER/doctor.
P302+P352	IF ON SKIN: Wash with plenty of water.
P331	Do NOT induce vomitina.

2.3 Other hazards

3.1

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

Substances	
Name of substance	ß-Pinene
Molecular formula	$C_{10}H_{16}$
Molar mass	136,2 ^g / _{mol}
CAS No	127-91-3
EC No	204-872-5

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Gastrointestinal complaints, Irritation, Vomiting, Allergic reactions

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. Vapours may form explosive mixtures with air. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

6.4 Reference to other sections


Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

according to Regulation (EC) No. 1907/2006 (REACH)



B-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	cycloalkanes (>C7)	127-91-3	WEL		800						EH40/ 2005

Notation

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) STEL

TWA

Human health values

Relevant DNELs and other threshold levels						
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time		
DNEL	5,69 mg/m ³	human, inhalatory	worker (industry)	chronic - systemic effects		
DNEL	0,8 mg/kg bw/ day	human, dermal	worker (industry)	chronic - systemic effects		
DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local effects		

Environmental values

Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	1,004 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	0,1 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
PNEC	3,26 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	0,337 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	0,034 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	0,067 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Safety data sheet according to Regulation (EC) No. 1907/2006 (REACH)

ß-Pinene ROTICHROM® GC for gas chromatography



article number: 5172

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

0,3 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

liquid
colourless - light yellow
characteristic
not determined
169 – 179 °C
flammable liquid in accordance with GHS criteria
not determined
39 °C

according to Regulation (EC) No. 1907/2000 (REACH)

ß-Pinene ROTICHROM® GC for gas chromatography



article number: 5172

Auto-ignition temperaturenot determinedDecomposition temperaturenot relevantpH (value)not determinedKinematic viscosity1,839 mm²/s at 20 °CSolubility(ies)0,007 9/1 at 20 °CWater solubility0,007 9/1 at 20 °CPartition coefficientthis information is not availablePartition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard Classes:There is no additional information.		
pH (value)not determinedKinematic viscosity1,839 mm²/s at 20 °CSolubility(ies)0,007 9/1 at 20 °CWater solubility0,007 9/1 at 20 °CPartition coefficientthis information is not availablePartition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneInformation with regard to physical hazard classes:There is no additional information.	Auto-ignition temperature	not determined
Kinematic viscosity1,839 mm²/s at 20 °CSolubility(ies) Water solubility0,007 9/1 at 20 °CPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity Relative vapour density0,87 9/cm³ at 20 °C information on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Information with regard to physical hazard classes:There is no additional information.	Decomposition temperature	not relevant
Solubility(ies) Water solubility0,007 9/1 at 20 °CPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Liformation with regard to physical hazard classes:There is no additional information.	pH (value)	not determined
Water solubility0,007 9/1 at 20 °CPartition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Liformation with regard to physical hazard classes:There is no additional information.	Kinematic viscosity	1,839 ^{mm²} / _s at 20 °C
Partition coefficient Partition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther information Information with regard to physical hazard classes:There is no additional information.		
Partition coefficient n-octanol/water (log value):this information is not availableVapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parameters Oxidising propertiesnoneOther informationThere is no additional information.	Water solubility	0,007 ^g / _l at 20 °C
Vapour pressure6,9 hPa at 20 °CDensity0,87 9/cm³ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersononeOxidising propertiesnoneOther informationThere is no additional information.	Partition coefficient	
Density $0,87 \ {}^{9}/{}_{cm^3}$ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.	Partition coefficient n-octanol/water (log value):	this information is not available
Density $0,87 \ {}^{9}/{}_{cm^3}$ at 20 °CRelative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.		
Relative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.	Vapour pressure	6,9 hPa at 20 °C
Relative vapour densityinformation on this property is not availableParticle characteristicsnot relevant (liquid)Other safety parametersnoneOxidising propertiesnoneOther informationThere is no additional information.		
Particle characteristicsnot relevant (liquid)Other safety parameters	Density	0,87 ^g / _{cm³} at 20 °C
Other safety parametersOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.	Relative vapour density	information on this property is not available
Other safety parametersOxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.		
Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.	Particle characteristics	not relevant (liquid)
Oxidising propertiesnoneOther informationThere is no additional information.Information with regard to physical hazard classes:There is no additional information.		
Other information Information with regard to physical hazard classes: There is no additional information.	Other safety parameters	
Information with regard to physical hazard There is no additional information. classes:	Oxidising properties	none
classes:	Other information	
Other safety characteristics: There is no additional information.		There is no additional information.
	Other safety characteristics:	There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

9.2

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

according to Regulation (EC) No. 1907/2006 (REACH)



article number: 5172

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	4.700 ^{mg} / _{kg}	rat		TOXNET

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, gastrointestinal complaints, aspiration hazard

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness



® Foth

ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

• Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Endpoint	Value	Species	Source	Exposure time
LC50	0,68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	ECHA	96 h
EC50	1,09 ^{mg} / _l	daphnia magna	ECHA	48 h
ErC50	0,7 ^{mg} / _l	Pseudokirchneriella sub- capitata	ECHA	72 h

Endpoint	Value	Species	Source	Exposure time
EC50	326 ^{mg} / _l	microorganisms	ECHA	3 h

Biodegradation

The substance is readily biodegradable.

12.2 Process of degradability

Theoretical Oxygen Demand: 3,288 ^{mg}/_{mg} Theoretical Carbon Dioxide: 3,23 ^{mg}/_{mg}

Process of degradability			
Process	Degradation rate	Time	
oxygen depletion	76 %	28 d	

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number ADR/RID/ADN UN 2319 IMDG-Code UN 2319 ICAO-TI UN 2319 14.2 UN proper shipping name ADR/RID/ADN **TERPENE HYDROCARBONS, N.O.S. TERPENE HYDROCARBONS, N.O.S.** IMDG-Code ICAO-TI Terpene hydrocarbons, n.o.s. 14.3 Transport hazard class(es) ADR/RID/ADN 3 IMDG-Code 3 ICAO-TI 3 14.4 Packing group ADR/RID/ADN III IMDG-Code III ICAO-TI III 14.5 Environmental hazards hazardous to the aquatic environment

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

14.6 Special precautions for user Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	TERPENE HYDROCARBONS, N.O.S.
Particulars in the transport document	UN2319, TERPENE HYDROCARBONS, N.O.S., 3, III, (D/E), environmentally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y
International Maritime Dangerous Goods Code	(IMDG) - Additional information
Proper shipping name	TERPENE HYDROCARBONS, N.O.S.
Particulars in the shipper's declaration	UN2319, TERPENE HYDROCARBONS, N.O.S., 3, III, 39°C c.c., MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"
Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
	,
Stowage category	A

B-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information		
Proper shipping name	Terpene hydrocarbons, n.o.s.	
Particulars in the shipper's declaration	UN2319, Terpene hydrocarbons, n.o.s., 3, III	
Environmental hazards	Yes (hazardous to the aquatic environment)	
Danger label(s)	3	
Excepted quantities (EQ)	E1	
Limited quantities (LQ)	10 L	

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture **Relevant provisions of the European Union (EU)**

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)				
Name of substance	Name acc. to inventory	CAS No	Restriction	Νο
ß-Pinene	this product meets the criteria for classification in accordance with Reg- ulation No 1272/2008/EC		R3	3
ß-Pinene	flammable / pyrophoric		R40	40
ß-Pinene	substances in tattoo inks and perman- ent make-up		R75	75

Legend R3

1. Shall not be used in:

- ornamental articles intended to produce light or colour effects by means of different phases, for example in ornamental lamps and ashtrays,

tricks and jokes,
 games for one or more participants, or any article intended to be used as such, even with ornamental aspects,
 Articles not complying with paragraph 1 shall not be placed on the market.

3. Shall not be placed on the market if they contain a colouring agent, unless required for fiscal reasons, or perfume, or both, if they

a can be used as fuel in decorative oil lamps for supply to the general public, and
 present an aspiration hazard and are labelled with H304.
 Decorative oil lamps for supply to the general public shall not be placed on the market unless they conform to the European Standard on Decorative oil lamps (EN 14059) adopted by the European Committee for Standardisation

(CEN). 5. Without prejudice to the implementation of other Union provisions relating to the classification, labelling and pack-before the placing on the market, that the following require aging of substances and mixtures, suppliers shall ensure, before the placing on the market, that the following requirements are met

ments are met: (a) lamp oils, labelled with H304, intended for supply to the general public are visibly, legibly and indelibly marked as follows: "Keep lamps filled with this liquid out of the reach of children"; and, by 1 December 2010, "Just a sip of lamp oil – or even sucking the wick of lamps – may lead to life-threatening lung damage"; (b) grill lighter fluids, labelled with H304, intended for supply to the general public are legibly and indelibly marked by 1 December 2010 as follows: 'Just a sip of grill lighter fluid may lead to life threatening lung damage'; (c) lamps oils and grill lighters, labelled with H304, intended for supply to the general public are packaged in black opaque containers not exceeding 1 litre by 1 December 2010.';



according to Regulation (EC) No. 1907/2006 (REACH)



B-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

Legend R40

- 1. Shall not be used, as substance or as mixtures in aerosol dispensers where these aerosol dispensers are intended for supply to the general public for entertainment and decorative purposes such as the following: metallic glitter intended mainly for decoration,
- artificial snow and frost,

- 'whoopee' cushions,
 silly string aerosols,
 imitation excrement,
 horns for parties,
 decorative flakes and foams,
- artificial cobwebs,
- stink bombs.

Without prejudice to the application of other Community provisions on the classification, packaging and labelling of substances, suppliers shall ensure before the placing on the market that the packaging of aerosol dispensers referred to above is marked visibly, legibly and indelibly with: 'For professional users only'.

3. By way of derogation, paragraphs 1 and 2 shall not apply to the aerosol dispensers referred to Article 8 (1a) of Council Directive 75/324/EEC (2).

4. The aerosol dispensers referred to in paragraphs 1 and 2 shall not be placed on the market unless they conform to the requirements indicated.

ß-Pinene ROTICHROM® GC for gas chromatography



article number: **5172**



8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes.

® §ROTH

ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

Legend

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

Seveso Directive

2012/18/EU (Seveso III)						
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements	Notes			
E1	environmental hazards (hazardous to the aquatic en- vironment, cat. 1)	100 200	56)			

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	100 % , 870 ⁹ /i
	, I

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	870 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

ß-Pinene ROTICHROM® GC for gas chromatography



article number: 5172

Regulation on persistent organic pollutants (POP)

not listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

AICS	Australian Inventory of Chemical Substances
CICR	Chemical Inventory and Control Regulation
CSCL-ENCS	List of Existing and New Chemical Substances (CSCL-ENCS)
DSL	Domestic Substances List (DSL)
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
INSQ	National Inventory of Chemical Substances
KECI	Korea Existing Chemicals Inventory
NZIoC	New Zealand Inventory of Chemicals
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
TCSI	Taiwan Chemical Substance Inventory
TSCA	Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

Restructuring: section 9, section 14

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: 5172

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Precautionary statements - storage		yes
2.2		Precautionary statements - storage: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
DNEL	Derived No-Effect Level	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	

according to Regulation (EC) No. 1907/2006 (REACH)



ß-Pinene ROTICHROM® GC for gas chromatography

article number: **5172**

Abbr.	Descriptions of used abbreviations	
EmS	Emergency Schedule	
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	
ICAO	International Civil Aviation Organization	
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air	
IMDG	International Maritime Dangerous Goods Code	
IMDG-Code	International Maritime Dangerous Goods Code	
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval	
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval	
NLP	No-Longer Polymer	
PBT	Persistent, Bioaccumulative and Toxic	
PNEC	Predicted No-Effect Concentration	
ppm	Parts per million	
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals	
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)	
STEL	Short-term exposure limit	
SVHC	Substance of Very High Concern	
TWA	Time-weighted average	
VOC	Volatile Organic Compounds	
vPvB	Very Persistent and very Bioaccumulative	
WEL	Workplace exposure limit	

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

according to Regulation (EC) No. 1907/2006 (REACH)

ß-Pinene ROTICHROM® GC for gas chromatography



article number: **5172**

Code	Text	
H226	Flammable liquid and vapour.	
H304	May be fatal if swallowed and enters airways.	
H315	Causes skin irritation.	
H317	May cause an allergic skin reaction.	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.