acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215 date of compilation: 2017-02-24 Version: 3.0 en

Revision: 2023-11-15

Replaces version of: 2021-09-01

Version: (2)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Karl Fischer ROTI®Hydroquant Working Medi-

um K for KF titration, for aldehydes and ketones

Article number 5215

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into contact with foodstuffs. Do not use for private purposes (household). Food, drink and animal feedingstuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co. KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

Classification of the substance or mixture 2.1

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	2	Acute Tox. 2	H300
3.1D	Acute toxicity (dermal)	1	Acute Tox. 1	H310
3.1I	Acute toxicity (inhal.)	2	Acute Tox. 2	H330

United Kingdom (en) Page 1 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.6	Carcinogenicity	2	Carc. 2	H351
3.7	Reproductive toxicity	2	Repr. 2	H361d
3.9	Specific target organ toxicity - repeated exposure	1	STOT RE 1	H372

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Delayed or immediate effects can be expected after short or long-term exposure.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS06, GHS08





Hazard statements

H300+H310+H330 Fatal if swallowed, in contact with skin or if inhaled

H315 Causes skin irritation
H319 Causes serious eye irritation
H351 Suspected of causing cancer

H361d Suspected of damaging the unborn child

H372 Causes damage to organs through prolonged or repeated exposure

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe mist/vapours/spray

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of soap and water

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

Hazardous ingredients for labelling: 2-Chloroethanol, Trichloromethane

United Kingdom (en) Page 2 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

2.3 Other hazards

Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of \geq 0,1%.

Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of $\geq 0.1\%$.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Trichloromethane	CAS No 67-66-3 EC No 200-663-8 Index No 602-006-00-4	> 40 - 50	Acute Tox. 4 / H302 Acute Tox. 3 / H331 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Carc. 2 / H351 Repr. 2 / H361d STOT RE 1 / H372		GHS-HC IOELV
2-Chloroethanol	CAS No 107-07-3 EC No 203-459-7 Index No 603-028-00-7	> 30 - 40	Flam. Liq. 3 / H226 Acute Tox. 2 / H300 Acute Tox. 1 / H310 Acute Tox. 2 / H330		GHS-HC

Notes

GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)
Substance with a community indicative occupational exposure limit value IOELV:

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
2-Chloroethanol	CAS No 107-07-3 EC No 203-459-7	-	-	5 ^{mg} / _{kg} 5 ^{mg} / _{kg} 0,5 ^{mg} / _l /4h	oral dermal inhalation: va- pour
Trichlorometh- ane	CAS No 67-66-3 EC No 200-663-8	-	-	908 ^{mg} / _{kg} 3 ^{mg} / _l /4h	oral inhalation: va- pour

For full text of abbreviations: see SECTION 16

United Kingdom (en) Page 3 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off immediately all contaminated clothing. Self-protection of the first aider.

Following inhalation

Call a physician immediately. If breathing is irregular or stopped, administer artificial respiration.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Irritation, Cough, Dyspnoea, Spasms, Nausea, Headache, Vertigo, Dizziness, Unconsciousness, Loss of righting reflex, and ataxia

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings! water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX), May produce toxic fumes of carbon monoxide if burning.

United Kingdom (en) Page 4 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Avoid exposure. When not in use, keep containers tightly closed. Clear contaminated areas thoroughly.

Advice on general occupational hygiene

When using do not eat or drink. Thorough skin-cleansing after handling the product.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Protect from sunlight.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Store locked up.

Ventilation requirements

Keep any substance that emits harmful vapours or gases in a place that allows these to be permanently extracted.

United Kingdom (en) Page 5 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	chloroform	67-66-3	IOELV	2	10					Н	2000/39/ EC
GB	2-chloroethanol	107-07-3	WEL			1	3,4				EH40/ 2005
GB	chloroform	67-66-3	WEL	2	9,9						EH40/ 2005

Notation

Ceiling-C

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)

TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

Relevant DNELs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects
Trichloromethane	67-66-3	DNEL	333 mg/m ³	human, inhalat- ory	worker (industry)	acute - systemic effects
Trichloromethane	67-66-3	DNEL	2,5 mg/m ³	human, inhalat- ory	worker (industry)	chronic - local ef- fects
Trichloromethane	67-66-3	DNEL	0,94 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects

Relevant PNECs of components

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
2-Chloroethanol	107-07-3	PNEC	0,006 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)
2-Chloroethanol	107-07-3	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)

United Kingdom (en) Page 6 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Relevant PNECs of components

Relevant 1142es of components								
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time		
2-Chloroethanol	107-07-3	PNEC	20 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
2-Chloroethanol	107-07-3	PNEC	0,021 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
2-Chloroethanol	107-07-3	PNEC	0,002 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)		
2-Chloroethanol	107-07-3	PNEC	0,001 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)		
Trichloromethane	67-66-3	PNEC	0,146 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (single instance)		
Trichloromethane	67-66-3	PNEC	0,015 ^{mg} / _l	aquatic organ- isms	marine water	short-term (single instance)		
Trichloromethane	67-66-3	PNEC	0,048 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)		
Trichloromethane	67-66-3	PNEC	0,45 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)		
Trichloromethane	hane 67-66-3 PNEC (0,09 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (single instance)		
Trichloromethane	67-66-3	PNEC	0,56 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

United Kingdom (en) Page 7 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

type of material

FKM (fluoro rubber)

material thickness

≥0,4 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour characteristic
Melting point/freezing point not determined

Boiling point or initial boiling point and boiling 60 °C

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit 5 vol% (LEL) - 16 vol% (UEL)

Flash point >100 °C
Auto-ignition temperature 425 °C

Decomposition temperature not relevant pH (value) $6-8 (20 \,^{\circ}\text{C})$ Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

United Kingdom (en) Page 8 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Vapour pressure 211 hPa at 20 °C

Density and/or relative density

Density $1,35 \, {}^{9}/_{\text{cm}^3}$ at 20 ${}^{\circ}\text{C}$

Relative vapour density information on this property is not available

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

If heated

Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser, Acetone, Alkali metals, Alkaline earth metal, Mineral acids, Strong alkali, Metal powder, Nitro compound, Peroxides, => Explosive properties

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

different plastics, Rubber articles, Light metals

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 9 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification acc. to GHS

Acute toxicity

Fatal if swallowed. Fatal in contact with skin. Fatal if inhaled.

Acute toxicity estimate (ATE) of components

Name of substance	CAS No	Exposure route	ATE
2-Chloroethanol	107-07-3	oral	5 ^{mg} / _{kg}
2-Chloroethanol	107-07-3	dermal	5 ^{mg} / _{kg}
2-Chloroethanol	107-07-3	inhalation: vapour	0,5 ^{mg} / _l /4h
Trichloromethane	67-66-3	oral	908 ^{mg} / _{kg}
Trichloromethane	67-66-3	inhalation: vapour	3 ^{mg} / _l /4h

Acute toxicity of components

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
2-Chloroethanol	107-07-3	oral	LD50	77 ^{mg} / _{kg}	rat
2-Chloroethanol	107-07-3	dermal	LD50	416 ^{mg} / _{kg}	rat
Trichloromethane	67-66-3	oral	LD50	908 ^{mg} / _{kg}	rat

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Suspected of damaging the unborn child.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

United Kingdom (en) Page 10 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Specific target organ toxicity - repeated exposure

Causes damage to organs through prolonged or repeated exposure.

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye irritation

If inhaled

vertigo, dizziness, deficits in perception and coordination, reaction time, or sleepiness, loss of righting reflex, and ataxia, cough, headache, poisoning effect on central nervous system can cause convulsions, laboured breathing and loss of consciousness

• If on skin

Prolonged or repeated skin contact may cause removal of natural fat from the skin resulting in dermatitis (skin inflammation), causes skin irritation

Other information

none

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
2-Chloroethanol	107-07-3	LC50	15,2 ^{mg} / _l	fish	96 h
2-Chloroethanol	107-07-3	EC50	212 ^{mg} / _l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	EC50	152,5 ^{mg} / _l	aquatic invertebrates	48 h
Trichloromethane	67-66-3	ErC50	13,3 ^{mg} / _l	algae	72 h

Aquatic toxicity (chronic) of components

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Trichloromethane	67-66-3	EC50	0,48 ^{mg} / _l	microorganisms	24 h

United Kingdom (en) Page 11 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

12.2 Persistence and degradability

0,5638 ^{mg}/_{ma}

Biodegradation

Not readily biodegradable.

Degradability of components

Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
2-Chloroethan- ol	107-07-3	oxygen deple- tion	93 %	28 d		ECHA
Trichlorometh- ane	67-66-3	biotic/abiotic	0 %	14 d		

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
Trichloromethane	67-66-3		1,97 (25 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Does not contain a PBT-/vPvB-substance in a concentration of $\geq 0.1\%$.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (ED) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

United Kingdom (en) Page 12 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

HP 5 specific target organ toxicity (STOT)/aspiration toxicity

HP 6 acute toxicity **HP 7** carcinogenic

HP 10 toxic for reproduction

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 2810
IMDG-Code	UN 2810
ICAO-TI	UN 2810

14.2 UN proper shipping name

ADRRID	TOXIC LIQUID, ORGANIC, N.O.S.
IMDG-Code	TOXIC LIQUID, ORGANIC, N.O.S.

ICAO-TI Toxic liquid, organic, n.o.s.

Technical name (hazardous ingredients)

Trichloromethane, 2-Chloroethanol

14.3 Transport hazard class(es)

ADRRID	6.1
IMDG-Code	6.1
ICAO-TI	6.1

14.4 Packing group

ADRRID	I
IMDG-Code	I
ICAO-TI	I

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

United Kingdom (en) Page 13 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

TOXIC LIQUID, ORGANIC, N.O.S. Proper shipping name

Particulars in the transport document UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (con-

tains: Trichloromethane, 2-Chloroethanol), 6.1, I,

(C/E)

Classification code T1 6.1 Danger label(s)

Special provisions (SP) 274, 315, 614, 802(ADN)

Excepted quantities (EQ) E5 Limited quantities (LQ) 0 Transport category (TC) 1 Tunnel restriction code (TRC) C/E Hazard identification No 66

2X **Emergency Action Code**

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

T1 Classification code Danger label(s) 6.1

274, 315, 614, 802(ADN) **Special provisions (SP)**

Excepted quantities (EQ) E5 Limited quantities (LQ) 0 **Transport category (TC) Hazard identification No** 66

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name TOXIC LIQUID, ORGANIC, N.O.S.

Particulars in the shipper's declaration UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (con-

tains: Trichloromethane, 2-Chloroethanol), 6.1, I

Marine pollutant 6.1

Danger label(s)

Special provisions (SP) 274, 315

Excepted quantities (EQ) E5

United Kingdom (en) Page 14 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Limited quantities (LQ)

F-A, S-A **EmS**

Stowage category

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Toxic liquid, organic, n.o.s. Proper shipping name

UN2810, Toxic liquid, organic, n.o.s., (contains: Trichloromethane, 2-Chloroethanol), 6.1, I Particulars in the shipper's declaration

Danger label(s) 6.1

Special provisions (SP) A3, A4, A137

Excepted quantities (EQ) E5

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)					
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the plication of lower and upper-tier r quirements		Notes	
H1	acute toxic (cat. 1)	5	20	40)	

Notation

Deco-Paint Directive

VOC content	100 %
VOC content	1.350 ^g / _l

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	1.350 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

United Kingdom (en) Page 15 / 22

⁴⁰⁾ Category 1, all exposure routes

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Trichloromethane	67-66-3		500

Water Framework Directive (WFD)

List of pollutants (WFD)

_				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
2-Chloroethanol	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	
2-Chloroethanol	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Trichloromethane	trichloromethane (chloroform)	67-66-3	b)	
Trichloromethane	trichloromethane	67-66-3	c)	
Trichloromethane	Organohalogen compounds and substances which may form such compounds in the aquatic envir- onment		a)	
Trichloromethane	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	

Legend

a) b)

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

United Kingdom (en) Page 16 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Name of substance	Name acc. to inventory	CAS No	Wt%	Category / subcat- egory	Use limita- tion
Trichloromethane	chloroform	67-66-3	50	i(2)	b

Legend

b Use limitation: ban (for the sub-category or sub-categories concerned) according to Union legislation i(2) Sub-category: i(2) - industrial chemical for public use

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list none of the ingredients are listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Karl Fischer ROTI®Hydroquant Working Medium K	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
2-Chloroethanol	flammable / pyrophoric		40
Trichloromethane	Chloroform	67-66-3	32

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	all ingredients are listed
CA	DSL	all ingredients are listed
CN	IECSC	all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	all ingredients are listed
JP	CSCL-ENCS	all ingredients are listed
KR	KECI	all ingredients are listed
MX	INSQ	all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	all ingredients are listed (ACTIVE)

United Kingdom (en) Page 17 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Country	Inventory	Status
VN	NCI	all ingredients are listed

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TSCA Toxic Substance Control Act

15.2 Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Hazardous ingredients for labelling: Ethylene chlorohydrin, Trichloromethane	Hazardous ingredients for labelling: 2-Chloroethanol, Trichloromethane	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2	contains: Ethylene chlorohydrin, Trichloromethane		yes
2.3	Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	Results of PBT and vPvB assessment: Does not contain a PBT-/vPvB-substance in a concentration of ≥ 0,1%.	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (ED) in a concentration of ≥ 0,1%.	yes
14.2	Technical name (hazardous ingredients): Trichloromethane, Ethylene chlorohydrin	Technical name (hazardous ingredients): Trichloromethane, 2-Chloroethanol	yes
14.8	Particulars in the transport document: UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, ethylene chlorohydrin), 6.1, I, (C/E)	Particulars in the transport document: UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, 2-Chloroethanol), 6.1, I, (C/E)	yes

United Kingdom (en) Page 18 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev-
			ant
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: T1	yes
14.8		Danger label(s): 6.1	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Special provisions (SP): 274, 315, 614, 802(ADN)	yes
14.8		Excepted quantities (EQ): E5	yes
14.8		Limited quantities (LQ): 0	yes
14.8		Transport category (TC): 1	yes
14.8		Hazard identification No: 66	yes
14.8	Particulars in the shipper's declaration: UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, ethylene chlorohydrin), 6.1, I	Particulars in the shipper's declaration: UN2810, TOXIC LIQUID, ORGANIC, N.O.S., (contains: Trichloromethane, 2-Chloroethanol), 6.1, I	yes
14.8	Particulars in the shipper's declaration: UN2810, Toxic liquid, organic, n.o.s., (contains: Trichloromethane, ethylene chlorohydrin), 6.1, I	Particulars in the shipper's declaration: UN2810, Toxic liquid, organic, n.o.s., (contains: Trichloromethane, 2-Chloroethanol), 6.1, I	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: None of the ingredients are listed. (Or Concen- tration of the substance in a mixture: <0.1 % Mass concentration)		yes
15.1	VOC content: 100 % , 1.340 ^g / _l	VOC content: 100 %	yes
15.1		VOC content: 1.350 ^g / _l	yes
15.1	VOC content: 1.340 ^g / _l	VOC content: 1.350 ^g / _l	yes
15.1		List of pollutants (WFD): change in the listing (table)	yes
15.1		Regulation concerning the export and import of hazardous chemicals (PIC): change in the listing (table)	yes
15.1		National regulations(GB)	yes

United Kingdom (en) Page 19 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: none of the ingredients are listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
2000/39/EC	Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Acute Tox.	Acute toxicity
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerr ing the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
Carc.	Carcinogenicity
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances
Ceiling-C	Ceiling value
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causin 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an ider fier of substances commercially available within the EU (European Union)
ED	Endocrine disruptor
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in eithe growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye

United Kingdom (en) Page 20 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Abbr.	Descriptions of used abbreviations
Flam. Liq.	Flammable liquid
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

United Kingdom (en) Page 21 / 22

acc. to Regulation (EC) No. 1907/2006 (REACH)



Karl Fischer ROTI®Hydroquant Working Medium K for KF titration, for aldehydes and ketones

article number: 5215

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H300	Fatal if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H351	Suspected of causing cancer.
H361d	Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 22 / 22