according to Regulation (EC) No. 1907/2006 (REACH)



date of compilation: 2016-10-13

Revision: 2022-02-03

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)

article number: **5293** Version: **2.0 en** Replaces version of: 2016-10-13 Version: (1)

# SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance

Article number

Registration number (REACH)

Rubidium nitrate ROTI®METIC 99,99 % (4N)

5293

236-060-1

13126-12-0

It is not required to list the identified uses because the substance is not subject to registration according to REACH (< 1 t/a).

EC number

CAS number

1.2

Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Laboratory chemical Laboratory and analytical use

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

## **1.3** Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

**Telephone:**+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

#### e-mail (competent person):

## sicherheit@carlroth.de

## 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

according to Regulation (EC) No. 1907/2006 (REACH)



## Rubidium nitrate ROTI®METIC 99,99 % (4N)

article number: 5293

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

## Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.14	Oxidising solid	2	Ox. Sol. 2	H272
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335

For full text of abbreviations: see SECTION 16

#### 2.2 Label elements

## Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

**Pictograms** 

GHS03, GHS07



#### Hazard statements

H272 H315	May intensify fire; oxidiser Causes skin irritation
H319	Causes serious eye irritation
H335	May cause respiratory irritation

#### **Precautionary statements**

#### Precautionary statements - prevention

P220 Keep/store away from combustible materials

#### **Precautionary statements - response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

#### Labelling of packages where the contents do not exceed 125 ml

Signal word: Danger

Symbol(s)



according to Regulation (EC) No. 1907/2006 (REACH)



® Foth

article number: 5293

#### 2.3 Other hazards

#### **Results of PBT and vPvB assessment**

According to the results of its assessment, this substance is not a PBT or a vPvB.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Rubidium nitrate
Molecular formula	RbNO <sub>3</sub>
Molar mass	147,5 <sup>g</sup> / <sub>mol</sub>
CAS No	13126-12-0
EC No	236-060-1

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off contaminated clothing.

#### **Following inhalation**

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

#### Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

## **Following ingestion**

Rinse mouth. Call a doctor if you feel unwell.

**4.2 Most important symptoms and effects, both acute and delayed** Irritation, Cough, Dyspnoea

# **4.3 Indication of any immediate medical attention and special treatment needed** none

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



article number: 5293

# SECTION 5: Firefighting measures

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Oxidising property. Non-combustible.

#### Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

# SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe dust.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains. Take up mechanically.

#### Advice on how to clean up a spill

Take up mechanically. Control of dust.

#### Other information relating to spills and releases

Place in appropriate containers for disposal.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)

article number: **5293** 

# **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

#### Measures to prevent fire as well as aerosol and dust generation

Keep away from combustible material.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed in a cool place. Store in a dry place.

#### Incompatible substances or mixtures

Observe hints for combined storage. Keep/store away from clothing/combustible materials. Take any precaution to avoid mixing with combustibles.

#### Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

## 7.3 Specific end use(s)

No information available.

# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

## **Occupational exposure limit values (Workplace Exposure Limits)**

This information is not available.

### 8.2 Exposure controls

## Individual protection measures (personal protective equipment)

**Eye/face protection** 



Use safety goggle with side protection.

#### Skin protection





according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



article number: **5293** 

## hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### • type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

#### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**



Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state	solid
Form	crystalline
Colour	white
Odour	odourless
Melting point/freezing point	310 °C (ECHA)
Boiling point or initial boiling point and boiling range	not determined
Flammability	non-combustible
5	non-combustible not determined
Flammability	
Flammability Lower and upper explosion limit	not determined
Flammability Lower and upper explosion limit Flash point	not determined not applicable

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



articl	le number: <b>5293</b>	
	Kinematic viscosity	not relevant
	Solubility(ies)	
	Water solubility	>500 <sup>g</sup> / <sub>l</sub> (ECHA)
	Partition coefficient	
	Partition coefficient n-octanol/water (log value):	not relevant (inorganic)
	Vapour pressure	not determined
	Density and/or relative density	
	Density	3,11 <sup>g</sup> / <sub>cm<sup>3</sup></sub>
	Relative vapour density	information on this property is not available
	Particle characteristics	No data available.
	Other safety parameters	
	Oxidising properties	oxidiser
9.2	Other information	
	Information with regard to physical hazard classes:	There is no additional information.
	Other safety characteristics:	There is no additional information.

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

It's a reactive substance. Oxidising property.

## 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### **10.3** Possibility of hazardous reactions

Violent reaction with: strong oxidiser

## 10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

# **10.5** Incompatible materials

reducing agents, acids

# **10.6 Hazardous decomposition products**

Hazardous combustion products: see section 5.

according to Regulation (EC) No. 1907/2006 (REACH)



#### Rubidium nitrate ROTI®METIC 99,99 % (4N)

#### article number: 5293

# **SECTION 11: Toxicological information**

## 11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Classification according to GHS (1272/2008/EC, CLP)

#### Acute toxicity

Shall not be classified as acutely toxic.

#### Acute toxicity

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	4.625 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET

#### Skin corrosion/irritation

Causes skin irritation.

#### Serious eye damage/eye irritation

Causes serious eye irritation.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

May cause respiratory irritation.

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

Data are not available.

#### • If in eyes

Causes serious eye irritation

#### • If inhaled

Irritation to respiratory tract, cough, Dyspnoea

#### • If on skin

causes skin irritation

• Other information none

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)

® Foth

article number: 5293

# **11.2 Endocrine disrupting properties** Not listed.

**11.3 Information on other hazards** There is no additional information.

# **SECTION 12: Ecological information**

## 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute)				
Endpoint	Value	Species	Source	Exposure time
EC50	67 <sup>mg</sup> / <sub>l</sub>	aquatic invertebrates	ECHA	48 h
ErC50	93 <sup>mg</sup> / <sub>l</sub>	algae	ECHA	72 h

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

- **12.5 Results of PBT and vPvB assessment** Data are not available.
- **12.6 Endocrine disrupting properties** Not listed.
- 12.7 Other adverse effects

Data are not available.

# SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



article number: 5293

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

14.1	UN number or ID number	
	ADR/RID/ADN	UN 1477
	IMDG-Code	UN 1477
	ICAO-TI	UN 1477
14.2	UN proper shipping name	
	ADR/RID/ADN	NITRATES, INORGANIC, N.O.S.
	IMDG-Code	NITRATES, INORGANIC, N.O.S.
	ICAO-TI	Nitrates, inorganic, n.o.s.
14.3	Transport hazard class(es)	
	ADR/RID/ADN	5.1
	IMDG-Code	5.1
	ICAO-TI	5.1
14.4	Packing group	
	ADR/RID/ADN	II
	IMDG-Code	II
	ICAO-TI	II
14.5	Environmental hazards	non-environmentally hazardous acc. to the dan- gerous goods regulations

#### 14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

# 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

## 14.8 Information for each of the UN Model Regulations

# Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the transport document	UN1477, NITRATES, INORGANIC, N.O.S., 5.1, II, (E)
Classification code	02
Danger label(s)	5.1



according to Regulation (EC) No. 1907/2006 (REACH)

### Rubidium nitrate ROTI®METIC 99,99 % (4N)



Special provisions (SP)	511
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
Transport category (TC)	2
Tunnel restriction code (TRC)	E
Hazard identification No	50
Emergency Action Code	1Y
International Maritime Dangerous Goods (	Code (IMDG) - Additional information
Proper shipping name	NITRATES, INORGANIC, N.O.S.
Particulars in the shipper's declaration	UN1477, NITRATES, INORGANIC, N.O.S., 5.1
Marine pollutant	-
Danger label(s)	5.1
Special provisions (SP)	-
Excepted quantities (EQ)	E2
Limited quantities (LQ)	1 kg
EmS	F-A, S-Q
Stowage category	A
International Civil Aviation Organization (	ICAO-IATA/DGR) - Additional information
Proper shipping name	Nitrates, inorganic, n.o.s.
Particulars in the shipper's declaration	UN1477, Nitrates, inorganic, n.o.s., 5.1, II
Danger label(s)	5.1
Special provisions (SP)	A3
Excepted quantities (EQ)	E2
Limited quantities (LQ)	2,5 kg

# **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

according to Regulation (EC) No. 1907/2006 (REACH)





#### article number: 5293

#### **Restrictions according to REACH, Annex XVII** Dangerous substances with restrictions (REACH, Annex XVII) **CAS No** Restriction Name of substance Name acc. to inventory No 75 Rubidium nitrate substances in tattoo inks and perman-R75 ent make-up Legend

R75

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such sub-stances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances:

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category 1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant

category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by weight;

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser catègory 1, 1A or 1B, the substance is present in the mixture in a concentration équal to or greater than 0,001 % by weight;

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive cat-egory 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than: (i) 0,1% by weight, if the substance is used solely as a pH regulator;

(ii) 0,01 % by weight, in all other cases;

(ii) (0,01% by Weight, in all other cases;
(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (\*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005% by weight;
(f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g (Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005% by weight:
(i) "Rinse-off products";
(ii) "Note table and the products";

(i) "Rinse-off products";
(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column;
(h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration limit specified for that substance in that Appendix.
2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures commonly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 falls within one of paragraph 1, the concentration limit laid down in points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragrap paragraph 1 shall apply to that substance

13 also fails within one of more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.
4. By way of derogation, paragraph 1 shall not apply to the following substances until 4 January 2023:
(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8);
(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 147-14-8);
(c) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.
6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from th

The list of ingredients in accordance with the homenclature established in the glossary of common ingredient names names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredients at the regulation (EC) No 1272/2008, that ingred

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1;
(e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;
(f) the statement "Contains chromium (VI). Can cause allergic reactions." if the mixture contains chromium (VI) below

the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



#### article number: 5293

#### Legend

1272/2008

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the

market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point (a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this para-

graph. 8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for tattooing purposes

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or gener-ate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclus ively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

#### List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

Not listed.

#### **Seveso Directive**

2012/18/EU (Seveso III)				
Νο	No Dangerous substance/hazard categories Qualifying quantity (tonnes) for the application of lower and upper-tier requirements			
P8	oxidising liquids and solids	50	200	55)

#### Notation

Oxidising liquids, category 1, 2 or 3, or oxidising solids, category 1, 2 or 3 55)

#### **Deco-Paint Directive**

VOC content	0 %
-------------	-----

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
-------------	-----

#### Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

#### Regulation concerning the establishment of a European Pollutant Release and Transfer **Register (PRTR)**

not listed

#### Water Framework Directive (WFD)

st of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Rubidium nitrate	Substances which contribute to eutrophication (in particular, ni-trates and phosphates)		A)	
Rubidium nitrate	Metals and their compounds		A)	

Legend A)

Indicative list of the main pollutants

according to Regulation (EC) No. 1907/2006 (REACH)

#### Rubidium nitrate ROTI®METIC 99,99 % (4N)



#### article number: 5293

#### Regulation on the marketing and use of explosives precursors

not listed

#### **Regulation on drug precursors**

not listed

#### Regulation on substances that deplete the ozone layer (ODS)

not listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

#### **Regulation on persistent organic pollutants (POP)**

not listed

#### **Other information**

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### National inventories

Country	Inventory	Status
AU	AICS	substance is listed
CA	NDSL	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	ISHA-ENCS	substance is listed
KR	KECI	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

#### Legend

Australian Inventory of Chemical Substances
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing and New Chemical Substances (ISHA-ENCS)
Korea Existing Chemicals Inventory
Non-domestic Substances List (NDSL)
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances
Taiwan Chemical Substance Inventory
Toxic Substance Control Act

## 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

according to Regulation (EC) No. 1907/2006 (REACH)



## Rubidium nitrate ROTI®METIC 99,99 % (4N)

#### article number: 5293

# **SECTION 16: Other information**

## Indication of changes (revised safety data sheet)

Alignment to regulation: Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU

#### Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification according to Regulation (EC) No 1272/2008 (CLP): change in the listing (table)	yes
2.1	Remarks: For full text of Hazard- and EU Hazard-state- ments: see SECTION 16.		yes
2.2		Pictograms: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

## Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations	
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)	
ADR/RID/ADN	Agreements concerning the International Carriage of Dangerous Goods by Road/Rail/Inland Waterways (ADR/RID/ADN)	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)	
EINECS	European Inventory of Existing Commercial Chemical Substances	
ELINCS	European List of Notified Chemical Substances	
EmS	Emergency Schedule	
ErC50	= EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control	
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions	
IATA	International Air Transport Association	
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)	

according to Regulation (EC) No. 1907/2006 (REACH)



## Rubidium nitrate ROTI®METIC 99,99 % (4N)

#### article number: 5293

Abbr.	Descriptions of used abbreviations		
ICAO	International Civil Aviation Organization		
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air		
IMDG	International Maritime Dangerous Goods Code		
IMDG-Code	International Maritime Dangerous Goods Code		
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval		
NLP	No-Longer Polymer		
PBT	Persistent, Bioaccumulative and Toxic		
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals		
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)		
SVHC	Substance of Very High Concern		
VOC	Volatile Organic Compounds		
vPvB	Very Persistent and very Bioaccumulative		

#### Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

## List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text	
H272	May intensify fire; oxidiser.	
H315	Causes skin irritation.	
H319	Causes serious eye irritation.	
H335	May cause respiratory irritation.	

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.