
acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620 Version: **4.0 en** Revision: 2022-08-29

Replaces version of: 2022-01-14

Version: (3)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance Cobalt powder ROTI®METIC 99,998 % (4N8)

Article number 5620

EC number 231-158-0 CAS number 7440-48-4

Relevant identified uses of the substance or mixture and uses advised against 1.2

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

sicherheit@carlroth.de e-mail (competent person):

Emergency telephone number 1.4

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.5	Germ cell mutagenicity	2	Muta. 2	H341
3.6	Carcinogenicity	1B	Carc. 1B	H350
3.7	Reproductive toxicity	1B	Repr. 1B	H360F
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS07, GHS08, GHS09







Hazard statements

H302	Harmful if swallowed
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled
H341	Suspected of causing genetic defects
H350	May cause cancer
H360F	May damage fertility
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P260 Do not breathe dust

P273 Avoid release to the environment

P280 Wear protective gloves/protective clothing/eye protection/face protection

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor

For professional users only

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 3: Composition/information on ingredients

Substances

Name of substance Cobalt powder

Molecular formula Co

58,93 ^g/_{mol} Molar mass CAS No 7440-48-4 EC No 231-158-0

Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
-	M-factor (chronic) = 100	550 ^{mg} / _{kg}	oral

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Irritation, Allergic reactions, Cough, Dyspnoea

Indication of any immediate medical attention and special treatment needed 4.3

none

United Kingdom (en) Page 3 / 18



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings dry sand, use metal fire powder to extinguish

Unsuitable extinguishing media

water, foam

5.2 Special hazards arising from the substance or mixture

Non-combustible.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe dust.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 7: Handling and storage

Precautions for safe handling

Provision of sufficient ventilation. Avoid exposure. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities 7.2

Store in a dry place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

Coun	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005
GB	cobalt	7440-48-4	WEL	0,1				EH40/2005

Notation

Ceiling-C Ceiling value is a limit value above which exposure should not occur

Inhalable fraction Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Human health values

Relevant DNELs and other threshold levels					
Endpoint	Threshold level	Protection goal, route of exposure	Used in	Exposure time	
DNEL	40 μg/m³	human, inhalatory	worker (industry)	chronic - local effects	

Environmental values

Relevant PNECs and other threshold levels						
End- point	Threshold level	Organism	Environmental com- partment	Exposure time		
PNEC	0,62 ^{µg} / _l	aquatic organisms	freshwater	short-term (single instance)		
PNEC	2,36 ^{µg} / _l	aquatic organisms	marine water	short-term (single instance)		
PNEC	0,37 ^{mg} / _l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)		
PNEC	53,8 ^{mg} / _{kg}	aquatic organisms	freshwater sediment	short-term (single instance)		
PNEC	69,8 ^{mg} / _{kg}	aquatic organisms	marine sediment	short-term (single instance)		
PNEC	10,9 ^{mg} / _{kg}	terrestrial organisms	soil	short-term (single instance)		

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620

>0,11 mm

· breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Form powder
Colour metallic
Odour odourless

Melting point/freezing point 1.495 °C (ECHA)

Boiling point or initial boiling point and boiling 2.927 °C at 101,3 kPa (ECHA)

range

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant
pH (value) not applicable

Kinematic viscosity not relevant

Solubility(ies)

Water solubility 0,003 ^g/_l at 20 °C

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorganic)

Vapour pressure not determined

United Kingdom (en) Page 7 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620

Density and/or relative density

Density $8,86 \, {}^{g}/_{cm^3}$ at 20 °C (ECHA)

Relative vapour density information on this property is not available

Particle characteristics No data available.

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Danger of explosion: Acetylene, Ammonium compounds, Halogenated hydrocarbons, strong oxidiser, Hydrogen peroxide

10.4 Conditions to avoid

There are no specific conditions known which have to be avoided.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Harmful if swallowed.

Acute toxicity					
Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	550 ^{mg} / _{kg}	rat		ECHA

United Kingdom (en) Page 8 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Carcinogenicity

Reproductive toxicity

Shall not be classified as a specific target organ toxicant (single exposure).

Aspiration hazard

If swallowed

diarrhoea, vomiting, abdominal pain, nausea

• If in eyes

Causes serious eye irritation

If inhaled

• If on skin

Other information

Other adverse effects: Blood pressure drop, Spasms, Irreversible damage to internal organs, Cardiovascular system, Renal impairment

Not listed.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 18



Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin

Germ cell mutagenicity

Suspected of causing genetic defects.

May cause cancer.

May damage fertility.

Specific target organ toxicity - single exposure

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

May produce an allergic reaction, cough, Dyspnoea

May produce an allergic reaction, pruritis, localised redness

11.2 Endocrine disrupting properties

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute)

Endpoint	Value	Species	Source	Exposure time
LC50	1,512 ^{mg} / _l	fish	ECHA	96 h
EC50	>890 ^{µg} / _I	aquatic invertebrates	ECHA	48 h
ErC50	144 ^{µg} / _l	algae	ECHA	72 h

Aquatic toxicity (chronic)

Endpoint	Value	Species	Source	Exposure time
EC50	82,2 ^{µg} / _l	aquatic invertebrates	ECHA	21 d
ErC50	20 ^{µg} / _l	algae	ECHA	70 h

Biodegradation

The methods for determining the biological degradability are not applicable to inorganic substances.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

BCF	23 (ECHA)
	- (-)

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 10 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Recycling/reclamation of metals and metal compounds.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID UN 3077
IMDG-Code UN 3077
ICAO-TI UN 3077

14.2 UN proper shipping name

ADRRID ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG-Code ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

ICAO-TI Environmentally hazardous substance, solid,

n.o.s.

Technical name Cobalt powder

14.3 Transport hazard class(es)

ADRRID 9
IMDG-Code 9
ICAO-TI 9

14.4 Packing group

ADRRID III
IMDG-Code III

United Kingdom (en) Page 11 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620

ICAO-TI III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the transport document

UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Cobalt powder), 9, III, (-)

Classification code M7

Danger label(s) 9, "Fish and tree"

Environmental hazards yes (hazardous to the aquatic environment)

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
Transport category (TC) 3
Tunnel restriction code (TRC) Hazard identification No 90

Emergency Action Code 2Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code M7

Danger label(s) 9
Fish and tree

Hazard identification No

Environmental hazards Yes

Hazardous to water

Special provisions (SP) 274, 335, 375, 601

Excepted quantities (EQ) E1

Limited quantities (LQ) 5 kg

Transport category (TC) 3

United Kingdom (en) Page 12 / 18

90



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

Particulars in the shipper's declaration UN3077, ENVIRONMENTALLY HAZARDOUS SUB-

STANCE, SOLID, N.O.S., (Cobalt powder), 9, III

Marine pollutant yes (hazardous to the aquatic environment), (Cobalt powder)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) 274, 335, 966, 967, 969

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 kg
EmS F-A, S-F

Stowage category A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Environmentally hazardous substance, solid,

n.o.s.

Particulars in the shipper's declaration UN3077, Environmentally hazardous substance,

solid, n.o.s., (Cobalt powder), 9, III

Environmental hazards yes (hazardous to the aquatic environment)

Danger label(s) 9, "Fish and tree"

Special provisions (SP) A97, A158, A179, A197, A215

Excepted quantities (EQ) E1
Limited quantities (LQ) 30 kg

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100 200	56)		

Notation

56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

United Kingdom (en) Page 13 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: **5620**



Deco-Paint Directive		
VOC content	0 % 0 ⁹ / ₁	

Industrial Emissions Directive (IED)

VOC content	0 %
VOC content	0 g/l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Cobalt powder	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cobalt powder	Metals and their compounds		a)	

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

United Kingdom (en) Page 14 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Restrictions according to GB REACH, Annex 17

Name of substance	Name acc. to inventory	CAS No	No
Cobalt powder	carcinogenic		28
Cobalt powder	toxic for reproduction		30

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed

Legend

Australian Inventory of Industrial Chemicals
Chemical Inventory and Control Regulation
Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China
National Inventory of Chemical Substances
Korea Existing Chemicals Inventory
New Zealand Inventory of Chemicals
Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH registered substances AIIC CICR DSL

ECSI IECSC

REACH Reg. REACH registered substances

TCSI TSCA Taiwan Chemical Substance Inventory

Toxic Substance Control Act

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling-C	Ceiling value
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)

United Kingdom (en) Page 16 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Abbr.	Descriptions of used abbreviations
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H302	Harmful if swallowed.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H360F	May damage fertility.

United Kingdom (en) Page 17 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

Cobalt powder ROTI®METIC 99,998 % (4N8)

article number: 5620



Code	Text	
H400	Very toxic to aquatic life.	
H410	Very toxic to aquatic life with long lasting effects.	

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18