according to Regulation (EC) No. 1907/2006 (REACH)

Listeria Palcam Supplement lyophilised

article number: 5803 date of compilation: 2021-08-23 Version: 1.0 en

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Listeria Palcam Supplement** lyophilised

Article number 5803

Registration number (REACH) not relevant (mixture)

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes

(household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone: +49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.10	Acute toxicity (oral)	4	Acute Tox. 4	H302
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4R	Respiratory sensitisation	1	Resp. Sens. 1	H334
3.45	Skin sensitisation	1	Skin Sens. 1	H317

United Kingdom (en) Page 1 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
3.8R	Specific target organ toxicity - single exposure (respirat- ory tract irritation)	3	STOT SE 3	H335
4.1C	Hazardous to the aquatic environment - chronic hazard	3	Aquatic Chronic 3	H412

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling according to Regulation (EC) No 1272/2008 (CLP)

Signal word Danger

Pictograms

GHS07, GHS08





Hazard statements

Harmful if swallowed
Causes skin irritation
May cause an allergic skin reaction
Causes serious eye irritation
May cause allergy or asthma symptoms or breathing difficulties if inhaled
May cause respiratory irritation
Harmful to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P261 Avoid breathing dust

P270 Do not eat, drink or smoke when using this product

P273 Avoid release to the environment

Precautionary statements - response

Hazardous ingredients for labelling:

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

Ceftazidime, Acriflavine, Polymyxin B sulphate

lenses, if present and easy to do. Continue rinsing

Labelling of packages where the contents do not exceed 125 ml Signal word: **Danger**

. .

Symbol(s)





H317 May cause an allergic skin reaction.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H412 Harmful to aquatic life with long lasting effects.

United Kingdom (en) Page 2 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

P261

Avoid breathing dust. IF ON SKIN: Wash with plenty of water. P302+P352

contains: Ceftazidime, Acriflavine, Polymyxin B sulphate

2.3 Other hazards

Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 **Substances**

not relevant (mixture)

3.2 **Mixtures**

Description of the mixture

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Acriflavine	CAS No 8048-52-0 EC No 623-012-3	50 - < 75	Acute Tox. 4 / H302 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 STOT SE 3 / H335 Aquatic Chronic 3 / H412	<u>(1)</u>	
Polymyxin B sulphate	CAS No 1405-20-5 EC No 215-774-7	25 - < 50	Acute Tox. 4 / H302	<u>(1)</u>	
Ceftazidime	CAS No 72558-82-8 EC No 276-715-9	10 - < 25	Resp. Sens. 1 / H334 Skin Sens. 1 / H317		

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Acriflavine	CAS No 8048-52-0	-	-	1.700 ^{mg} / _{kg}	oral
	EC No 623-012-3				
Polymyxin B sulphate	CAS No 1405-20-5	-	-	790 ^{mg} / _{kg}	oral
	EC No 215-774-7				

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 **Description of first aid measures**



General notes

United Kingdom (en) Page 3 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Listeria Palcam Supplement lyophilised

article number: 5803

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin reactions, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Rinse mouth with water (only if the person is conscious). Call a doctor.

4.2 Most important symptoms and effects, both acute and delayed

Vomiting, Nausea, Irritation, Allergic reactions, Cough, Breathing difficulties

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water, foam, alcohol resistant foam, dry extinguishing powder, ABC-powder

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible.

Hazardous combustion products

In case of fire may be liberated: Nitrogen oxides (NOx), Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe dust. Avoid contact with skin and eyes.

United Kingdom (en) Page 4 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Listeria Palcam Supplement lyophilised

article number: 5803

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains. Take up mechanically.

Advice on how to clean up a spill

Take up mechanically. Control of dust.

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. Avoid dust formation.

Measures to prevent fire as well as aerosol and dust generation

Removal of dust deposits.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

7.2 Conditions for safe storage, including any incompatibilities

Keep in a cool place.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 2 - 8 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

United Kingdom (en) Page 5 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Occupational exposure limit values (Workplace Exposure Limits)

Coun try	Name of agent	CAS No	Identifi- er	TWA [mg/ m³]	STEL [mg/ m³]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	dust		WEL	10			i	EH40/2005
GB	dust		WEL	4			r	EH40/2005

Notation

Ceiling value is a limit value above which exposure should not occur Inhalable fraction Ceiling-C

Respirable fraction

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 TWA

hours time-weighted average (unless otherwise specified)

8.2 **Exposure controls**

Individual protection measures (personal protective equipment)

Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

NBR (Nitrile rubber)

material thickness

>0.11 mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

United Kingdom (en) Page 6 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Respiratory protection





Respiratory protection necessary at: Dust formation. Particulate filter device (EN 143). P2 (filters at least 94 % of airborne particles, colour code: White).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state solid
Form powder
Colour orange

Odour this information is not available

Melting point/freezing point not determined

Boiling point or initial boiling point and boiling not determined

range

Flammability this material is combustible, but will not ignite

readily

Lower and upper explosion limit not determined
Flash point not applicable
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) 4-7 (in aqueous solution: $20 \frac{g}{l}$)

Kinematic viscosity not relevant

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): this information is not available

Vapour pressure not determined

Density not determined

Relative vapour density information on this property is not available

Particle characteristics No data available.

United Kingdom (en) Page 7 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Listeria Palcam Supplement lyophilised

article number: 5803

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics:

Miscibility completely miscible with water

SECTION 10: Stability and reactivity

10.1 Reactivity

The product in the delivered form is not dust explosion capable; the enrichment of fine dust however leads to the danger of dust explosion.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

No known hazardous reactions.

10.4 Conditions to avoid

Keep away from heat.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Test data are not available for the complete mixture.

Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

Classification according to GHS (1272/2008/EC, CLP)

Acute toxicity

Harmful if swallowed.

Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Acriflavine	8048-52-0	oral	1.700 ^{mg} / _{kg}
Polymyxin B sulphate	1405-20-5	oral	790 ^{mg} / _{kg}

United Kingdom (en) Page 8 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Acute toxicity	of components	of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Polymyxin B sulphate	1405-20-5	oral	LD50	790 ^{mg} / _{kg}	mouse

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea, gastrointestinal complaints

• If in eyes

Causes serious eye irritation

If inhaled

Irritation to respiratory tract, May produce an allergic reaction, cough, breathing difficulties

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

Other information

none

11.2 Endocrine disrupting properties

None of the ingredients are listed.

11.3 Information on other hazards

There is no additional information.

United Kingdom (en) Page 9 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

ROTH

Listeria Palcam Supplement lyophilised

article number: 5803

SECTION 12: Ecological information

12.1 Toxicity

Harmful to aquatic life with long lasting effects.

Biodegradation

The relevant substances of the mixture are readily biodegradable.

12.2 Process of degradability

Data are not available.

12.3 Bioaccumulative potential

Data are not available.

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

None of the ingredients are listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

United Kingdom (en) Page 10 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Listeria Palcam Supplement lyophilised

article number: 5803



SECTION 14: Transport information

UN number or ID number not subject to transport regulations

UN proper shipping name 14.2 not assigned

Transport hazard class(es) 14.3 none

14.4 Packing group not assigned

14.5 Environmental hazards non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

There is no additional information.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Not subject to ADR, RID and ADN.

International Maritime Dangerous Goods Code (IMDG) - Additional information

Not subject to IMDG.

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Not subject to ICAO-IATA.

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Restrictions according to REACH, Annex XVII

Dangerous substances with restrictions (REACH, Annex XVII)

Name of substance	Name acc. to inventory	CAS No	Restriction	No
Ceftazidime	substances in tattoo inks and permanent make-up		R75	75
Acriflavine	substances in tattoo inks and permanent make-up		R75	75

Legend

1. Shall not be placed on the market in mixtures for use for tattooing purposes, and mixtures containing any such substances shall not be used for tattooing purposes, after 4 January 2022 if the substance or substances in question is or are present in the following circumstances

(a) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as carcinogen category

1A, 1B or 2, or germ cell mutagen category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (b) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as reproductive toxicant category 1A, 1B or 2, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(c) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin sensitiser category 1, 1A or 1B, the substance is present in the mixture in a concentration equal to or greater than 0,001 % by

(d) in the case of a substance classified in Part 3 of Annex VI to Regulation (EC) No 1272/2008 as skin corrosive category 1, 1A, 1B or 1C or skin irritant category 2, or as serious eye damage category 1 or eye irritant category 2, the substance is present in the mixture in a concentration equal to or greater than:

(i) 0,1 % by weight, if the substance is used solely as a pH regulator; (ii) 0,01 % by weight, in all other cases;

United Kingdom (en) Page 11 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Listeria Palcam Supplement lyophilised

article number: 5803

Legend

(e) in the case of a substance listed in Annex II to Regulation (EC) No 1223/2009 (*1), the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight; (f) in the case of a substance for which a condition of one or more of the following kinds is specified in column g

(Product type, Body parts) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration equal to or greater than 0,00005 % by weight:
(i) "Rinse-off products";

(ii) "Not to be used in products applied on mucous membranes";
(iii) "Not to be used in eye products";
(g) in the case of a substance for which a condition is specified in column h (Maximum concentration in ready for use preparation) or column i (Other) of the table in Annex IV to Regulation (EC) No 1223/2009, the substance is present in the mixture in a concentration, or in some other way, that does not accord with the condition specified in that column; (h) in the case of a substance listed in Appendix 13 to this Annex, the substance is present in the mixture in a concentration equal to or greater than the concentration limit specified for that substance in that Appendix.

2. For the purposes of this entry use of a mixture "for tattooing purposes" means injection or introduction of the mixture into a person's skin, mucous membrane or eyeball, by any process or procedure (including procedures companies).

monly referred to as permanent make-up, cosmetic tattooing, micro-blading and micro-pigmentation), with the aim of

making a mark or design on his or her body.

3. If a substance not listed in Appendix 13 falls within more than one of points (a) to (g) of paragraph 1, the strictest concentration limit laid down in the points in question shall apply to that substance. If a substance listed in Appendix 13 also falls within one or more of points (a) to (g) of paragraph 1, the concentration limit laid down in point (h) of paragraph 1 shall apply to that substance.

(a) Pigment Blue 15:3 (CI 74160, EC No 205-685-1, CAS No 147-14-8); (b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

(b) Pigment Green 7 (CI 74260, EC No 215-524-7, CAS No 1328-53-6).

5. If Part 3 of Annex VI to Regulation (EC) No 1272/2008 is amended after 4 January 2021 to classify or re-classify a substance such that the substance then becomes caught by point (a), (b), (c) or (d) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the date of application of that new or revised classification is after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect on the date of application of that new or revised classification.

6. If Annex II or Annex IV to Regulation (EC) No 1223/2009 is amended after 4 January 2021 to list or change the listing of a substance such that the substance then becomes caught by point (e), (f) or (g) of paragraph 1 of this entry, or such that it then falls within a different one of those points from the one within which it fell previously, and the amendment takes effect after the date referred to in paragraph 1 or, as the case may be, paragraph 4 of this entry, that amendment shall, for the purposes of applying this entry to that substance, be treated as taking effect from the date falling 18 months after entry into force of the act by which that amendment was made.

7. Suppliers placing a mixture on the market for use for tattooing purposes shall ensure that, after 4 January 2022, the mixture is marked with the following information:

mixture is marked with the following information:
(a) the statement "Mixture for use in tattoos or permanent make-up";
(b) a reference number to uniquely identify the batch;
(c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient (c) the list of ingredients in accordance with the nomenclature established in the glossary of common ingredient names pursuant to Article 33 of Regulation (EC) No 1223/2009, or in the absence of a common ingredient name, the IUPAC name. In the absence of a common ingredient name or IUPAC name, the CAS and EC number. Ingredients shall be listed in descending order by weight or volume of the ingredients at the time of formulation. "Ingredient" means any substance added during the process of formulation and present in the mixture for use for tattooing purposes. Impurities shall not be regarded as ingredients. If the name of a substance, used as ingredient within the meaning of this entry, is already required to be stated on the label in accordance with Regulation (EC) No 1272/2008, that ingredient does not need to be marked in accordance with this Regulation;

(d) the additional statement "pH regulator" for substances falling under point (d)(i) of paragraph 1; (e) the statement "Contains nickel. Can cause allergic reactions." if the mixture contains nickel below the concentration limit specified in Appendix 13;

(g) safety instructions for use insofar as they are not already required to be stated on the label by Regulation (EC) No 1272/2008.

The information shall be clearly visible, easily legible and marked in a way that is indelible.

The information shall be written in the official language(s) of the Member State(s) where the mixture is placed on the market, unless the Member State(s) concerned provide(s) otherwise. Where necessary because of the size of the package, the information listed in the first subparagraph, except for point

(a), shall be included instead in the instructions for use.

Before using a mixture for tattooing purposes, the person using the mixture shall provide the person undergoing the procedure with the information marked on the package or included in the instructions for use pursuant to this paragraph.

8. Mixtures that do not contain the statement "Mixture for use in tattoos or permanent make-up" shall not be used for

tattooing purposes.

9. This entry does not apply to substances that are gases at temperature of 20 °C and pressure of 101,3 kPa, or generate a vapour pressure of more than 300 kPa at temperature of 50 °C, with the exception of formaldehyde (CAS No 50-00-0, EC No 200-001-8).

10. This entry does not apply to the placing on the market of a mixture for use for tattooing purposes, or to the use of a mixture for tattooing purposes, when placed on the market exclusively as a medical device or an accessory to a medical device, within the meaning of Regulation (EU) 2017/745, or when used exclusively as a medical device or an accessory to a medical device, within the same meaning. Where the placing on the market or use may not be exclusively as a medical device or an accessory to a medical device, the requirements of Regulation (EU) 2017/745 and of this Regulation shall apply cumulatively.

List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list

None of the ingredients are listed. (Or Concentration of the substance in a mixture: <0.1 % Mass concentration)

Page 12 / 16 United Kingdom (en)



according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Seveso Directive

2012/18/EU (Seveso III)						
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes			
	not assigned					

Deco-Paint Directive

VOC content	0 %
-------------	-----

Industrial Emissions Directive (IED)

VOC content	0 %
-------------	-----

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

none of the ingredients are listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

none of the ingredients are listed

Water Framework Directive (WFD)

Name of substance Name acc. to inventory Acriflavine Organohalogen compounds and substances which may form such compounds in the aquatic environment Organohalogen compounds and substances which may form such compounds in the aquatic environment

Legend

A) Indicative list of the main pollutants

Regulation on the marketing and use of explosives precursors

none of the ingredients are listed

Regulation on drug precursors

none of the ingredients are listed

Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

Regulation concerning the export and import of hazardous chemicals (PIC)

none of the ingredients are listed

Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

United Kingdom (en) Page 13 / 16

according to Regulation (EC) No. 1907/2006 (REACH)

Listeria Palcam Supplement lyophilised

article number: 5803

National inventories

Country	Inventory	Status
AU	AICS	not all ingredients are listed
CA	DSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	not all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
JP	ISHA-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

AICS Australian Inventory of Chemical Substances
CICR Chemical Inventory and Control Regulation
CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ Inventory of Chemical Substances
INVENTOR IN

TSCA Toxic Substance Control Act

15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Chronic	Hazardous to the aquatic environment - chronic hazard
ATE	Acute Toxicity Estimate
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)

United Kingdom (en) Page 14 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Celling-C CLP Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures DGR Dangerous Goods Regulations (see IATA/DGR) EC No The EC Inventory (EINECS, ELINCS and the NLP-IISt) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP Ro-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RiD Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Irrit. Short-term exposure limit Short-term exposure limit Short-term exposure limit First Specific target organ toxicity- single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volaitile Organic Compounds VeryB Very Persistent and very Bloaccumulative WetL	Abbr.	Descriptions of used abbreviations
DGR Dangerous Goods Regulations (see IATA/DGR) EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005 EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European Ist of Notified Chemical Substances Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NO-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	Ceiling-C	Ceiling value
EC No The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) EH40/2005	CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances ELINCS European List of Notified Chemical Substances Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals' developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (IGGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/22008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International Carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	DGR	Dangerous Goods Regulations (see IATA/DGR)
EINECS European Inventory of Existing Commercial Chemical Substances ELINCS European List of Notified Chemical Substances Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Eye Irrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations Corresponds to Skin Corr. Corrosive to skin Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
ELINCS European List of Notified Chemical Substances Eye Dam. Seriously damaging to the eye Eye Irrit. Irritant to the eye Eye Irrit. Irritant to the eye GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Vevy Persistent and very Bioaccumulative	EH40/2005	
Eye Dam. Eye Irrit. GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	EINECS	European Inventory of Existing Commercial Chemical Substances
Eye Irrit. GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	ELINCS	European List of Notified Chemical Substances
GHS "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations Concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	Eye Dam.	Seriously damaging to the eye
IATA International Air Transport Association IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	Eye Irrit.	Irritant to the eye
IATA/DGR Dangerous Goods Regulations (DGR) for the air transport (IATA) ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	GHS	
ICAO International Civil Aviation Organization IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. RESP. Sens. Respiratory sensitisation Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	IATA	International Air Transport Association
IMDG International Maritime Dangerous Goods Code index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
index No The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	ICAO	International Civil Aviation Organization
LD50 Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	IMDG	International Maritime Dangerous Goods Code
NLP No-Longer Polymer PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds Very Persistent and very Bioaccumulative	index No	
PBT Persistent, Bioaccumulative and Toxic REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
REACH Registration, Evaluation, Authorisation and Restriction of Chemicals Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	NLP	No-Longer Polymer
Resp. Sens. Respiratory sensitisation RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Skin Irrit. Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	PBT	Persistent, Bioaccumulative and Toxic
RID Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) Skin Corr. Corrosive to skin Irritant to skin Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Skin Corr. Skin Irrit. Skin Sens. Stin Sens. Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	Resp. Sens.	Respiratory sensitisation
Skin Irrit. Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Sens. Skin sensitisation STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	Skin Corr.	Corrosive to skin
STEL Short-term exposure limit STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	Skin Irrit.	Irritant to skin
STOT SE Specific target organ toxicity - single exposure SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPVB Very Persistent and very Bioaccumulative	Skin Sens.	Skin sensitisation
SVHC Substance of Very High Concern TWA Time-weighted average VOC Volatile Organic Compounds VPvB Very Persistent and very Bioaccumulative	STEL	Short-term exposure limit
TWA Time-weighted average VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	STOT SE	Specific target organ toxicity - single exposure
VOC Volatile Organic Compounds vPvB Very Persistent and very Bioaccumulative	SVHC	Substance of Very High Concern
vPvB Very Persistent and very Bioaccumulative	TWA	Time-weighted average
· · · · · · · · · · · · · · · · · · ·	VOC	Volatile Organic Compounds
WEL Workplace exposure limit	vPvB	Very Persistent and very Bioaccumulative
	WEL	Workplace exposure limit

United Kingdom (en) Page 15 / 16

according to Regulation (EC) No. 1907/2006 (REACH)



Listeria Palcam Supplement lyophilised

article number: 5803

Key literature references and sources for data

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures. Regulation (EC) No. 1907/2006 (REACH), amended by 2020/878/EU.

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

Classification procedure

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H412	Harmful to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 16 / 16