
acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053 date of compilation: 2016-04-08 Version: **5.0 en**

Replaces version of: 2021-11-17

Version: (4)



SECTION 1: Identification of the substance/mixture and of the company/ undertaking

Product identifier 1.1

Identification of the substance **Dichloromethane** ROTIPURAN® ≥99,5 %, p.a.,

ACS, ISO

Article number 6053

Index No (GB CLP) 602-004-00-3 EC number 200-838-9 CAS number 75-09-2

Alternative name(s) Dichloromethane

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for products which come into contact

with foodstuffs. Do not use for private purposes (household). Food, drink and animal feeding-

stuffs.

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

1.4 **Emergency telephone number**

| Name | Street | Postal code/city | Telephone | Website |
|--|-----------|----------------------|--------------|---------|
| National Poisons Information Service City Hospital | Dudley Rd | B187QH Birmingham | 844 892 0111 | |

United Kingdom (en) Page 1 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)







SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

| Section | Hazard class | Cat- egory | Hazard class and category | Hazard statement |
|---------|---|---------------|---------------------------|---------------------|
| 3.2 | Skin corrosion/irritation | 2 | Skin Irrit. 2 | H315 |
| 3.3 | Serious eye damage/eye irritation | 2 | Eye Irrit. 2 | H319 |
| 3.6 | Carcinogenicity | 2 | Carc. 2 | H351 |
| 3.8D | Specific target organ toxicity - single exposure (narcotic effects, drowsiness) | 3 | STOT SE 3 | H336 |

For full text of abbreviations: see SECTION 16

2.2 Label elements

Labelling

Signal word Warning

Pictograms

GHS07, GHS08





Hazard statements

| H315 | Causes skin irritation |
|------|-----------------------------------|
| H319 | Causes serious eye irritation |
| H336 | May cause drowsiness or dizziness |
| H351 | Suspected of causing cancer |

Precautionary statements

Precautionary statements - prevention

| P261 | Avoid breathing mist/vapours/spray |
|------|---------------------------------------|
| P280 | Wear protective gloves/eye protection |

Precautionary statements - response

P302+P352 IF ON SKIN: Wash with plenty of water

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P308+P313 IF exposed or concerned: Get medical advice/attention

For professional users only

United Kingdom (en) Page 2 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance Dichloromethane

Molecular formula CH₂Cl₂

Molar mass 84,93 g/_{mol}

CAS No 75-09-2 EC No 200-838-9

Index No (GB CLP) 602-004-00-3

To stabilise:

| Name of substance | Identifier | Wt% |
|-------------------|--------------------|---------------|
| Amylene | CAS No 513-35-9 | 0,002 – 0,006 |
| | EC No 208-156-3 | |

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion


In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

United Kingdom (en) Page 3 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



Irritation, Nausea, Vomiting, Cough, Vertigo, Dyspnoea, Drowsiness, Dizziness, Narcosis

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Non-combustible.

Hazardous combustion products

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO₂), Hydrogen chloride (HCl), Hydrogen halides (HX)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

United Kingdom (en) Page 4 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 **Precautions for safe handling**

Avoid exposure. Provide adequate ventilation as well as local exhaustion at critical locations. When not in use, keep containers tightly closed.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

Conditions for safe storage, including any incompatibilities 7.2

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Protect against external exposure, such as

direct light irradiation, UV-radiation/sunlight

Consideration of other advice:

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 **Control parameters**

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

| Cou ntr y | Name of agent | CAS No | Identi- fier | TW A [pp m] | TWA [mg/ m³] | STE L [pp m] | STEL [mg/ m³] | Ceil ing- C [pp m] | Ceil- ing-C [mg/ m³] | Nota- tion | Source |
|-----------------|---|---------|-----------------|----------------------|--------------------|-----------------------|---------------------|--------------------------------|-------------------------------|---------------|-----------------|
| EU | methylene chloride (dichloromethane) | 75-09-2 | IOELV | 100 | 353 | 200 | 706 | | | Н | 2017/ 164/EU |
| GB | dichloromethane | 75-09-2 | WEL | 100 | 353 | 200 | 706 | | | | EH40/ 2005 |

Notation

Ceiling value is a limit value above which exposure should not occur Absorbed through the skin Ceiling-C

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified) STEL

TWA


Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

United Kingdom (en) Page 5 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO





Biological limit values

| Coun try | Name of agent | CAS No | Parameter | Nota tion | Identi- fier | Value | Material | Source |
|-------------|-----------------|---------|-----------------|--------------|-----------------|--------|---------------------|---------------|
| GB | dichloromethane | 75-09-2 | carbon monoxide | | BMGV | 30 ppm | end-tidal breath | EH40/ 2005 |

Human health values

Relevant DNELs and other threshold levels

| Endpoint | Threshold level | Protection goal, route of exposure | Used in | Exposure time |
|----------|---------------------|------------------------------------|-------------------|----------------------------|
| DNEL | 706 mg/m³ | human, inhalatory | worker (industry) | acute - systemic effects |
| DNEL | 176 mg/m³ | human, inhalatory | worker (industry) | chronic - systemic effects |
| DNEL | 12 mg/kg bw/ day | human, dermal | worker (industry) | chronic - systemic effects |

Environmental values

Relevant PNECs and other threshold levels

| End- point | Threshold level | Organism | Environmental compartment | Exposure time | |
|---------------|------------------------------------|--|---------------------------------|------------------------------|--|
| PNEC | 0,31 ^{mg} / _l | 0,31 ^{mg} / _l aquatic organisms freshwater | | short-term (single instance) | |
| PNEC | 0,031 ^{mg} / _l | aquatic organisms | marine water | short-term (single instance) | |
| PNEC | 26 ^{mg} / _l | aquatic organisms | sewage treatment plant (STP) | short-term (single instance) | |
| PNEC | 2,57 ^{mg} / _{kg} | aquatic organisms | freshwater sediment | short-term (single instance) | |
| PNEC | 0,26 ^{mg} / _{kg} | aquatic organisms | marine sediment | short-term (single instance) | |
| PNEC | 0,33 ^{mg} / _{kg} | terrestrial organisms | soil | short-term (single instance) | |

Relevant PNECs of components of the mixture

| Name of sub- stance | CAS No | End- point | Threshol d level | Organism | Environmental compartment | Exposure time |
|------------------------|----------|---------------|------------------------------------|----------------------------|---------------------------------|---------------------------------|
| Amylene | 513-35-9 | PNEC | 0,37 ^{mg} / _l | aquatic organ- isms | freshwater | short-term (single instance) |
| Amylene | 513-35-9 | PNEC | 0,37 ^{mg} / _l | aquatic organ- isms | marine water | short-term (single instance) |
| Amylene | 513-35-9 | PNEC | 5,77 ^{mg} / _l | aquatic organ- isms | sewage treatment plant (STP) | short-term (single instance) |
| Amylene | 513-35-9 | PNEC | 8,1 ^{mg} / _{kg} | aquatic organ- isms | freshwater sedi- ment | short-term (single instance) |
| Amylene | 513-35-9 | PNEC | 8,1 ^{mg} / _{kg} | aquatic organ- isms | marine sediment | short-term (single instance) |
| Amylene | 513-35-9 | PNEC | 1,44 ^{mg} / _{kg} | terrestrial organ- isms | soil | short-term (single instance) |

United Kingdom (en) Page 6 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



Eye/face protection





Use safety goggle with side protection.

Skin protection





hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

type of material

FKM: fluoro-elastomer

material thickness

0.7mm

breakthrough times of the glove material

>120 minutes (permeation: level 4)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection





Respiratory protection necessary at: Aerosol or mist formation. Type: AX (gas filters and combined filters against low-boiling point organic compounds, colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

United Kingdom (en) Page 7 / 20



8.2 **Exposure controls**

Individual protection measures (personal protective equipment)



acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour mild sweet
Odour threshold 250 ppm

Melting point/freezing point -95 °C at 1.013 hPa (ECHA) Boiling point or initial boiling point and boiling 40 °C at 1.013 hPa (ECHA)

range

Flammability non-combustible

Lower and upper explosion limit 13 vol% (LEL) - 22 vol% (UEL)

Flash point not determined

Auto-ignition temperature 605 °C

Decomposition temperature not relevant
pH (value) not determined
Kinematic viscosity not determined
Dynamic viscosity 0,43 mPa s at 20 °C

Solubility(ies)

Water solubility $20 \,^{\circ}$ C $10 \,^{\circ}$ C

Partition coefficient

Partition coefficient n-octanol/water (log value): 1,25 (pH value: 7, 20 °C) (ECHA)

Vapour pressure 475 hPa at 20 °C

Density and/or relative density

Density $1,33 \, {}^{9}/_{cm^{3}}$ at 20 °C (ECHA)

Relative vapour density 2,93 (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard hazard classes acc. to GHS (physical hazards): not relevant

Other safety characteristics: There is no additional information.

United Kingdom (en) Page 8 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



SECTION 10: Stability and reactivity

10.1 Reactivity

This material is not reactive under normal ambient conditions.

10.2 Chemical stability

May cause decomposition by long-term light influence.

10.3 Possibility of hazardous reactions

Danger of explosion: Alkali metals, Nitric acid, Aluminium, Amines, Nitrogen oxides (NOx), **Exothermic reaction with:** Alkaline earth metal, Metal powder, Strong alkali

10.4 Conditions to avoid

Direct light irradiation. UV-radiation/sunlight.

10.5 Incompatible materials

Steel, aluminium, different plastics, Rubber articles

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed or in contact with skin.

| Acute toxicity | | | | | | | | |
|----------------|----------|--------------------------------------|---------|--------|--------|--|--|--|
| Exposure route | Endpoint | Value | Species | Method | Source | | | |
| oral | LD50 | >2.000 ^{mg} / _{kg} | rat | | ECHA | | | |
| dermal | LD50 | >2.000 ^{mg} / _{kg} | rat | | ECHA | | | |

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Suspected of causing cancer.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

United Kingdom (en) Page 9 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



Specific target organ toxicity - single exposure

May cause drowsiness or dizziness.

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

Symptoms related to the physical, chemical and toxicological characteristics

If swallowed

vomiting, nausea

• If in eyes

Causes serious eye irritation, corneal opacity

If inhaled

vertigo, dizziness, fatigue, narcosis

• If on skin

causes skin irritation

Other information

Other adverse effects: Liver and kidney damage, Circulatory collapse, Headache, Dyspnoea, Blood pressure drop

11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

Aquatic toxicity (acute) Endpoint Value Species Source time LC50 193 mg/l fish ECHA 96 h

| Aquatic toxicity (acute) of components of the mixture | | | | | | | | | |
|---|----------|----------|-----------------------------------|-----------------------|------------------|--|--|--|--|
| Name of sub- stance | CAS No | Endpoint | Value | Species | Exposure time | | | | |
| Amylene | 513-35-9 | LC50 | 4,99 ^{mg} / _l | fish | 96 h | | | | |
| Amylene | 513-35-9 | EC50 | 3,84 ^{mg} / _l | aquatic invertebrates | 48 h | | | | |
| Amylene | 513-35-9 | ErC50 | 12 ^{mg} / _l | algae | 72 h | | | | |

United Kingdom (en) Page 10 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)



Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053

Aquatic toxicity (chronic)

| Endpoint | Value | Species | Source | Exposure time |
|----------|------------------------------------|----------------|--------|------------------|
| LC50 | 471 ^{mg} / _l | fish | ECHA | 8 d |
| EC50 | 2.590 ^{mg} / _l | microorganisms | ECHA | 40 min |

12.2 Persistence and degradability

Theoretical Oxygen Demand: $0.3768 \, ^{mg}/_{mg}$ Theoretical Carbon Dioxide: $0.5182 \, ^{mg}/_{mg}$

Biodegradation

The substance is readily biodegradable.

Process of degradability

| Process | Degradation rate | Time |
|------------------|------------------|------|
| biotic/abiotic | 5 - 26 % | 28 d |
| oxygen depletion | 68 % | 28 d |

Degradability of components of the mixture

| Name of substance | CAS No | Process | Degrada- tion rate | Time | Method | Source |
|-------------------|----------|-----------------------|-----------------------|------|--------|--------|
| Amylene | 513-35-9 | oxygen deple- tion | 7 % | 28 d | | ECHA |

12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

| n-octanol/water (log KOW) | 1,25 (pH value: 7, 20 °C) (ECHA) |
|---------------------------|----------------------------------|
| BCF | 39 (ECHA) |

12.4 Mobility in soil

| Henry's law constant | 0,002 ^{Pa m³} / _{mol} at 24,8 °C (ECHA) |
|----------------------|---|
|----------------------|---|

12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of \geq 0,1%.

12.7 Other adverse effects

Data are not available.

United Kingdom (en) Page 11 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Handle contaminated packages in the same way as the substance itself. Completely emptied packages can be recycled.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

HP 4 irritant - skin irritation and eye damage

HP7 carcinogenic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions. Non-contaminated packages may be recycled.

SECTION 14: Transport information

14.1 UN number or ID number

| ADRRID | UN 1593 |
|-----------|---------|
| IMDG-Code | UN 1593 |
| ICAO-TI | HN 1593 |

14.2 UN proper shipping name

| ADRRID | DICHLOROMETHANE |
|-----------|-----------------|
| IMDG-Code | DICHLOROMETHANE |
| ICAO-TI | Dichloromethane |

14.3 Transport hazard class(es)

| ADRRID | 6.1 |
|-----------|-----|
| IMDG-Code | 6.1 |
| ICAO-TI | 6.1 |

14.4 Packing group


| ADRRID | III |
|-----------|-----|
| IMDG-Code | III |
| ICAO-TI | III |

United Kingdom (en) Page 12 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



gerous goods regulations

14.6 Special precautions for user

14.5 Environmental hazards

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name DICHLOROMETHANE

Particulars in the transport document UN1593, DICHLOROMETHANE, 6.1, III, (E)

Classification code T1
Danger label(s) 6.1



Special provisions (SP) 516, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Tunnel restriction code (TRC) E
Hazard identification No 60
Emergency Action Code 2Z

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code T1

Danger label(s) 6.1



Special provisions (SP) 516, 802(ADN)

Excepted quantities (EQ) E1
Limited quantities (LQ) 5 L
Transport category (TC) 2
Hazard identification No 60


United Kingdom (en) Page 13 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



Proper shipping name DICHLOROMETHANE

Particulars in the shipper's declaration UN1593, DICHLOROMETHANE, 6.1, III

Marine pollutant Danger label(s) 6.1

Special provisions (SP)
Excepted quantities (EQ) E1

Limited quantities (LQ) 5 L

EmS F-A, S-A

Stowage category A

Segregation group 10 - Liquid halogenated hydrocarbons

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Dichloromethane

Particulars in the shipper's declaration UN1593, Dichloromethane, 6.1, III

Danger label(s) 6.1

Excepted quantities (EQ) E1
Limited quantities (LQ) 2 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

| 2012/ | 2012/18/EU (Seveso III) | | | |
|-------|---------------------------------------|---|-------|--|
| No | Dangerous substance/hazard categories | Qualifying quantity (tonnes) for the application of lower and upper-tier requirements | Notes | |
| | not assigned | | | |

Deco-Paint Directive

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.330 ^g / _l |

United Kingdom (en) Page 14 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO



article number: 6053

Industrial Emissions Directive (IED)

| VOC content | 100 % |
|-------------|-----------------------------------|
| VOC content | 1.330 ^g / _l |

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)

| Name of substance | CAS No | Remarks | Threshold for releases to air (kg/year) |
|---|---------|---------|--|
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | 75-09-2 | | 1 000 |

Water Framework Directive (WFD)

List of pollutants (WFD)

| Name of substance | Name acc. to inventory | CAS No | Listed in | Remarks |
|--|--|---------|-----------|---------|
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | dichloromethane | 75-09-2 | b) | |
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | dichloromethane | 75-09-2 | c) | |
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | Organohalogen compounds and substances which may form such compounds in the aquatic environment | | a) | |
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment | | a) | |

Legend

Indicative list of the main pollutants

List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

United Kingdom (en) Page 15 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO





Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

| Dangerous substances with restrictions (GB REACH, Annex 17) | | | |
|---|--|---------|----|
| Name of substance | Name acc. to inventory | CAS No | No |
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | Dichloromethane | 75-09-2 | 59 |
| Dichloromethane ROTIPURAN® >=99,5 %, p.a., ACS, ISO | this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC | | 3 |

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

| Country | Inventory | Status |
|---------|------------|------------------------------|
| AU | AIIC | substance is listed |
| CA | DSL | substance is listed |
| CN | IECSC | substance is listed |
| EU | ECSI | substance is listed |
| EU | REACH Reg. | substance is listed |
| JP | CSCL-ENCS | substance is listed |
| KR | KECI | substance is listed |
| MX | INSQ | substance is listed |
| NZ | NZIoC | substance is listed |
| PH | PICCS | substance is listed |
| TR | CICR | substance is listed |
| TW | TCSI | substance is listed |
| US | TSCA | substance is listed (ACTIVE) |
| VN | NCI | substance is listed |

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC

CSCL-ENCS
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NCI National Chemical Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances

United Kingdom (en) Page 16 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053

Legend

Taiwan Chemical Substance Inventory Toxic Substance Control Act TCSI TSCA

15.2 Chemical safety assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|--|--------------------------|
| 2.2 | Labelling of packages where the contents do not exceed 125 ml: Signal word: Warning | | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.2 | | Labelling of packages where the contents do not exceed 125 ml: change in the listing (table) | yes |
| 2.3 | | Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%. | yes |
| 14.8 | | Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information | yes |
| 14.8 | | Classification code: T1 | yes |
| 14.8 | | Danger label(s): 6.1 | yes |
| 14.8 | | Danger label(s): change in the listing (table) | yes |
| 14.8 | | Special provisions (SP): 516, 802(ADN) | yes |
| 14.8 | | Excepted quantities (EQ): E1 | yes |
| 14.8 | | Limited quantities (LQ): 5 L | yes |
| 14.8 | | Transport category (TC): 2 | yes |
| 14.8 | | Hazard identification No: 60 | yes |
| 15.1 | Restrictions according to REACH, Annex XVII | | yes |
| 15.1 | | Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table) | yes |

United Kingdom (en) Page 17 / 20



acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



| Section | Former entry (text/value) | Actual entry (text/value) | Safety- relev- ant |
|---------|---|--|--------------------------|
| 15.1 | List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed. | | yes |
| 15.1 | VOC content: 100 % , 1.330 ^g / _l | VOC content: 100 % | yes |
| 15.1 | | VOC content: 1.330 ⁹ / _I | yes |
| 15.1 | | Pollutant release and transfer registers (PRTR): change in the listing (table) | yes |
| 15.1 | | List of pollutants (WFD): change in the listing (table) | yes |
| 15.1 | | National regulations(GB) | yes |
| 15.1 | | List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed | yes |
| 15.1 | | Restrictions according to GB REACH, Annex 17 | yes |
| 15.1 | | Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table) | yes |
| 15.1 | | National inventories: change in the listing (table) | yes |

Abbreviations and acronyms

| Abbr. | Descriptions of used abbreviations |
|-------------|--|
| 2017/164/EU | Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU |
| ADR | Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road) |
| BCF | Bioconcentration factor |
| CAS | Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances) |
| Ceiling-C | Ceiling value |
| DGR | Dangerous Goods Regulations (see IATA/DGR) |
| DNEL | Derived No-Effect Level |
| EC50 | Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval |
| EC No | The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union) |
| EH40/2005 | EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/) |
| EINECS | European Inventory of Existing Commercial Chemical Substances |
| ELINCS | European List of Notified Chemical Substances |
| EmS | Emergency Schedule |

United Kingdom (en) Page 18 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)

Dichloromethane ROTIPURAN® ≥99,5 %, p.a., ACS, ISO

article number: 6053



| Abbr. | Descriptions of used abbreviations |
|-----------|---|
| ErC50 | ≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control |
| GB CLP | The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended) |
| GB REACH | The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended) |
| GHS | "Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations |
| IATA | International Air Transport Association |
| IATA/DGR | Dangerous Goods Regulations (DGR) for the air transport (IATA) |
| ICAO | International Civil Aviation Organization |
| ICAO-TI | Technical instructions for the safe transport of dangerous goods by air |
| IMDG | International Maritime Dangerous Goods Code |
| IMDG-Code | International Maritime Dangerous Goods Code |
| index No | The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008 |
| IOELV | Indicative occupational exposure limit value |
| LC50 | Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval |
| LD50 | Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval |
| LEL | Lower explosion limit (LEL) |
| NLP | No-Longer Polymer |
| PBT | Persistent, Bioaccumulative and Toxic |
| PNEC | Predicted No-Effect Concentration |
| ppm | Parts per million |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals |
| RID | Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail) |
| STEL | Short-term exposure limit |
| TWA | Time-weighted average |
| UEL | Upper explosion limit (UEL) |
| VOC | Volatile Organic Compounds |
| vPvB | Very Persistent and very Bioaccumulative |
| WEL | Workplace exposure limit |

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

United Kingdom (en) Page 19 / 20

acc. to Regulation (EC) No. 1907/2006 (REACH)





List of relevant phrases (code and full text as stated in section 2 and 3)

| Code | Text |
|------|------------------------------------|
| H315 | Causes skin irritation. |
| H319 | Causes serious eye irritation. |
| H336 | May cause drowsiness or dizziness. |
| H351 | Suspected of causing cancer. |

Disclaimer

article number: 6053

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 20 / 20