Oil of cajeput , natural

article number: **6105** Version: **2.0 en** Replaces version of: 2021-07-09 Version: (1)

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	Oil of cajeput , natural
Article number	6105
EC number	287-316-4
CAS number	85480-37-1
Alternative name(s)	Oleum Cajeput

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:

Uses advised against:

Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 **e-mail:** sicherheit@carlroth.de **Website:** www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment sheet:

e-mail (competent person):

sicherheit@carlroth.de

Laboratory chemical

Laboratory and analytical use

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS



date of compilation: 2021-07-09 Revision: 2023-02-10

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of cajeput , natural

article number: 6105

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.3	Serious eye damage/eye irritation	2	Eye Irrit. 2	H319
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1C	Hazardous to the aquatic environment - chronic hazard	2	Aquatic Chronic 2	H411

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word Danger

Pictograms

GHS02, GHS07, GHS08, GHS09

Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H411	Toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat. No smoking
P273	Avoid release to the environment

Precautionary statements - response

P301+P310 P302+P352	IF SWALLOWED: Immediately call a POISON CENTER/doctor IF ON SKIN: Wash with plenty of water
P305+P351+P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact
	lenses, if present and easy to do. Continue rinsing
P331	Do NOT induce vomiting

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.

SECTION 3: Composition/information on ingredients

3.1 Substances

Name of substance	Oil of cajeput
CAS No	85480-37-1
EC No	287-316-4

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
Eucalyptol	CAS No 470-82-6	50 - < 75
	EC No 207-431-5	
α-Terpineol	CAS No 98-55-5	10-<25
	EC No 202-680-6	
L-(-)-Limonene	CAS No 5989-54-8	5 - < 10
	EC No 227-815-6	
	Index No 601-029-00-7	
Myrcene	CAS No 123-35-3	1-<5
	EC No 204-622-5	
ß-Pinene	CAS No 127-91-3	1-<5
	EC No 204-872-5	
4-Terpinenol	CAS No 562-74-3	1-<5
	EC No 209-235-5	
Terpinolene	CAS No 586-62-9	1-<5
	EC No 209-578-0	



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Name of substance	Identifier	Wt%
Linalool	CAS No 78-70-6	1-<5
	EC No 201-134-4	
	Index No 603-235-00-2	
DL-a-Pinene	CAS No 80-56-8	1 - < 5
	EC No 201-291-9	
β-Caryophyllene	CAS No 87-44-5	1-<5
	EC No 201-746-1	
γ-Terpinene	CAS No 99-85-4	1 - < 5
	EC No 202-794-6	
Geraniol	CAS No 106-24-1	<1
	EC No 203-377-1	
	Index No 603-241-00-5	

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures



General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart. In case of eye irritation consult an ophthalmologist.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

4.2 Most important symptoms and effects, both acute and delayed Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed none

SECTION 5: Firefighting measures

5.1 Extinguishing media



Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO₂)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapourair mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO₂)

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures



For non-emergency personnel

Do not breathe vapour/spray. Avoid contact with skin and eyes. Avoidance of ignition sources. Provide adequate ventilation.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

® Roth

article number: 6105

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation. When not in use, keep containers tightly closed.

Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

_



Relevant DNELs	Relevant DNELs of components of the mixture						
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time	
Eucalyptol	470-82-6	DNEL	7,05 mg/ m³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Eucalyptol	470-82-6	DNEL	2 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
L-(-)-Limonene	5989-54-8	DNEL	33,3 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
L-(-)-Limonene	5989-54-8	DNEL	222 μg/ cm²	human, dermal	worker (industry)	acute - local ef- fects	
Linalool	78-70-6	DNEL	2,8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Linalool	78-70-6	DNEL	16,5 mg/ m ³	human, inhalat- ory	worker (industry)	acute - systemic effects	
Linalool	78-70-6	DNEL	2,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Linalool	78-70-6	DNEL	5 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects	
y-Terpinene	99-85-4	DNEL	2,939 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
y-Terpinene	99-85-4	DNEL	0,833 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
DL-α-Pinene	80-56-8	DNEL	0,542 mg/ kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
ß-Pinene	127-91-3	DNEL	5,69 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
ß-Pinene	127-91-3	DNEL	0,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local ef- fects	
Geraniol	106-24-1	DNEL	161,6 mg/ m ³	human, inhalat- ory	worker (industry)	chronic - systemic effects	
Geraniol	106-24-1	DNEL	12,5 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects	
Geraniol	106-24-1	DNEL	11.800 µg/ cm²	human, dermal	worker (industry)	chronic - local ef- fects	

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Eucalyptol	470-82-6	PNEC	57 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (single instance)	
Eucalyptol	470-82-6	PNEC	5,7 ^{µg} / _l	aquatic organ- isms	marine water	short-term (single instance)	

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure tim
Eucalyptol	470-82-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Eucalyptol	470-82-6	PNEC	1,425 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Eucalyptol	470-82-6	PNEC	0,142 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Eucalyptol	470-82-6	PNEC	0,25 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
α-Terpineol	98-55-5	PNEC	68 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
a-Terpineol	98-55-5	PNEC	6,8 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
α-Terpineol	98-55-5	PNEC	2,6 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
α-Terpineol	98-55-5	PNEC	1,85 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
a-Terpineol	98-55-5	PNEC	0,185 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
α-Terpineol	98-55-5	PNEC	0,329 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	5,4 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	0,54 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	1,322 ^{mg} / kg	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	0,132 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
L-(-)-Limonene	5989-54-8	PNEC	0,262 ^{mg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
Linalool	78-70-6	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Linalool	78-70-6	PNEC	0,02 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Linalool	78-70-6	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Linalool	78-70-6	PNEC	2,22 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
Linalool	78-70-6	PNEC	0,222 ^{mg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
Linalool	78-70-6	PNEC	0,327 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
y-Terpinene	99-85-4	PNEC	0,003 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
y-Terpinene	99-85-4	PNEC	0 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
y-Terpinene	99-85-4	PNEC	10 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
y-Terpinene	99-85-4	PNEC	0,49 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
γ-Terpinene	99-85-4	PNEC	0,049 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sing instance)
y-Terpinene	99-85-4	PNEC	0,423 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,606 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,061 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	0,2 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	157 ^{µg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
DL-α-Pinene	80-56-8	PNEC	15,7 ^{µg} / _{kg}	aquatic organ- isms	marine sediment	short-term (sing instance)
DL-a-Pinene	80-56-8	PNEC	31,7 ^{µg} / _{kg}	terrestrial organ- isms	soil	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	1,004 ^{µg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,1 ^{µg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	3,26 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,337 ^{mg} / _{kg}	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,034 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (sing instance)
ß-Pinene	127-91-3	PNEC	0,067 ^{mg} / kg	terrestrial organ- isms	soil	short-term (sing instance)
Geraniol	106-24-1	PNEC	0,011 ^{mg} / _l	aquatic organ- isms	freshwater	short-term (sing instance)
Geraniol	106-24-1	PNEC	0,001 ^{mg} / _l	aquatic organ- isms	marine water	short-term (sing instance)
Geraniol	106-24-1	PNEC	0,7 ^{mg} / _l	aquatic organ- isms	sewage treatment plant (STP)	short-term (sing instance)
Geraniol	106-24-1	PNEC	0,115 ^{mg} /	aquatic organ- isms	freshwater sedi- ment	short-term (sing instance)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural



article number: 6105

Relevant PNECs of components of the mixture							
Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time	
Geraniol	106-24-1	PNEC	0,011 ^{mg} / kg	aquatic organ- isms	marine sediment	short-term (single instance)	
Geraniol	106-24-1	PNEC	0,017 ^{mg} / kg	terrestrial organ- isms	soil	short-term (single instance)	

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection



Use safety goggle with side protection.

Skin protection



hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a consider-able reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

NBR (Nitrile rubber)

material thickness

0,4 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties Physical state liquid Colour colourless - light yellow Odour characteristic Melting point/freezing point <-20 °C (ECHA) Boiling point or initial boiling point and boiling 157 – 210 °C at 1.011 hPa (ECHA) range flammable liquid in accordance with GHS criteria Flammability Lower and upper explosion limit not determined Flash point 54,6 °C at 101,3 kPa (ECHA) Auto-ignition temperature 270 °C at 100.086 Pa (ECHA) Decomposition temperature not relevant pH (value) not determined Kinematic viscosity not determined Solubility(ies) not determined Water solubility Partition coefficient Partition coefficient n-octanol/water (log value): this information is not available not determined Vapour pressure Density and/or relative density Density 0,92 ^g/_{cm³} at 20 °C Relative vapour density information on this property is not available Particle characteristics not relevant (liquid) Other safety parameters Oxidising properties none 9.2 Other information Information with regard to physical hazard There is no additional information. classes: Other safety characteristics: There is no additional information.



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Eucalyptol	470-82-6	oral	LD50	2.480 ^{mg} / _{kg}	rat
a-Terpineol	98-55-5	oral	LD50	4.300 ^{mg} / _{kg}	rat
α-Terpineol	98-55-5	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Linalool	78-70-6	oral	LD50	2.790 ^{mg} / _{kg}	rat
Linalool	78-70-6	dermal	LD50	5.610 ^{mg} / _{kg}	rabbit
y-Terpinene	99-85-4	oral	LD50	>2.000 ^{mg} / _{kg}	rat
y-Terpinene	99-85-4	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
Myrcene	123-35-3	oral	LD50	>3.380 ^{mg} / _{kg}	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit
DL-α-Pinene	80-56-8	dermal	LD50	>2.000 ^{mg} / _{kg}	rat
DL-α-Pinene	80-56-8	oral	LD50	3.700 ^{mg} / _{kg}	rat
Terpinolene	586-62-9	oral	LD50	>2.000 ^{mg} / _{kg}	rat



acc. to Regulation (EC) No. 1907/2006 (REACH)

Roth

Oil of cajeput , natural

article number: 6105

Acute toxicity of componen	ute toxicity of components of the mixture					
Name of substance	CAS No	Exposure route	Endpoint	Value	Species	
Terpinolene	586-62-9	dermal	LD50	>2.000 ^{mg} / _{kg}	rat	
β-Caryophyllene	87-44-5	oral	LD50	>5.000 ^{mg} / _{kg}	mouse	
ß-Pinene	127-91-3	oral	LD50	4.700 ^{mg} / _{kg}	rat	
4-Terpinenol	562-74-3	oral	LD50	1.300 ^{mg} / _{kg}	rat	
4-Terpinenol	562-74-3	dermal	LD50	>2.500 - <5.00 0 ^{mg} / _{kg}	rabbit	
Geraniol	106-24-1	oral	LD50	3.600 ^{mg} / _{kg}	rat	
Geraniol	106-24-1	dermal	LD50	>5.000 ^{mg} / _{kg}	rabbit	

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

aspiration hazard

• If in eyes

Causes serious eye irritation

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105

Other information

none

- **11.2 Endocrine disrupting properties** Not listed.
- 11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Toxic to aquatic life with long lasting effects.

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposu time
Eucalyptol	470-82-6	LC50	57 ^{mg} / _l	fish	96 h
Eucalyptol	470-82-6	EC50	>100 ^{mg} / _l	aquatic invertebrates	48 h
Eucalyptol	470-82-6	ErC50	>74 ^{mg} / _l	algae	72 h
α-Terpineol	98-55-5	LC50	70 ^{mg} / _l	fish	96 h
α-Terpineol	98-55-5	EC50	73 ^{mg} / _l	aquatic invertebrates	48 h
α-Terpineol	98-55-5	ErC50	68 ^{mg} / _l	algae	72 h
Linalool	78-70-6	LC50	27,8 ^{mg} / _l	fish	96 h
Linalool	78-70-6	EC50	59 ^{mg} / _l	aquatic invertebrates	48 h
Linalool	78-70-6	ErC50	156,7 ^{mg} / _l	algae	96 h
y-Terpinene	99-85-4	EC50	2,792 ^{mg} / _l	fish	96 h
Myrcene	123-35-3	EC50	1,47 ^{mg} / _l	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0,31 ^{mg} / _l	algae	72 h
Myrcene	123-35-3	ErC50	0,342 ^{mg} / _l	algae	72 h
DL-α-Pinene	80-56-8	LC50	0,303 ^{mg} /l	fish	96 h
DL-α-Pinene	80-56-8	EC50	0,475 ^{mg} / _l	aquatic invertebrates	48 h
Terpinolene	586-62-9	LC50	0,805 ^{mg} / _l	fish	96 h
Terpinolene	586-62-9	EC50	0,634 ^{mg} / _l	aquatic invertebrates	48 h
Terpinolene	586-62-9	ErC50	0,692 ^{mg} / _l	algae	72 h
β-Caryophyllene	87-44-5	EC50	>0,17 ^{mg} / _l	daphnia magna	48 h
β-Caryophyllene	87-44-5	ErC50	>0,033 ^{mg} / _l	algae	72 h
ß-Pinene	127-91-3	LC50	0,68 ^{mg} / _l	rainbow trout (Onco- rhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1,09 ^{mg} / _l	daphnia magna	48 h

acc. to Regulation (EC) No. 1907/2006 (REACH)

® Foth

Oil of cajeput , natural

article number: 6105

Aquatic toxicity (acute) of components of the mixture						
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time	
ß-Pinene	127-91-3	ErC50	0,7 ^{mg} / _l	Pseudokirchneriella subcapitata	72 h	
Geraniol	106-24-1	LC50	22 ^{mg} / _l	fish	96 h	
Geraniol	106-24-1	EC50	10,8 ^{mg} / _l	aquatic invertebrates	48 h	
Geraniol	106-24-1	ErC50	13,1 ^{mg} / _l	algae	72 h	

Aquatic toxicity (chronic) of components of the mixture

Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Eucalyptol	470-82-6	EC50	>100 ^{mg} / _l	microorganisms	3 h
Linalool	78-70-6	EC50	>100 ^{mg} / _l	microorganisms	30 min
y-Terpinene	99-85-4	EC50	>1.000 ^{mg} / _l	microorganisms	3 h
Terpinolene	586-62-9	EC50	69 ^{mg} / _l	microorganisms	3 h
ß-Pinene	127-91-3	EC50	326 ^{mg} / _l	microorganisms	3 h
Geraniol	106-24-1	EC50	70 ^{mg} / _l	microorganisms	30 min

12.2 Persistence and degradability

Biodegradation

Not readily biodegradable.

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
Eucalyptol	470-82-6	carbon dioxide generation	82 %	28 d		ECHA
α-Terpineol	98-55-5	carbon dioxide generation	80 %	28 d	OECD Guideline 310	
L-(-)-Limonene	5989-54-8	oxygen deple- tion	85 %	28 d		ECHA
Linalool	78-70-6	oxygen deple- tion	40,9 %	5 d		ECHA
y-Terpinene	99-85-4	oxygen deple- tion	27 %	28 d		ECHA
Myrcene	123-35-3	oxygen deple- tion	76 %	28 d		ECHA
DL-a-Pinene	80-56-8	oxygen deple- tion	68 %	28 d		ECHA
Terpinolene	586-62-9	oxygen deple- tion	81 %	28 d		ECHA
β-Caryophyl- lene	87-44-5	oxygen deple- tion	10 %	28 d		ECHA

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural



article number: 6105

Degradability of components of the mixture						
Name of substance	CAS No	Process	Degrada- tion rate	Time	Method	Source
ß-Pinene	127-91-3	oxygen deple- tion	76 %	28 d		ECHA
Geraniol	106-24-1	DOC removal	90 – 100 %	3 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

ioaccumulative potential of components of the mixture						
Name of substance	CAS No	BCF	Log KOW	BOD5/COD		
Eucalyptol	470-82-6		3,4			
a-Terpineol	98-55-5		2,98			
L-(-)-Limonene	5989-54-8	864,8	4,38 (pH value: 7,2, 37 °C)			
Linalool	78-70-6		2,9 (pH value: 7, 20 °C)			
y-Terpinene	99-85-4		5,4 (25 °C)			
Myrcene	123-35-3		4,82 (pH value: ~6,5, 30 °C)			
DL-α-Pinene	80-56-8		4,83			
Terpinolene	586-62-9		4,47			
β-Caryophyllene	87-44-5		6,23 (pH value: 7, 25 °C)			
Geraniol	106-24-1		2,6 (25 °C)			

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

- **12.6** Endocrine disrupting properties Does not contain an endocrine disruptor (EDC) in a concentration of $\ge 0,1\%$.
- 12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

® Roth

article number: 6105

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

Properties of waste which render it hazardous

- HP 3 flammable
- HP 4 irritant skin irritation and eye damage
- HP 5 specific target organ toxicity (STOT)/aspiration toxicity
- HP 13 sensitising
- HP 14 ecotoxic

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

14.5	Environmental hazards	hazardous to the aquatic environment
	ICAO-TI	III
	IMDG-Code	III
	ADRRID	III
14.4	Packing group	
	ICAO-TI	3
	IMDG-Code	3
	ADRRID	3
14.3	Transport hazard class(es)	
	ICAO-TI	Extracts, liquid
	IMDG-Code	EXTRACTS, LIQUID
	ADRRID	EXTRACTS, LIQUID
14.2	UN proper shipping name	
	ICAO-TI	UN 1197
	IMDG-Code	UN 1197
	ADRRID	UN 1197

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Agreement concerning the International C information	Carriage of Dangerous Goods by Road (ADR)Additional
Proper shipping name	EXTRACTS, LIQUID
Particulars in the transport document	UN1197, EXTRACTS, LIQUID, 3, III, (D/E), environ- mentally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"
Environmental hazards	Yes (hazardous to the aquatic environment)
Special provisions (SP)	601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y
Regulations concerning the International information	Carriage of Dangerous Goods by Rail (RID)Additional
Classification code	F1
Danger label(s)	3 Fish and tree
Environmental hazards	Yes Hazardous to water
Special provisions (SP)	601
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30
International Maritime Dangerous Goods	Code (IMDG) - Additional information
Proper shipping name	EXTRACTS, LIQUID
Particulars in the shipper's declaration	UN1197, EXTRACTS, LIQUID, (Oil of cajeput), 3, III, 54,6°C c.c., MARINE POLLUTANT
Marine pollutant	Yes (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural



article	number:	6105
article	number.	0105

Special provisions (SP)	223, 955
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-D
Stowage category	A
International Civil Aviation Organization (IC	AO-IATA/DGR) - Additional information
Proper shipping name	Extracts, liquid
Particulars in the shipper's declaration	UN1197, Extracts, liquid, 3, III
Environmental hazards	Yes (hazardous to the aquatic environment)
Danger label(s)	3
Special provisions (SP)	A3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)				
Νο	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the ap- plication of lower and upper-tier re- quirements		Notes
E2	environmental hazards (hazardous to the aquatic en- vironment, cat. 2)	200	500	57)

Notation

57) Hazardous to the Aquatic Environment in category Chronic 2

Deco-Paint Directive

VOC content	100 % 920 ^g /l	

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	920 ^g / _l

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Oil of cajeput	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Oil of cajeput	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed
Legend		

Legenc AIIC

DSL ECSI Australian Inventory of Industrial Chemicals Domestic Substances List (DSL) EC Substance Inventory (EINECS, ELINCS, NLP)

United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput, natural

article number: 6105

IECSCInventory of Existing Chemical Substances Produced or Imported in ChinaPICCSPhilippine Inventory of Chemicals and Chemical Substances (PICCS)REACH Reg.REACH registered substancesTCSITaiwan Chemical Substance Inventor

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.1	ADR/RID/ADN: UN 1169	ADRRID: UN 1197	yes
14.1	IMDG-Code: UN 1169	IMDG-Code: UN 1197	yes
14.1	ICAO-TI: UN 1169	ICAO-TI: UN 1197	yes
14.2	ADR/RID/ADN: EXTRACTS, AROMATIC, LIQUID	ADRRID: EXTRACTS, LIQUID	yes
14.2	IMDG-Code: EXTRACTS, AROMATIC, LIQUID	IMDG-Code: EXTRACTS, LIQUID	yes
14.2	ICAO-TI: Extracts, aromatic, liquid	ICAO-TI: Extracts, liquid	yes
14.8	Proper shipping name: EXTRACTS, AROMATIC, LIQUID	Proper shipping name: EXTRACTS, LIQUID	yes
14.8	Particulars in the transport document: UN1169, EXTRACTS, AROMATIC, LIQUID, 3, III, (D/E), environmentally hazardous	Particulars in the transport document: UN1197, EXTRACTS, LIQUID, 3, III, (D/E), envir- onmentally hazardous	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: F1	yes



acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of cajeput , natural

article number: 6105



Section	Former entry (text/value)	Actual entry (text/value)	Safety relev- ant
14.8		Danger label(s): 3 Fish and tree	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Environmental hazards: Yes Hazardous to water	yes
14.8		Special provisions (SP): 601	yes
14.8		Excepted quantities (EQ): E1	yes
14.8		Limited quantities (LQ): 5 L	yes
14.8		Transport category (TC): 3	yes
14.8		Hazard identification No: 30	yes
14.8	Proper shipping name: EXTRACTS, AROMATIC, LIQUID	Proper shipping name: EXTRACTS, LIQUID	yes
14.8	Particulars in the shipper's declaration: UN1169, EXTRACTS, AROMATIC, LIQUID, (Oil of cajeput), 3, III, 54,6°C c.c., MARINE POLLUTANT	Particulars in the shipper's declaration: UN1197, EXTRACTS, LIQUID, (Oil of cajeput), 3, III, 54,6°C c.c., MARINE POLLUTANT	yes
14.8	Proper shipping name: Extracts, aromatic, liquid	Proper shipping name: Extracts, liquid	yes
14.8	Particulars in the shipper's declaration: UN1169, Extracts, aromatic, liquid, 3, III	Particulars in the shipper's declaration: UN1197, Extracts, liquid, 3, III	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		Other information: Directive 94/33/EC on the protection of young people at work. Observe employment restric- tions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.	yes
15.1		National inventories: change in the listing (table)	yes

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of cajeput , natural

article number: 6105

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concern- ing the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identi- fier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Na- tions
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)

acc. to Regulation (EC) No. 1907/2006 (REACH)



Oil of cajeput , natural

article number: 6105

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H411	Toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.