Safety data sheet

acc. to Regulation (EC) No. 1907/2006 (REACH)

Oil of silver fir cones , natural

article number: **6598**
Version: **2.0 en**
Replaces version of: 2020-02-17
Version: (1)

date of compilation: 2020-02-17
Revision: 2022-08-08

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

Identification of the substance	**Oil of silver fir cones** , natural
Article number	6598
EC number	289-870-2
CAS number	90028-76-5
Alternative name(s)	Oleum Templini

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses:	Laboratory chemical Laboratory and analytical use
Uses advised against:	Do not use for products which come into contact with foodstuffs. Do not use for private purposes (household).

1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG
Schoemperlenstr. 3-5
D-76185 Karlsruhe
Germany

Telephone:+49 (0) 721 - 56 06 0
Telefax: +49 (0) 721 - 56 06 149
e-mail: sicherheit@carlroth.de
Website: www.carlroth.de

Competent person responsible for the safety data sheet:	:Department Health, Safety and Environment
e-mail (competent person):	**sicherheit@carlroth.de**

1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification acc. to GHS

Section	Hazard class	Cat-egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	2	Skin Irrit. 2	H315
3.4S	Skin sensitisation	1	Skin Sens. 1	H317
3.10	Aspiration hazard	1	Asp. Tox. 1	H304
4.1A	Hazardous to the aquatic environment - acute hazard	1	Aquatic Acute 1	H400
4.1C	Hazardous to the aquatic environment - chronic hazard	1	Aquatic Chronic 1	H410

For full text of abbreviations: see SECTION 16

The most important adverse physicochemical, human health and environmental effects

The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.

2.2 Label elements

Labelling

Signal word **Danger**

Pictograms

GHS02, GHS07, GHS08, GHS09

Hazard statements

H226	Flammable liquid and vapour
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H410	Very toxic to aquatic life with long lasting effects

Precautionary statements

Precautionary statements - prevention

P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking
P273	Avoid release to the environment

Precautionary statements - response

P302+P352	IF ON SKIN: Wash with plenty of soap and water

2.3 Other hazards

Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

SECTION 3: Composition/information on ingredients

3.1 Substances

"UVCB substance" (substance of unknown or variable composition).

Name of substance	Oil of silver fir cones
CAS No	90028-76-5
EC No	289-870-2

Impurities/additives/constituents:

Name of substance	Identifier	Wt%
DL-Limonene	CAS No 138-86-3 EC No 205-341-0	50 – < 75
DL-α-Pinene	CAS No 80-56-8 EC No 201-291-9	10 – < 25
Myrcene	CAS No 123-35-3 EC No 204-622-5	1 – < 5
ß-Pinene	CAS No 127-91-3 EC No 204-872-5	1 – < 5
Camphene	CAS No 79-92-5 EC No 201-234-8	< 1
β-Caryophyllene	CAS No 87-44-5 EC No 201-746-1	< 1

For full text of abbreviations: see SECTION 16

SECTION 4: First aid measures

4.1 Description of first aid measures

General notes

Take off contaminated clothing.

Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

Following skin contact

Rinse skin with water/shower. After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician. In case of skin irritation, consult a physician.

Following eye contact

Rinse cautiously with water for several minutes. In all cases of doubt, or when symptoms persist, seek medical advice.

Following ingestion

Call a physician immediately. Observe aspiration hazard if vomiting occurs.

4.2 Most important symptoms and effects, both acute and delayed

Aspiration hazard, Irritation, Allergic reactions

4.3 Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings
water spray, dry extinguishing powder, BC-powder, carbon dioxide (CO_2)

Unsuitable extinguishing media

water jet

5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours may form explosive mixtures with air.

Hazardous combustion products

Carbon monoxide (CO), Carbon dioxide (CO_2), May produce toxic fumes of carbon monoxide if burning.

5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Do not allow firefighting water to enter drains or water courses. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel

Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it. Danger of explosion.

6.3 Methods and material for containment and cleaning up

Advice on how to contain a spill

Covering of drains.

Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Provision of sufficient ventilation.

Measures to prevent fire as well as aerosol and dust generation

Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

Measures to protect the environment

Avoid release to the environment.

Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

Incompatible substances or mixtures

Observe hints for combined storage.

Consideration of other advice:

Ground/bond container and receiving equipment.

Ventilation requirements

Use local and general ventilation.

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 – 25 °C

7.3 Specific end use(s)

No information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

National limit values

Occupational exposure limit values (Workplace Exposure Limits)

This information is not available.

Relevant DNELs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Protection goal, route of exposure	Used in	Exposure time
DL-α-Pinene	80-56-8	DNEL	3,8 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
DL-α-Pinene	80-56-8	DNEL	0,542 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	5,69 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	0,8 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
ß-Pinene	127-91-3	DNEL	54 µg/cm²	human, dermal	worker (industry)	chronic - local effects
Camphene	79-92-5	DNEL	110,2 mg/m³	human, inhalatory	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	110,2 mg/m³	human, inhalatory	worker (industry)	acute - systemic effects
Camphene	79-92-5	DNEL	0,21 mg/kg bw/day	human, dermal	worker (industry)	chronic - systemic effects
Camphene	79-92-5	DNEL	1,25 mg/kg bw/day	human, dermal	worker (industry)	acute - systemic effects

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
DL-α-Pinene	80-56-8	PNEC	0,606 µg/l	aquatic organisms	freshwater	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	0,061 µg/l	aquatic organisms	marine water	short-term (single instance)

Relevant PNECs of components of the mixture

Name of substance	CAS No	End-point	Threshold level	Organism	Environmental compartment	Exposure time
DL-α-Pinene	80-56-8	PNEC	0,2 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	157 µg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	15,7 µg/kg	aquatic organisms	marine sediment	short-term (single instance)
DL-α-Pinene	80-56-8	PNEC	31,7 µg/kg	terrestrial organisms	soil	short-term (single instance)
ß-Pinene	127-91-3	PNEC	1,004 µg/l	aquatic organisms	freshwater	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0,1 µg/l	aquatic organisms	marine water	short-term (single instance)
ß-Pinene	127-91-3	PNEC	3,26 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0,337 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0,034 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
ß-Pinene	127-91-3	PNEC	0,067 mg/kg	terrestrial organisms	soil	short-term (single instance)
Camphene	79-92-5	PNEC	0,001 mg/l	aquatic organisms	freshwater	short-term (single instance)
Camphene	79-92-5	PNEC	0 mg/l	aquatic organisms	marine water	short-term (single instance)
Camphene	79-92-5	PNEC	10 mg/l	aquatic organisms	sewage treatment plant (STP)	short-term (single instance)
Camphene	79-92-5	PNEC	0,026 mg/kg	aquatic organisms	freshwater sediment	short-term (single instance)
Camphene	79-92-5	PNEC	0,003 mg/kg	aquatic organisms	marine sediment	short-term (single instance)
Camphene	79-92-5	PNEC	0,021 mg/kg	terrestrial organisms	soil	short-term (single instance)

8.2 Exposure controls

Individual protection measures (personal protective equipment)

Eye/face protection

Use safety goggle with side protection.

Skin protection

• hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

• type of material

Butyl caoutchouc (butyl rubber)

• material thickness

0,5 mm

• breakthrough times of the glove material

>480 minutes (permeation: level 6)

• other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

Respiratory protection



Respiratory protection necessary at: Aerosol or mist formation. Type: A (against organic gases and vapours with a boiling point of > 65 °C , colour code: Brown).

Environmental exposure controls

Keep away from drains, surface and ground water.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state	liquid
Colour	clear - light yellow - light brown
Odour	characteristic
Melting point/freezing point	not determined
Boiling point or initial boiling point and boiling range	not determined
Flammability	flammable liquid in accordance with GHS criteria
Lower and upper explosion limit	not determined
Flash point	46 °C

Auto-ignition temperature	not determined
Decomposition temperature	not relevant
pH (value)	not determined
Kinematic viscosity	not determined
Solubility(ies)	
Water solubility	not determined
Partition coefficient	
Partition coefficient n-octanol/water (log value):	this information is not available
Vapour pressure	not determined
Density and/or relative density	
Density	0,86 $^{g}/_{cm^3}$ at 20 °C
Relative vapour density	information on this property is not available
Particle characteristics	not relevant (liquid)
Other safety parameters	
Oxidising properties	none

9.2 Other information

Information with regard to physical hazard classes:	There is no additional information.
Other safety characteristics:	
Refractive index	1,47 – 1,48 (20 °C)

SECTION 10: Stability and reactivity

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

10.3 Possibility of hazardous reactions

Violent reaction with: strong oxidiser

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

There is no additional information.

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Classification acc. to GHS

Acute toxicity

Shall not be classified as acutely toxic.

Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
DL-Limonene	138-86-3	oral	LD50	5.300 $^{mg}/_{kg}$	rat
DL-α-Pinene	80-56-8	dermal	LD50	>2.000 $^{mg}/_{kg}$	rat
DL-α-Pinene	80-56-8	oral	LD50	3.700 $^{mg}/_{kg}$	rat
ß-Pinene	127-91-3	oral	LD50	4.700 $^{mg}/_{kg}$	rat
Myrcene	123-35-3	oral	LD50	>3.380 $^{mg}/_{kg}$	mouse
Myrcene	123-35-3	dermal	LD50	>5.000 $^{mg}/_{kg}$	rabbit
β-Caryophyllene	87-44-5	oral	LD50	>5.000 $^{mg}/_{kg}$	mouse

Skin corrosion/irritation

Causes skin irritation.

Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

Respiratory or skin sensitisation

May cause an allergic skin reaction.

Germ cell mutagenicity

Shall not be classified as germ cell mutagenic.

Carcinogenicity

Shall not be classified as carcinogenic.

Reproductive toxicity

Shall not be classified as a reproductive toxicant.

Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

Aspiration hazard

May be fatal if swallowed and enters airways.

Symptoms related to the physical, chemical and toxicological characteristics

• If swallowed

vomiting, aspiration hazard

• If in eyes

Data are not available.

• If inhaled

Data are not available.

• If on skin

causes skin irritation, May produce an allergic reaction, pruritis, localised redness

• Other information

none

11.2 Endocrine disrupting properties

Not listed.

11.3 Information on other hazards

There is no additional information.

SECTION 12: Ecological information

12.1 Toxicity

Very toxic to aquatic life with long lasting effects.

Aquatic toxicity (acute) of components of the mixture

Name of sub-stance	CAS No	Endpoint	Value	Species	Exposure time
DL-Limonene	138-86-3	EC50	17 $^{mg}/_{l}$	daphnia magna	48 h
DL-Limonene	138-86-3	LC50	80 $^{mg}/_{l}$	rainbow trout (Onco-rhynchus mykiss)	96 h
DL-α-Pinene	80-56-8	LC50	0,303 $^{mg}/_{l}$	fish	96 h
DL-α-Pinene	80-56-8	EC50	0,475 $^{mg}/_{l}$	aquatic invertebrates	48 h
ß-Pinene	127-91-3	LC50	0,68 $^{mg}/_{l}$	rainbow trout (Onco-rhynchus mykiss)	96 h
ß-Pinene	127-91-3	EC50	1,09 $^{mg}/_{l}$	daphnia magna	48 h
ß-Pinene	127-91-3	ErC50	0,7 $^{mg}/_{l}$	Pseudokirchneriella subcapitata	72 h
Myrcene	123-35-3	EC50	1,47 $^{mg}/_{l}$	aquatic invertebrates	48 h
Myrcene	123-35-3	EC50	0,31 $^{mg}/_{l}$	algae	72 h
Myrcene	123-35-3	ErC50	0,342 $^{mg}/_{l}$	algae	72 h
β-Caryophyllene	87-44-5	EC50	>0,17 $^{mg}/_{l}$	daphnia magna	48 h
β-Caryophyllene	87-44-5	ErC50	>0,033 $^{mg}/_{l}$	algae	72 h
Camphene	79-92-5	LC50	0,72 $^{mg}/_{l}$	fish	96 h

Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Camphene	79-92-5	EC50	0,72 $^{mg}/_{l}$	aquatic invertebrates	48 h
Camphene	79-92-5	ErC50	>1.000 $^{mg}/_{l}$	algae	72 h

Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
ß-Pinene	127-91-3	EC50	326 $^{mg}/_{l}$	microorganisms	3 h
Camphene	79-92-5	EC50	>1.000 $^{mg}/_{l}$	microorganisms	3 h

Biodegradation

Data are not available.

12.2 Process of degradability

Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time	Method	Source
DL-α-Pinene	80-56-8	oxygen depletion	68 %	28 d		ECHA
ß-Pinene	127-91-3	oxygen depletion	76 %	28 d		ECHA
Myrcene	123-35-3	oxygen depletion	76 %	28 d		ECHA
β-Caryophyllene	87-44-5	oxygen depletion	10 %	28 d		ECHA

12.3 Bioaccumulative potential

Data are not available.

Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
DL-Limonene	138-86-3		4,57	
DL-α-Pinene	80-56-8		4,83	
Myrcene	123-35-3		4,82 (pH value: ~6,5, 30 °C)	
β-Caryophyllene	87-44-5		6,23 (pH value: 7, 25 °C)	
Camphene	79-92-5		4,22 (pH value: 7,2, 37 °C)	

12.4 Mobility in soil

Data are not available.

12.5 Results of PBT and vPvB assessment

Data are not available.

12.6 Endocrine disrupting properties

Not listed.

12.7 Other adverse effects

Data are not available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

Sewage disposal-relevant information

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

SECTION 14: Transport information

14.1 UN number or ID number

ADRRID	UN 1272
IMDG-Code	UN 1272
ICAO-TI	UN 1272

14.2 UN proper shipping name

ADRRID	PINE OIL
IMDG-Code	PINE OIL
ICAO-TI	Pine oil

14.3 Transport hazard class(es)

ADRRID	3
IMDG-Code	3
ICAO-TI	3

14.4 Packing group

ADRRID	III
IMDG-Code	III

ICAO-TI	III

14.5 Environmental hazards hazardous to the aquatic environment

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

14.8 Information for each of the UN Model Regulations

Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

Proper shipping name	PINE OIL
Particulars in the transport document	UN1272, PINE OIL, 3, III, (D/E), environmentally hazardous
Classification code	F1
Danger label(s)	3, "Fish and tree"

Environmental hazards	yes (hazardous to the aquatic environment)
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Tunnel restriction code (TRC)	D/E
Hazard identification No	30
Emergency Action Code	3Y

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code	F1
Danger label(s)	3 Fish and tree

Environmental hazards	Yes Hazardous to water
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
Transport category (TC)	3
Hazard identification No	30

International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name	PINE OIL
Particulars in the shipper's declaration	UN1272, PINE OIL, 3, III, 46°C c.c., MARINE POLLUTANT
Marine pollutant	yes (P) (hazardous to the aquatic environment)
Danger label(s)	3, "Fish and tree"

Special provisions (SP)	-
Excepted quantities (EQ)	E1
Limited quantities (LQ)	5 L
EmS	F-E, S-E
Stowage category	A

International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name	Pine oil
Particulars in the shipper's declaration	UN1272, Pine oil, 3, III
Environmental hazards	yes (hazardous to the aquatic environment)
Danger label(s)	3

Excepted quantities (EQ)	E1
Limited quantities (LQ)	10 L

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Relevant provisions of the European Union (EU)

Seveso Directive

2012/18/EU (Seveso III)

No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements		Notes
E1	environmental hazards (hazardous to the aquatic environment, cat. 1)	100	200	56)

Notation
56) Hazardous to the Aquatic Environment in category Acute 1 or Chronic 1

Deco-Paint Directive

VOC content	100 % 860 $^{g}/_{l}$

Industrial Emissions Directive (IED)

VOC content	100 %
VOC content	860 $^{g}/_{l}$

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

Water Framework Directive (WFD)

not listed

Regulation on the marketing and use of explosives precursors

not listed

Regulation on drug precursors

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list

not listed

Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)

Name of substance	Name acc. to inventory	CAS No	No
Oil of silver fir cones	this product meets the criteria for classification in accordance with Regulation No 1272/2008/EC		3
Oil of silver fir cones	flammable / pyrophoric		40

Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

National inventories

Country	Inventory	Status
AU	AIIC	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
PH	PICCS	substance is listed
TW	TCSI	substance is listed

Legend

AIIC	Australian Inventory of Industrial Chemicals
ECSI	EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC	Inventory of Existing Chemical Substances Produced or Imported in China
PICCS	Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.	REACH registered substances
TCSI	Taiwan Chemical Substance Inventory

15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

SECTION 16: Other information

Indication of changes (revised safety data sheet)

Alignment to regulation:
Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: The product is combustible and can be ignited by potential ignition sources. Spillage and fire water can cause pollution of watercourses.	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: According to the results of its assessment, this substance is not a PBT or a vPvB.	yes

Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
DNEL	Derived No-Effect Level
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
log KOW	n-Octanol/water
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)

Abbr.	Descriptions of used abbreviations
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative

Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H304	May be fatal if swallowed and enters airways.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.