acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: **6755**Version: **4.0 en**date of compilation: 2018-08-31
Revision: 2023-03-23

Replaces version of: 2021-08-19

Version: (3)



#### 1.1 Product identifier

Identification of the substance Acetic acid 100 %, Ph.Eur., extra pure

Article number 6755

 Index No (GB CLP)
 607-002-00-6

 EC number
 200-580-7

 CAS number
 64-19-7

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 Telefax: +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 Emergency telephone number

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

United Kingdom (en) Page 1 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



#### **SECTION 2: Hazards identification**

#### 2.1 Classification of the substance or mixture

#### Classification acc. to GHS

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.6	Flammable liquid	3	Flam. Liq. 3	H226
3.2	Skin corrosion/irritation	1A	Skin Corr. 1A	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis. The product is combustible and can be ignited by potential ignition sources.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS02, GHS05





#### **Hazard statements**

H226 Flammable liquid and vapour

H314 Causes severe skin burns and eye damage

#### **Precautionary statements**

# **Precautionary statements - prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition

sources. No smoking

P280 Wear protective gloves/protective clothing/eye protection/face protection

#### **Precautionary statements - response**

P301+P330+P331 IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water [or shower]

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing

P310 Immediately call a POISON CENTER/doctor

United Kingdom (en) Page 2 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



#### 2.3 Other hazards

#### Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

#### **Endocrine disrupting properties**

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

# **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

Name of substance	Acetic acid
Molecular formula	$C_2H_4O_2$
Molar mass	60,05 <sup>g</sup> / <sub>mol</sub>
CAS No	64-19-7
EC No	200-580-7
Index No (GB CLP)	607-002-00-6

#### Substance, Specific Conc. Limits, M-factors, ATE

Specific Conc. Limits	M-Factors	ATE	Exposure route
Skin Corr. 1A; H314: C ≥ 90 % Skin Corr. 1B; H314: 25 % ≤ C < 90 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 %	-	-	

# **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

# Following skin contact

After contact with skin, wash immediately with plenty of water. Immediate medical treatment required because corrosive injuries that are not treated are hard to cure.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### **Following ingestion**

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects).

United Kingdom (en) Page 3 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



#### 4.2 Most important symptoms and effects, both acute and delayed

Following inhalation: Irritant effects, Cough, pain, choking, and breathing difficulties, Following skin contact: Causes severe burns, Causes poorly healing wounds, After eye contact: Risk of serious damage to eyes, Risk of blindness,

Following ingestion: Corrosion, Gastric perforation

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

# **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide (CO<sub>2</sub>)

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Combustible. In case of insufficient ventilation and/or in use, may form flammable/explosive vapour-air mixture. Solvent vapours are heavier than air and may spread along floors. Places which are not ventilated, e.g. unventilated below ground level areas such as trenches, conduits and shafts, are particularly prone to the presence of flammable substances or mixtures. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Vapours may form explosive mixtures with air.

#### **Hazardous combustion products**

In case of fire may be liberated: Carbon monoxide (CO), Carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray. Avoidance of ignition sources.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. Danger of explosion.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

United Kingdom (en) Page 4 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

# **SECTION 7: Handling and storage**

# 7.1 Precautions for safe handling

Provision of sufficient ventilation. Use extractor hood (laboratory). Handle and open container with care. Clear contaminated areas thoroughly.

# Measures to prevent fire as well as aerosol and dust generation



Keep away from sources of ignition - No smoking.

Take precautionary measures against static discharge.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. When using do not smoke.

#### 7.2 Conditions for safe storage, including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

#### Consideration of other advice:

Ground/bond container and receiving equipment.

#### **Ventilation requirements**

Use local and general ventilation.

#### Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

#### 7.3 Specific end use(s)

No information available.

United Kingdom (en) Page 5 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



# **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **National limit values**

#### **Occupational exposure limit values (Workplace Exposure Limits)**

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	acetic acid	64-19-7	IOELV	10	25	20	50				2017/ 164/EU
GB	acetic acid	64-19-7	WEL	10	25	20	50				EH40/ 2005

**Notation** 

Ceiling-C

Ceiling value is a limit value above which exposure should not occur

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-

minute period (unless otherwise specified)
TWA Time-weighted average (long-term exposur

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8

hours time-weighted average (unless otherwise specified)

#### 8.2 Exposure controls

# Individual protection measures (personal protective equipment)

#### Eye/face protection





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

### type of material

Butyl caoutchouc (butyl rubber)

material thickness

0.7mm

breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 6 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: E (against acidic gases like sulphur dioxide or hydrogen chloride, colour code: Yellow).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

# **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless
Odour pungent

Odour threshold 0,2 – 100,1 ppm Melting point/freezing point 16,64 °C (ECHA)

Boiling point or initial boiling point and boiling

range

117,9 °C at 101,3 kPa (ECHA)

Flammability flammable liquid in accordance with GHS criteria

Lower and upper explosion limit 4 vol% (LEL) - 19,9 vol% (UEL) Flash point 39 °C at 101,3 kPa (ECHA)

Auto-ignition temperature 463 °C (ECHA)

Decomposition temperature not relevant

pH (value) 2,4 (ECHA)

Kinematic viscosity 1,015  $^{\text{mm}^2}$ / $_{\text{s}}$  at 25 °C Dynamic viscosity 1,056 mPa s at 25 °C

Solubility(ies)

Water solubility 602,9 g/l at 25 °C (ECHA)

Partition coefficient

Partition coefficient n-octanol/water (log value): -0,17 (pH value: 7, 25 °C) (ECHA)

Soil organic carbon/water (log KOC) 0,062 (ECHA)

Vapour pressure 20,79 hPa at 25 °C

United Kingdom (en) Page 7 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755

Density and/or relative density

Density  $1,04 \, {}^{g}/_{cm^3}$  at 25 °C (ECHA)

Relative vapour density 2,07 at 20 °C (air = 1)

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Other safety characteristics:

Maximum explosion pressure 6,3 bar

**SECTION 10: Stability and reactivity** 

10.1 Reactivity

It's a reactive substance. Risk of ignition.

If heated

Risk of ignition. Vapours may form explosive mixtures with air.

10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

There is no additional information.

10.3 Possibility of hazardous reactions

**Danger of explosion:** Peroxides, Perchlorates, Hydrogen peroxide, Chromium(VI) oxide, Permanganates, for example potassium permanganate, strong oxidiser,

Violent reaction with: Strong alkali, Aldehydes, Alkali hydroxide (caustic alkali), Alcohols, Nitric acid

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

different plastics, Rubber articles, iron, copper, bronze, brass, zinc

Release of flammable materials with

Metals (due to the release of hydrogen in an acid/alkaline medium)

10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

United Kingdom (en) Page 8 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



# **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

GHS of the United Nations, annex 4. May be harmful if swallowed.

# **Acute toxicity**

Exposure route	Endpoint	Value	Species	Method	Source
oral	LD50	3.310 <sup>mg</sup> / <sub>kg</sub>	rat		TOXNET

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

Shall not be classified as carcinogenic.

#### Reproductive toxicity

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

# Symptoms related to the physical, chemical and toxicological characteristics

#### • If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects)

#### If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### • If inhaled

irritant effects, cough, pain, choking, and breathing difficulties

#### • If on skin

causes severe burns, causes poorly healing wounds

United Kingdom (en) Page 9 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



none

#### 11.2 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq 0.1\%$ .

#### 11.3 Information on other hazards

There is no additional information.

# **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### **Aquatic toxicity (acute)** Exposure time **Endpoint Value Species Source** LC50 >300,8 <sup>mg</sup>/<sub>I</sub> fish **ECHA** 96 h EC50 >300,8 <sup>mg</sup>/<sub>I</sub> aquatic invertebrates **ECHA** 48 h ErC50 >300,8 <sup>mg</sup>/<sub>I</sub> algae **ECHA** 72 h

#### 12.2 Persistence and degradability

# **Biodegradation**

The substance is readily biodegradable.

Process of degradability		
Process	Degradation rate	Time
biotic/abiotic	99 %	30 d

#### 12.3 Bioaccumulative potential

Does not significantly accumulate in organisms.

n-octanol/water (log KOW)	-0,17 (pH value: 7, 25 °C) (ECHA)
BCF	3,16 (ECHA)

#### 12.4 Mobility in soil

Henry's law constant	0,21 <sup>Pa m³</sup> / <sub>mol</sub> at 25 °C (ECHA)
The Organic Carbon normalised adsorption coefficient	0,062 (ECHA)

#### 12.5 Results of PBT and vPvB assessment

According to the results of its assessment, this substance is not a PBT or a vPvB.

# 12.6 Endocrine disrupting properties

Does not contain an endocrine disruptor (EDC) in a concentration of  $\geq$  0,1%.

United Kingdom (en) Page 10 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755

#### 12.7 Other adverse effects

Data are not available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process.

#### Properties of waste which render it hazardous

**HP3** flammable

**HP 4** irritant - skin irritation and eye damage

**HP8** corrosive

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

# **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID	UN 2789
IMDG-Code	UN 2789
ICAO-TI	UN 2789

#### 14.2 UN proper shipping name

ADRRID	ACETIC ACID, GLACIAL
IMDG-Code	ACETIC ACID, GLACIAL
ICAO-TI	Acetic acid, glacial

#### 14.3 Transport hazard class(es)

ADRRID	8 (3)
IMDG-Code	8 (3)
ICAO-TI	8 (3)

#### 14.4 Packing group

ADRRID	II
IMDG-Code	II

United Kingdom (en) Page 11 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755

ICAO-TI II

**14.5 Environmental hazards** non-environmentally hazardous acc. to the dan-

gerous goods regulations

14.6 Special precautions for user

Provisions for dangerous goods (ADR) should be complied within the premises.

14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

# Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)Additional information

Proper shipping name ACETIC ACID, GLACIAL

Particulars in the transport document UN2789, ACETIC ACID, GLACIAL, 8 (3), II, (D/E)

Classification code CF1
Danger label(s) 8+3





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Tunnel restriction code (TRC) D/E
Hazard identification No 83
Emergency Action Code 2P

# Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional information

Classification code CF1

Danger label(s) 8+3





Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L
Transport category (TC) 2
Hazard identification No 83

#### International Maritime Dangerous Goods Code (IMDG) - Additional information

Proper shipping name ACETIC ACID, GLACIAL

Particulars in the shipper's declaration UN2789, ACETIC ACID, GLACIAL, 8 (3), II, 39°C c.c.

Marine pollutant -

Danger label(s) 8+3

United Kingdom (en) Page 12 / 18



acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Excepted quantities (EQ) E2
Limited quantities (LQ) 1 L

EmS F-E, S-C

Stowage category A

**Segregation group** 1 - Acids

#### International Civil Aviation Organization (ICAO-IATA/DGR) - Additional information

Proper shipping name Acetic acid, glacial

Particulars in the shipper's declaration UN2789, Acetic acid, glacial, 8 (3), II

Danger label(s) 8+3





Excepted quantities (EQ) E2
Limited quantities (LQ) 0,5 L

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/18/EU (Seveso III)			
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes
P5c	flammable liquids (cat. 2, 3)	5.000 50.000	51)

#### Notation

#### **Deco-Paint Directive**

VOC content	100 %
VOC content	1.040 <sup>g</sup> / <sub>I</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	100 %
VOC content	1.040 <sup>g</sup> / <sub>l</sub>

Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

not listed

United Kingdom (en) Page 13 / 18



<sup>51)</sup> Flammable liquids, categories 2 or 3 not covered by P5a and P5b

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

not listed

**Water Framework Directive (WFD)** 

not listed

Regulation on the marketing and use of explosives precursors

not listed

**Regulation on drug precursors** 

not listed

Regulation on substances that deplete the ozone layer (ODS)

not listed

Regulation concerning the export and import of hazardous chemicals (PIC)

not listed

Regulation on persistent organic pollutants (POP)

not listed

National regulations(GB)

List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list not listed

# Restrictions according to GB REACH, Annex 17

Dangerous substances with restrictions (GB REACH, Annex 17)			
Name of substance	Name acc. to inventory	CAS No	No
Acetic acid	this product meets the criteria for classi- fication in accordance with Regulation No 1272/2008/EC		3
Acetic acid	flammable / pyrophoric		40

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	substance is listed
CA	DSL	substance is listed
CN	IECSC	substance is listed
EU	ECSI	substance is listed
EU	REACH Reg.	substance is listed
JP	CSCL-ENCS	substance is listed
KR	KECI	substance is listed
MX	INSQ	substance is listed
NZ	NZIoC	substance is listed

United Kingdom (en) Page 14 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Country	Inventory	Status
PH	PICCS	substance is listed
TR	CICR	substance is listed
TW	TCSI	substance is listed
US	TSCA	substance is listed as "ACTIVE"

Legend

AIIC Australian Inventory of Industrial Chemicals
CICR Chemical Inventory and Control Regulation
CSCL-ENCS List of Existing and New Chemical Substances (CSCL-ENCS)
DSL Domestic Substances List (DSL)
ECSI EC Substance Inventory (EINECS, ELINCS, NLP)
IECSC Inventory of Existing Chemical Substances Produced or Imported in China
INSQ National Inventory of Chemical Substances
KECI Korea Existing Chemicals Inventory
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg.
TCSI Taiwan Chemical Substance Inventory
Taiwan Chemical Substance Inventory

Taiwan Chemical Substance Inventory Toxic Substance Control Act

#### 15.2 Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this substance.

# **SECTION 16: Other information**

# Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.3		Endocrine disrupting properties: Does not contain an endocrine disruptor (EDC) in a concentration of ≥ 0,1%.	yes
14.8		Regulations concerning the International Car- riage of Dangerous Goods by Rail (RID)Addition- al information	yes
14.8		Classification code: CF1	yes
14.8		Danger label(s): 8+3	yes
14.8		Danger label(s): change in the listing (table)	yes
14.8		Excepted quantities (EQ): E2	yes

United Kingdom (en) Page 15 / 18

acc. to Regulation (EC) No. 1907/2006 (REACH)

# Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
14.8		Limited quantities (LQ): 1 L	yes
14.8		Transport category (TC): 2	yes
14.8		Hazard identification No: 83	yes
15.1	Restrictions according to REACH, Annex XVII		yes
15.1		Dangerous substances with restrictions (REACH, Annex XVII): change in the listing (table)	yes
15.1	List of substances subject to authorisation (REACH, Annex XIV)/SVHC - candidate list: Not listed.		yes
15.1	VOC content: 100 % , 1.040 <sup>g</sup> / <sub>l</sub>	VOC content: 100 %	yes
15.1		VOC content: 1.040 <sup>g</sup> / <sub>l</sub>	yes
15.1		National regulations(GB)	yes
15.1		List of substances subject to authorisation (GB REACH, Annex 14) / SVHC - candidate list: not listed	yes
15.1		Restrictions according to GB REACH, Annex 17	yes
15.1		Dangerous substances with restrictions (GB REACH, Annex 17): change in the listing (table)	yes
15.1		National inventories: change in the listing (table)	yes

# **Abbreviations and acronyms**

Abbr.	Descriptions of used abbreviations	
2017/164/EU	Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU	
ADR	Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)	
ATE	Acute Toxicity Estimate	
BCF	Bioconcentration factor	
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)	
Ceiling-C	Ceiling value	
DGR	Dangerous Goods Regulations (see IATA/DGR)	
EC50	Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval	
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)	

United Kingdom (en) Page 16 / 18

# **Safety data sheet Safety data sheet** acc. to Regulation (EC) No. 1907/2006 (REACH)

# Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-licence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
GB CLP	The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/720 (as amended)
GB REACH	The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019/758 (as amended)
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
index No	The Index number is the identification code given to the substance in Part 3 of Annex VI to Regulation (EC) No 1272/2008
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
LEL	Lower explosion limit (LEL)
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
STEL	Short-term exposure limit
TWA	Time-weighted average
UEL	Upper explosion limit (UEL)
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

Page 17 / 18 United Kingdom (en)

acc. to Regulation (EC) No. 1907/2006 (REACH)

#### Acetic acid 100 %, Ph.Eur., extra pure

article number: 6755



#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H226	Flammable liquid and vapour.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

#### **Disclaimer**

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 18 / 18