acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811 date of compilation: 2017-07-25 Version: 2.0 en

Revision: 2022-05-17

Replaces version of: 2017-07-25

Version: (1)

## SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### **Product identifier** 1.1

Identification of the substance **Multi-Element** ICP-MS - Standard Solution

ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

Article number 6811

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses: Laboratory chemical

Laboratory and analytical use

Uses advised against: Do not use for squirting or spraying. Do not use

for products which come into direct contact with the skin. Do not use for products which come into contact with foodstuffs. Do not use for private

purposes (household).

#### 1.3 Details of the supplier of the safety data sheet

Carl Roth GmbH + Co KG Schoemperlenstr. 3-5 D-76185 Karlsruhe Germany

Telephone:+49 (0) 721 - 56 06 0 **Telefax:** +49 (0) 721 - 56 06 149 e-mail: sicherheit@carlroth.de Website: www.carlroth.de

Competent person responsible for the safety data :Department Health, Safety and Environment

sheet:

e-mail (competent person): sicherheit@carlroth.de

#### 1.4 **Emergency telephone number**

Name	Street	Postal code/city	Telephone	Website
National Poisons Information Service City Hospital	Dudley Rd	B187QH Birmingham	844 892 0111	

## **SECTION 2: Hazards identification**

#### Classification of the substance or mixture 2.1

Classification acc. to GHS

United Kingdom (en) Page 1 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $HNO_3$ - 100 mg/l

article number: 6811

Section	Hazard class	Cat- egory	Hazard class and category	Hazard statement
2.16	Substance or mixture corrosive to metals	1	Met. Corr. 1	H290
3.2	Skin corrosion/irritation	1B	Skin Corr. 1B	H314
3.3	Serious eye damage/eye irritation	1	Eye Dam. 1	H318
3.45	Skin sensitisation	1	Skin Sens. 1	H317
3.6	Carcinogenicity	1B	Carc. 1B	H350

#### Supplemental hazard information

Code	Supplemental hazard information
EUH071	corrosive to the respiratory tract

For full text of abbreviations: see SECTION 16

#### The most important adverse physicochemical, human health and environmental effects

Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.

#### 2.2 Label elements

#### Labelling

Signal word Danger

#### **Pictograms**

GHS05, GHS07, GHS08



#### **Hazard statements**

H290 May be corrosive to metals

H314 Causes severe skin burns and eye damage

H317 May cause an allergic skin reaction

H350 May cause cancer

#### **Precautionary statements**

#### **Precautionary statements - prevention**

P280 Wear protective gloves/protective clothing/eye protection/face protection

For professional users only

#### **Supplemental hazard information**

EUH071 Corrosive to the respiratory tract.

**Hazardous ingredients for labelling:** Beryllium acetate basic, Nickel dinitrate, Nitric acid ...% [ $C \le 70 \%$ ], Beryllium nitrate

United Kingdom (en) Page 2 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

#### 2.3 Other hazards

### Results of PBT and vPvB assessment

This mixture does not contain any substances that are assessed to be a PBT or a vPvB.

## **SECTION 3: Composition/information on ingredients**

#### 3.1 Substances

not relevant (mixture)

#### 3.2 Mixtures

#### **Description of the mixture**

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No 231-714-2	5	Ox. Liq. 3 / H272 Met. Corr. 1 / H290 Acute Tox. 3 / H331 Skin Corr. 1A / H314 Eye Dam. 1 / H318 EUH071		B(a) GHS-HC IOELV
Beryllium acetate basic	CAS No 19049-40-2 EC No 242-785-4	0,451	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Chronic 2 / H411	<b>\$</b>	A(a) GHS-HC
Beryllium nitrate	CAS No 13597-99-4 EC No 237-062-5	0,15	Acute Tox. 3 / H301 Acute Tox. 2 / H330 Skin Irrit. 2 / H315 Eye Irrit. 2 / H319 Skin Sens. 1 / H317 Carc. 1B / H350i STOT SE 3 / H335 STOT RE 1 / H372 Aquatic Chronic 2 / H411	<b>\$</b>	A(a) GHS-HC IOELV
cobalt dinitrate	CAS No 10141-05-6 EC No 233-402-1	0,03	Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1B / H350i Repr. 1B / H360F Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<b>&amp; E</b>	1(a) GHS-HC
nickel dinitrate	CAS No 13138-45-9 EC No 236-068-5	0,03	Ox. Sol. 2 / H272 Acute Tox. 4 / H302 Acute Tox. 4 / H332 Skin Irrit. 2 / H315 Eye Dam. 1 / H318 Resp. Sens. 1 / H334 Skin Sens. 1 / H317 Muta. 2 / H341 Carc. 1A / H350i Repr. 1B / H360D STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410		GHS-HC

United Kingdom (en) Page 3 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

Name of sub- stance	Identifier	Wt%	Classification acc. to GHS	Pictograms	Notes
Lead(II) nitrate	CAS No 10099-74-8 EC No 233-245-9	0,015	Acute Tox. 4 / H302 Acute Tox. 4 / H332 Repr. 1A / H360Df STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	(!) <b>(</b> *)	1(a) A(a) GHS-HC IARC: 2A IOELV
Cadmium	CAS No 7440-43-9 EC No 231-152-8	0,01	Acute Tox. 2 / H330 Muta. 2 / H341 Carc. 1B / H350 Repr. 2 / H361fd STOT RE 1 / H372 Aquatic Acute 1 / H400 Aquatic Chronic 1 / H410	<b>\$</b>	GHS-HC IARC: 1 IOELV RoC "Known"

#### Notes

1(a): The concentration stated is the percentage by weight of the metallic element calculated with reference to the total

weight of the mixture

The name of substance is a general description. It is required that the correct name is stated on the label A(a):

B(a): The classification refers to an aqueous solution
GHS-HC: Harmonised classification (the classification of the substance corresponds to the entry in the list according to 1272/

2008/EC, Annex VI)

IARC: 1: IARC group 1: carcinogenic to humans (International Agency for Research on Cancer)

IARC: IARC group 2A: probably carcinogenic to humans (International Agency for Research on Cancer)

Substance with a community indicative occupational exposure limit value NTP-RoC: Known To Be A Human Carcinogen IOELV:

RoC "Known"

Name of sub- stance	Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Nitric acid% [C ≤ 70 %]	CAS No 7697-37-2 EC No	Ox. Liq. 3; H272: C ≥ 65 % Skin Corr. 1A; H314: C ≥ 20 % Skin Corr. 1B; H314: 5 % ≤ C < 20 %	-	2,65 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: va- pour
	231-714-2				
Beryllium acet- ate basic	CAS No 19049-40-2	-	-	100 <sup>mg</sup> / <sub>kg</sub> 0,05 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 242-785-4				msc
Beryllium nitrate	CAS No 13597-99-4	-	-	100 <sup>mg</sup> / <sub>kg</sub>	oral
	EC No 237-062-5				
nickel dinitrate	CAS No 13138-45-9	Skin Irrit. 2; H315: C ≥ 20 % Skin Sens. 1; H317: C ≥ 0,01 % STOT RE 1; H372: C ≥ 1 %	-	1.620 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 236-068-5	STOT RE 2; H373: 0,1 % ≤ C < 1 %			THISC
cobalt dinitrate	CAS No 10141-05-6	Carc. 1B; H350i: C ≥ 0,01 %	M-factor (acute) = 10 M-factor	-	
	EC No 233-402-1		(chronic) = 10		
Lead(II) nitrate	Lead(II) nitrate CAS No Repr. 1A; H360D: C ≥ 0,3 % Repr. 2; H361f: C ≥ 2,5 % STOT RE 2; H373: C ≥ 0,5 %		M-factor (acute) = 10	500 <sup>mg</sup> / <sub>kg</sub> 1,5 <sup>mg</sup> / <sub>l</sub> /4h	oral inhalation: dust/ mist
	EC No 233-245-9	3101 NE 2, 11373. C 2 0,3 70			IIIISC

United Kingdom (en) Page 4 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Name of su stance	ıb- Identifier	Specific Conc. Limits	M-Factors	ATE	Exposure route
Cadmium	CAS No 7440-43-9	-	M-factor (acute) = 10	0,05 <sup>mg</sup> / <sub>l</sub> /4h	inhalation: dust/ mist
	EC No 231-152-8				

For full text of abbreviations: see SECTION 16

### **SECTION 4: First aid measures**

#### 4.1 Description of first aid measures



#### **General notes**

Take off immediately all contaminated clothing. Self-protection of the first aider.

#### Following inhalation

Provide fresh air. In all cases of doubt, or when symptoms persist, seek medical advice.

#### **Following skin contact**

After contact with skin, wash immediately with plenty of water. In case of skin reactions, consult a physician.

#### Following eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist. Protect uninjured eye.

#### Following ingestion

Rinse mouth immediately and drink plenty of water. Call a physician immediately. If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects). In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible).

#### 4.2 Most important symptoms and effects, both acute and delayed

Corrosion, Risk of blindness, Gastric perforation, Risk of serious damage to eyes, Allergic reactions, Irritation

# **4.3** Indication of any immediate medical attention and special treatment needed none

## **SECTION 5: Firefighting measures**

#### 5.1 Extinguishing media



#### Suitable extinguishing media

co-ordinate firefighting measures to the fire surroundings water spray, alcohol resistant foam, dry extinguishing powder, BC-powder, carbon dioxide ( $CO_2$ )

United Kingdom (en) Page 5 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

#### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

Non-combustible.

#### **Hazardous combustion products**

In case of fire may be liberated: Nitrogen oxides (NOx)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Fight fire with normal precautions from a reasonable distance. Wear self-contained breathing apparatus. Wear full chemical protective clothing.

#### **SECTION 6: Accidental release measures**

#### 6.1 Personal precautions, protective equipment and emergency procedures



#### For non-emergency personnel

Use personal protective equipment as required. Avoid contact with skin, eyes and clothes. Do not breathe vapour/spray.

#### **6.2** Environmental precautions

Keep away from drains, surface and ground water. The product is an acid. Before discharge into sewage plants the product normally needs to be neutralised.

#### 6.3 Methods and material for containment and cleaning up

#### Advice on how to contain a spill

Covering of drains.

#### Advice on how to clean up a spill

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents).

#### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle and open container with care. Avoid exposure. Clear contaminated areas thoroughly.

#### Advice on general occupational hygiene

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

Keep container tightly closed.

#### **Incompatible substances or mixtures**

Observe hints for combined storage.

United Kingdom (en) Page 6 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

**Consideration of other advice:** 

Specific designs for storage rooms or vessels

Recommended storage temperature: 15 - 25 °C

7.3 Specific end use(s)

No information available.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

**National limit values** 

Occupational exposure limit values (Workplace Exposure Limits)

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
EU	beryllium, inorganic compounds		IOELV		0,0002					i, Be- limit	2019/ 983/EU
EU	lead compounds		IOELV		0,15						2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,05					i, cmr_N icomp 2	2022/ 431/EU
EU	nickel compounds	13138- 45-9	IOELV		0,01					r, cmr_N icomp	2022/ 431/EU
EU	manganese	7439-96- 5	IOELV		0,2					i	2017/ 164/EU
EU	silver	7440-22- 4	IOELV		0,1						2000/39/ EC
EU	cadmium	7440-43- 9	IOELV		0,001					i, Cd- limit	2019/ 983/EU
EU	nitric acid	7697-37- 2	IOELV			1	2,6				2006/15/ EC
GB	beryllium com- pounds		WEL		0,002					Be	EH40/ 2005
GB	lead compounds		OEL-NIR		0,15					Pb	CLWR- NIR
GB	lead compounds		OEL		0,15					Pb	CLWR
GB	chromium(III) com- pounds		WEL		0,5					Cr	EH40/ 2005
GB	cobalt compounds		WEL		0,1					Со	EH40/ 2005
GB	nickel, soluble com- pounds	13138- 45-9	WEL		0,1					Ni	EH40/ 2005
GB	manganese	7439-96- 5	WEL		0,2					i	EH40/ 2005

United Kingdom (en) Page 7 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

Cou ntr y	Name of agent	CAS No	Identi- fier	TW A [pp m]	TWA [mg/ m³]	STE L [pp m]	STEL [mg/ m³]	Ceil ing- C [pp m]	Ceil- ing-C [mg/ m³]	Nota- tion	Source
GB	manganese	7439-96- 5	WEL		0,05					r	EH40/ 2005
GB	silver	7440-22- 4	WEL		0,01						EH40/ 2005
GB	antimony	7440-36- 0	WEL		0,5						EH40/ 2005
GB	arsenic	7440-38- 2	WEL		0,1						EH40/ 2005
GB	cadmium	7440-43- 9	WEL		0,025						EH40/ 2005
GB	nitric acid	7697-37- 2	WEL			1	2,6				EH40/ 2005
GB	selenium	7782-49- 2	WEL		0,1						EH40/ 2005
Be Be-limit Cd-limit Ceiling- cmr Nic	Notation  Be Calculated as Be (beryllium)  Be-limit Limit value 0,0006 mg/m3 until 11 July 2026  Cd-limit Limit value 0,004 mg/m3 until 11 July 2027  Ceiling-C Ceiling value is a limit value above which exposure should not occur cmr_NicompThe limit value shall apply from 18 January 2025  cmr_NicompThe limit value shall apply from 18 January 2025. Until then a limit value of 0,1 mg/m3 shall apply.  Co Calculated as Co (cobalt)										

Calculated as Co (cobalt) Calculated as Cr (chromium) Inhalable fraction . Ni Pb Calculated as Ni (nickel) Calculated as Pb (lead)

Respirable fraction

**STEL** 

Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period (unless otherwise specified)

Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average (unless otherwise specified) TWA

#### **Biological limit values**

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL_NIR	250 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 2, wmn< 45y	AL	250 μg/l	whole blood	CLWR

United Kingdom (en) Page 8 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

Coun try	Name of agent	CAS No	Parameter	Nota tion	Identi- fier	Value	Material	Source
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL_NIR	400 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 3, wmn> 45y, men	AL	400 μg/l	whole blood	CLWR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL_NIR	500 μg/l	whole blood	CLWR- NIR
GB	lead compounds		lead	Pb- bio-2, Pb- med- 4, young	AL	500 μg/l	whole blood	CLWR

#### Notation

Pb-bio-2 Biological monitoring: (a) in respect of an employee other than a young person or a woman of reproductive capacity, at least every 6 months, but where the results of the measurements for individuals or for groups of workers

have shown on the previous two consecutive occasions on which monitoring was carried out a lead in air exposure greater than  $0.075 \text{ mg/m}^3$  but less than  $0.100 \text{ mg/m}^3$  and where the blood-lead concentration of any individual employee is less than 30 µg/dl, the frequency of monitoring may be reduced to once a year; or (b) in respect of any young person or a woman of reproductive capacity, at such intervals as the relevant doctor shall specify, being not greater than 3 months

Pb-med-2 Médical surveillance: in respect of a woman of reproductive capacity, 20 g/dl (blood-lead concentration) or 20 g Pb/g creatinine (urinary lead concentration)

Medical surveillance: in respect of any other employee, 35 μg/dl (blood-lead concentration) or 40 μg Pb/g creatin-ine (urinary lead concentration) suspension level: in respect of a woman of reproductive capacity, 60 μg/dl (blood-lead concentration) or 110 μg Pb/g creatinine (urinary lead concentration) Pb-med-3

Pb-med-4 Medical surveillance: in respect of any other employee, 35 µg/dl (blood-lead concentration) or 40 µg Pb/g creatin-

ine (urinary lead concentration) suspension level: in respect of a young person, 50 µg/dl (blood-lead concentration) or 110 µg Pb/g creatinine (ur-

inary lead concentration)

wmn<45y wmn>45ý,

men

Women of reproductive capacity (women < 45 years)
Women of non-reproductive capacity, men (women > 45 years)

Adolescents (young person < 18 years) young

Relevant DNELs of components of the mixture											
Name of sub- stance	CAS No	End- point	Threshol d level	Protection goal, route of exposure	Used in	Exposure time					
Cadmium	7440-43-9	DNEL	4 μg/m³	human, inhalat- ory	worker (industry)	chronic - local ef- fects					

United Kingdom (en) Page 9 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

#### Relevant PNECs of components of the mixture

Name of sub- stance	CAS No	End- point	Threshol d level	Organism	Environmental compartment	Exposure time
Cadmium	7440-43-9	PNEC	0,19 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	freshwater	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,14 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	marine water	short-term (single instance)
Cadmium	7440-43-9	PNEC	20 <sup>µg</sup> / <sub>l</sub>	aquatic organ- isms	sewage treatment plant (STP)	short-term (single instance)
Cadmium	7440-43-9	PNEC	1,8 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	freshwater sedi- ment	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,64 <sup>mg</sup> / <sub>kg</sub>	aquatic organ- isms	marine sediment	short-term (single instance)
Cadmium	7440-43-9	PNEC	0,9 <sup>mg</sup> / <sub>kg</sub>	terrestrial organ- isms	soil	short-term (single instance)

#### 8.2 Exposure controls

#### **Individual protection measures (personal protective equipment)**

#### Eye/face protection





Use safety goggle with side protection. Wear face protection.

#### Skin protection





#### hand protection

Wear suitable gloves. Chemical protection gloves are suitable, which are tested according to EN 374. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. The times are approximate values from measurements at 22 ° C and permanent contact. Increased temperatures due to heated substances, body heat etc. and a reduction of the effective layer thickness by stretching can lead to a considerable reduction of the breakthrough time. If in doubt, contact manufacturer. At an approx. 1.5 times larger / smaller layer thickness, the respective breakthrough time is doubled / halved. The data apply only to the pure substance. When transferred to substance mixtures, they may only be considered as a guide.

#### type of material

NBR (Nitrile rubber)

#### material thickness

>0,11 mm

#### • breakthrough times of the glove material

>480 minutes (permeation: level 6)

United Kingdom (en) Page 10 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $HNO_3$ - 100 mg/l

article number: 6811

#### other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended.

#### **Respiratory protection**





Respiratory protection necessary at: Aerosol or mist formation. Type: NO-P3 (against nitrous gases and particles, colour code: Blue/White).

#### **Environmental exposure controls**

Keep away from drains, surface and ground water.

## **SECTION 9: Physical and chemical properties**

#### 9.1 Information on basic physical and chemical properties

Physical state liquid

Colour colourless - light yellow

Odour faintly perceptible

Melting point/freezing point ~0 °C at 1.013 mPa

Reiling point or initial boiling point and boiling a 100 °C at 1.013 mPa

Boiling point or initial boiling point and boiling

range

~100 °C at 1.013 mPa

Flammability non-combustible
Lower and upper explosion limit not determined
Flash point not determined
Auto-ignition temperature not determined
Decomposition temperature not relevant

pH (value) <2

Kinematic viscosity not determined

Solubility(ies)

Water solubility miscible in any proportion

Partition coefficient

Partition coefficient n-octanol/water (log value): not relevant (inorqanic)

Vapour pressure 23 hPa at 20 °C

Density and/or relative density

Density  $\sim 1 \, \text{g/}_{\text{cm}^3}$  at 20 °C

Relative vapour density information on this property is not available

United Kingdom (en) Page 11 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $HNO_3$ - 100 mg/l

article number: 6811

Particle characteristics not relevant (liquid)

Other safety parameters

Oxidising properties none

9.2 Other information

Information with regard to physical hazard

classes:

Corrosive to metals category 1: corrosive to metals

Other safety characteristics:

Miscibility completely miscible with water

### **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

Substance or mixture corrosive to metals.

#### 10.2 Chemical stability

The material is stable under normal ambient and anticipated storage and handling conditions of temperature and pressure.

#### 10.3 Possibility of hazardous reactions

**Violent reaction with:** Ammonia (NH3), Bases, Metals, Reducing agents, Strong alkali, Organic solvents

#### 10.4 Conditions to avoid

Keep away from heat.

#### 10.5 Incompatible materials

different metals (due to the release of hydrogen in an acid/alkaline medium)

#### 10.6 Hazardous decomposition products

Hazardous combustion products: see section 5.

## **SECTION 11: Toxicological information**

#### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification acc. to GHS

#### **Acute toxicity**

Shall not be classified as acutely toxic.

United Kingdom (en) Page 12 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

#### Acute toxicity estimate (ATE) of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: vapour	2,65 <sup>mg</sup> / <sub>l</sub> /4h
Beryllium acetate basic	19049-40-2	oral	100 <sup>mg</sup> / <sub>kg</sub>
Beryllium acetate basic	19049-40-2	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h
Beryllium nitrate	13597-99-4	oral	100 <sup>mg</sup> / <sub>kg</sub>
nickel dinitrate	13138-45-9	oral	1.620 <sup>mg</sup> / <sub>kg</sub>
nickel dinitrate	13138-45-9	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h
Lead(II) nitrate	10099-74-8	oral	500 <sup>mg</sup> / <sub>kg</sub>
Lead(II) nitrate	10099-74-8	inhalation: dust/mist	1,5 <sup>mg</sup> / <sub>l</sub> /4h
Cadmium	7440-43-9	inhalation: dust/mist	0,05 <sup>mg</sup> / <sub>l</sub> /4h
Lead(II) nitrate  Lead(II) nitrate	10099-74-8 10099-74-8	oral inhalation: dust/mist	500 <sup>mg</sup> / <sub>kg</sub>

#### Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	Endpoint	Value	Species
Nitric acid% [C ≤ 70 %]	7697-37-2	inhalation: va- pour	LC50	>2,65 <sup>mg</sup> / <sub>l</sub> /4h	rat
nickel dinitrate	13138-45-9	oral	LD50	1.620 <sup>mg</sup> / <sub>kg</sub>	rat
Lead(II) nitrate	10099-74-8	oral	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Lead(II) nitrate	10099-74-8	dermal	LD50	>2.000 <sup>mg</sup> / <sub>kg</sub>	rat
Cadmium	7440-43-9	oral	LD50	2.330 <sup>mg</sup> / <sub>kg</sub>	rat

#### Skin corrosion/irritation

Causes severe skin burns and eye damage.

#### Serious eye damage/eye irritation

Causes serious eye damage.

#### Respiratory or skin sensitisation

May cause an allergic skin reaction.

#### **Germ cell mutagenicity**

Shall not be classified as germ cell mutagenic.

#### Carcinogenicity

May cause cancer.

#### **Reproductive toxicity**

Shall not be classified as a reproductive toxicant.

#### Specific target organ toxicity - single exposure

Shall not be classified as a specific target organ toxicant (single exposure).

#### Specific target organ toxicity - repeated exposure

Shall not be classified as a specific target organ toxicant (repeated exposure).

United Kingdom (en) Page 13 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $HNO_3$ - 100 mg/l

article number: 6811

#### **Aspiration hazard**

Shall not be classified as presenting an aspiration hazard.

#### Symptoms related to the physical, chemical and toxicological characteristics

#### If swallowed

If swallowed danger of perforation of the esophagus and the stomach (strong corrosive effects), gastrointestinal complaints

#### • If in eyes

causes burns, Causes serious eye damage, risk of blindness

#### If inhaled

corrosive to the respiratory tract, cough, Dyspnoea

#### If on skin

causes severe burns, causes poorly healing wounds, May produce an allergic reaction, pruritis, localised redness

#### Other information

This information is based upon the present state of our knowledge.

#### 11.2 Endocrine disrupting properties

None of the ingredients are listed.

#### 11.3 Information on other hazards

There is no additional information.

### **SECTION 12: Ecological information**

#### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute) of components of the mixture Name of sub-**CAS No Endpoint Value Exposure Species** stance time Lead(II) nitrate $107 \, ^{\mu g}/_{l}$ 10099-74-8 LC50 fish 96 h 35,9 <sup>µg</sup>/<sub>I</sub> Lead(II) nitrate 10099-74-8 ErC50 algae 48 h Cadmium 7440-43-9 LC50 58,16 <sup>µg</sup>/<sub>I</sub> aquatic invertebrates 48 h Cadmium 7440-43-9 EC50 1.900 <sup>µg</sup>/<sub>I</sub> aquatic invertebrates 24 h Cadmium 7440-43-9 ErC50 120 <sup>µg</sup>/<sub>I</sub> 72 h algae

Aquatic toxicity (chronic) of components of the mixture					
Name of sub- stance	CAS No	Endpoint	Value	Species	Exposure time
Cadmium	7440-43-9	LC50	1.500 <sup>µg</sup> / <sub>l</sub>	fish	4 d
Cadmium	7440-43-9	EC50	8,1 <sup>µg</sup> / <sub>l</sub>	fish	100 d

United Kingdom (en) Page 14 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $HNO_3$ - 100 mg/l

article number: 6811

#### **Biodegradation**

The methods for determining the biological degradability are not applicable to inorganic substances.

#### 12.2 Process of degradability

Data are not available.

#### 12.3 Bioaccumulative potential

Data are not available.

#### 12.4 Mobility in soil

Data are not available.

#### 12.5 Results of PBT and vPvB assessment

Data are not available.

#### 12.6 Endocrine disrupting properties

None of the ingredients are listed.

#### 12.7 Other adverse effects

Data are not available.

### **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods



This material and its container must be disposed of as hazardous waste. Dispose of contents/container in accordance with local/regional/national/international regulations.

#### Sewage disposal-relevant information

Do not empty into drains.

#### Waste treatment of containers/packagings

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used.

#### 13.2 Relevant provisions relating to waste

The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Waste catalogue ordinance (Germany).

#### 13.3 Remarks

Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities. Please consider the relevant national or regional provisions.

## **SECTION 14: Transport information**

#### 14.1 UN number or ID number

ADRRID UN 3264
IMDG-Code UN 3264
ICAO-TI UN 3264

#### 14.2 UN proper shipping name

ADRRID CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.

United Kingdom (en) Page 15 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

ai tici	. Hamber, <b>3011</b>	
	IMDG-Code	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	ICAO-TI	Corrosive liquid, acidic, inorganic, n.o.s.
	Technical name (hazardous ingredients)	Nitric acid% [C ≤ 70 %], Beryllium acetate basic
14.3	Transport hazard class(es)	
	ADRRID	8
	IMDG-Code	8
	ICAO-TI	8
14.4	Packing group	
	ADRRID	III
	IMDG-Code	III
	ICAO-TI	III
14.5	Environmental hazards	non-environmentally hazardous acc. to the dangerous goods regulations

#### 14.6 Special precautions for user

information

**Classification code** 

Provisions for dangerous goods (ADR) should be complied within the premises.

#### 14.7 Maritime transport in bulk according to IMO instruments

The cargo is not intended to be carried in bulk.

#### 14.8 Information for each of the UN Model Regulations

## Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN) - Additional information

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid% [C $\leq$ 70 %], Beryllium acetate basic), 8, III, (E)
C1
8
274
E1
5 L
3
E
80
2X

United Kingdom (en) Page 16 / 26

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID)Additional

C1

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

cici	e namber. <b>3011</b>	
	Danger label(s)	8
	Special provisions (SP)	274
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	Transport category (TC)	3
	Hazard identification No	80
	International Maritime Dangerous Goods Code (	(IMDG) - Additional information
	Proper shipping name	CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S.
	Particulars in the shipper's declaration	UN3264, CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S., (contains: Nitric acid% [C $\leq$ 70 %], Beryllium acetate basic), 8, III
	Marine pollutant	-
	Danger label(s)	8
	Special provisions (SP)	223, 274
	Excepted quantities (EQ)	E1
	Limited quantities (LQ)	5 L
	EmS	F-A, S-B
	Stowage category	A
	Segregation group	1 - Acids
	International Civil Aviation Organization (ICAO-	IATA/DGR) - Additional information
	Proper shipping name	Corrosive liquid, acidic, inorganic, n.o.s.
	Particulars in the shipper's declaration	UN3264, Corrosive liquid, acidic, inorganic, n.o.s. (contains: Nitric acid% [C $\leq$ 70 %], Beryllium acetate basic), 8, III
	Danger label(s)	8

Special provisions (SP)	А3
Excepted quantities (EQ)	E1
Limited quantities (LQ)	1 L

United Kingdom (en) Page 17 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 %  $\rm HNO_3$  - 100 mg/l

article number: 6811

## **SECTION 15: Regulatory information**

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture Relevant provisions of the European Union (EU)

#### **Seveso Directive**

2012/	2012/18/EU (Seveso III)				
No	Dangerous substance/hazard categories	Qualifying quantity (tonnes) for the application of lower and upper-tier requirements	Notes		
	not assigned				

#### **Deco-Paint Directive**

VOC content	0 % 0 <sup>g</sup> / <sub>l</sub>

#### **Industrial Emissions Directive (IED)**

VOC content	0 %
VOC content (Water content was discounted)	0 <sup>g</sup> / <sub>l</sub>

## Directive on the restriction of the use of certain hazardous substances in electrical and electronic equipment (RoHS)

Hazardous substances in electrical and electronic equipment (RoHS)		
Name acc. to inventory  Maximum concentration values tolerated by weight in homogeneous materials		
cadmium	0,01 % Cd	

## Regulation concerning the establishment of a European Pollutant Release and Transfer Register (PRTR)

Pollutant release and transfer registers (PRTR)			
Name of substance	CAS No	Remarks	Threshold for releases to air (kg/year)
Cadmium	7440-43-9	(8)	10

#### Legend

(8) All metals shall be reported as the total mass of the element in all chemical forms present in the release

#### **Water Framework Directive (WFD)**

List of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Beryllium nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	

United Kingdom (en) Page 18 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: **6811** 

of pollutants (WFD)				
Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Beryllium nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Beryllium nitrate	Metals and their compounds		a)	
Lead(II) nitrate	lead compounds		b)	
Lead(II) nitrate	lead compounds	7439-92-1	c)	
Lead(II) nitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
Lead(II) nitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Lead(II) nitrate	Metals and their compounds		a)	
cobalt dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
cobalt dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
cobalt dinitrate	Metals and their compounds		a)	
nickel dinitrate	nickel compounds		b)	
nickel dinitrate	nickel compounds	7440-02-0	c)	
nickel dinitrate	Substances which contribute to eutrophication (in particular, nitrates and phosphates)		a)	
nickel dinitrate	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine-		a)	

United Kingdom (en) Page 19 / 26

a)

aquatic environment

Metals and their compounds

nickel dinitrate

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

List of pollutants (WFD)

Name of substance	Name acc. to inventory	CAS No	Listed in	Remarks
Beryllium acetate basic	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Beryllium acetate basic	Metals and their compounds		a)	
Cadmium	cadmium	7440-43-9	b)	HAZ
Cadmium	cadmium compounds		b)	HAZ
Cadmium	Cadmium and its compounds (de- pending on water hardness classes)	7440-43-9	c)	
Cadmium	Substances and preparations, or the breakdown products of such, which have been proved to pos- sess carcinogenic or mutagenic properties or properties which may affect steroidogenic, thyroid, reproduction or other endocrine- related functions in or via the aquatic environment		a)	
Cadmium	Metals and their compounds		a)	

#### Legend

Indicative list of the main pollutants List of priority substances in the field of water policy Environmental Quality Standards for Priority Substances and certain other pollutants A) B) C) HAZ

Identified as priority hazardous substance

#### Regulation on the marketing and use of explosives precursors

Explosives precursors which are subject to restrictions					
Name of substance	CAS No	Type of registration	Remarks	Limit value	Upper limit value for the pur- pose of licensing under Article 5(3)
Nitric acid% [C ≤ 70 %]	7697-37-2	Annex I		3 % w/w	10 % w/w

#### Legend

annex I

Substances which shall not be made available to members of the general public on their own, or in mixtures or substances including them, except if the concentration is equal to or lower than the limit values set out below

#### **Additional statements**

If the product is passed on to third parties, in accordance with Article 7 "Notification of the supply chain" of Regulation EU 2019/1148, the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on retrieved and the information obligation is subject to the entire supply chain and all other provisions mentioned in Article 7 on restricted and regulated raw materials.

United Kingdom (en) Page 20 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



#### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

#### **Regulation on drug precursors**

none of the ingredients are listed

#### Regulation on substances that deplete the ozone layer (ODS)

none of the ingredients are listed

#### Regulation concerning the export and import of hazardous chemicals (PIC)

chemicals subject to the international prior informed consent (PIC) procedure (the 'PIC procedure').

Name of substance	Name acc. to inventory	CAS No	Category / subcategory	Use limita- tion
Lead(II) nitrate	lead compounds		i(2)	sr
Cadmium	cadmium	7440-43-9	i(1)	sr

#### Legend

i(1) i(2) Sub-category: i(1) - industrial chemical for professional use

Sub-category: i(2) - industrial chemical for public use

Use limitation: severe restriction (for the sub-category or sub-categories concerned) according to Union legislation

#### Regulation on persistent organic pollutants (POP)

none of the ingredients are listed

#### Other information

Directive 94/33/EC on the protection of young people at work. Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers.

#### **National inventories**

Country	Inventory	Status
AU	AIIC	not all ingredients are listed
CA	DSL	not all ingredients are listed
CA	NDSL	not all ingredients are listed
CN	IECSC	not all ingredients are listed
EU	ECSI	all ingredients are listed
EU	REACH Reg.	not all ingredients are listed
JP	CSCL-ENCS	not all ingredients are listed
KR	KECI	not all ingredients are listed
MX	INSQ	not all ingredients are listed
NZ	NZIoC	not all ingredients are listed
PH	PICCS	not all ingredients are listed
TR	CICR	not all ingredients are listed
TW	TCSI	all ingredients are listed
US	TSCA	not all ingredients are listed

Legend

Australian Inventory of Industrial Chemicals Chemical Inventory and Control Regulation List of Existing and New Chemical Substances (CSCL-ENCS) AIIC

DSL

**ECSI** 

Domestic Substances List (DSL)
EC Substance Inventory (EINECS, ELINCS, NLP)
Inventory of Existing Chemical Substances Produced or Imported in China **IECSC** 

United Kingdom (en) Page 21 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



### Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % HNO<sub>3</sub> - 100 mg/l

article number: 6811

Legend

INSQ KECI NDSL National Inventory of Chemical Substances NATIONAL INVENTORY OF CHEMICAL SUBSTAINCES
KECI Korea Existing Chemicals Inventory
NDSL Non-domestic Substances List (NDSL)
NZIOC New Zealand Inventory of Chemicals
PICCS Philippine Inventory of Chemicals and Chemical Substances (PICCS)
REACH Reg. REACH registered substances
TCSI Taiwan Chemical Substance Inventory
TCSA Taiwan Chemical Substance Inventory

**TSCA Toxic Substance Control Act** 

#### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

### SECTION 16: Other information

#### Indication of changes (revised safety data sheet)

Alignment to regulation:

Restructuring: section 9, section 14

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.1		Classification acc. to GHS: change in the listing (table)	yes
2.1		Supplemental hazard information: change in the listing (table)	yes
2.1		The most important adverse physicochemical, human health and environmental effects: Skin corrosion produces an irreversible damage to the skin; namely, visible necrosis through the epidermis and into the dermis.	yes
2.2		Pictograms: change in the listing (table)	yes
2.2		Precautionary statements - prevention: change in the listing (table)	yes
2.2	Precautionary statements - response		yes
2.2		Precautionary statements - response: change in the listing (table)	yes
2.2	Hazardous ingredients for labelling: nickel dinitrate, Beryllium nitrate, Nitric acid	Hazardous ingredients for labelling: Beryllium acetate basic, Nickel dinitrate, Nitric acid% [C ≤ 70 %], Beryllium nitrate	yes
2.2	Labelling of packages where the contents do not exceed 125 ml: Signal word: Danger		yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes
2.2		Labelling of packages where the contents do not exceed 125 ml: change in the listing (table)	yes

United Kingdom (en) Page 22 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

Section	Former entry (text/value)	Actual entry (text/value)	Safety- relev- ant
2.2	contains: Nickel dinitrate, Beryllium nitrate, Nitric acid		yes
2.3	Other hazards: There is no additional information.	Other hazards	yes
2.3		Results of PBT and vPvB assessment: This mixture does not contain any substances that are assessed to be a PBT or a vPvB.	yes

#### **Abbreviations and acronyms**

Descriptions of used abbreviations
Commission Directive establishing a first list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC
Commission Directive establishing a second list of indicative occupational exposure limit values in implementation of Council Directive 98/24/EC and amending Directives 91/322/EEC and 2000/39/EC
Commission Directive establishing a fourth list of indicative occupational exposure limit values pursuant to Council Directive 98/24/EC, and amending Commission Directives 91/322/EEC, 2000/39/EC and 2009/161/EU
Directive of the European Parliament and of the Council amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Directive (EU) 2022/431 of the European Parliament and of the Council of 9 March 2022 amending Directive 2004/37/EC on the protection of workers from the risks related to exposure to carcinogens or mutagens at work
Acute toxicity
Accord européen relatif au transport international des marchandises dangereuses par voies de naviga- tion intérieures (European Agreement concerning the International Carriage of Dangerous Goods by In- land Waterways)
Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
Hazardous to the aquatic environment - acute hazard
Hazardous to the aquatic environment - chronic hazard
Acute Toxicity Estimate
Carcinogenicity
Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
Ceiling value
Control of Lead at Work Regulations
Control of Lead at Work Regulations (Northern Ireland)
Dangerous Goods Regulations (see IATA/DGR)
Derived No-Effect Level
Effective Concentration 50 %. The EC50 corresponds to the concentration of a tested substance causing 50 % changes in response (e.g. on growth) during a specified time interval
The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)

United Kingdom (en) Page 23 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 $\rm mg/l$

article number: 6811

Abbr.	Descriptions of used abbreviations
EH40/2005	EH40/2005 Workplace exposure limits (http://www.nationalarchives.gov.uk/doc/open-government-li- cence/)
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
ErC50	≡ EC50: in this method, that concentration of test substance which results in a 50 % reduction in either growth (EbC50) or growth rate (ErC50) relative to the control
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IARC	International Agency for Research on Cancer
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)
ICAO	International Civil Aviation Organization
ICAO-TI	Technical instructions for the safe transport of dangerous goods by air
IMDG	International Maritime Dangerous Goods Code
IMDG-Code	International Maritime Dangerous Goods Code
IOELV	Indicative occupational exposure limit value
LC50	Lethal Concentration 50%: the LC50 corresponds to the concentration of a tested substance causing 50 % lethality during a specified time interval
LD50	Lethal Dose 50 %: the LD50 corresponds to the dose of a tested substance causing 50 % lethality during a specified time interval
Met. Corr.	Substance or mixture corrosive to metals
M-factor	Means a multiplying factor. It is applied to the concentration of a substance classified as hazardous to the aquatic environment acute category 1 or chronic category 1, and is used to derive by the summation method the classification of a mixture in which the substance is present
Muta.	Germ cell mutagenicity
NLP	No-Longer Polymer
NTP-RoC	National Toxicology Program: Report on Carcinogens
OEL	Workplace exposure limit
Ox. Liq.	Oxidising liquid
Ox. Sol.	Oxidising solid
PBT	Persistent, Bioaccumulative and Toxic
PNEC	Predicted No-Effect Concentration
ppm	Parts per million
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
Repr.	Reproductive toxicity

United Kingdom (en) Page 24 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



## Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Abbr.	Descriptions of used abbreviations
Resp. Sens.	Respiratory sensitisation
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regula- tions concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
Skin Sens.	Skin sensitisation
STEL	Short-term exposure limit
STOT RE	Specific target organ toxicity - repeated exposure
STOT SE	Specific target organ toxicity - single exposure
TWA	Time-weighted average
VOC	Volatile Organic Compounds
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

#### Key literature references and sources for data

Agreement concerning the International Carriage of Dangerous Goods by Road (ADR). Regulations concerning the International Carriage of Dangerous Goods by Rail (RID). International Maritime Dangerous Goods Code (IMDG). Dangerous Goods Regulations (DGR) for the air transport (IATA).

#### **Classification procedure**

Physical and chemical properties. The classification is based on tested mixture. Health hazards. Environmental hazards. The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### List of relevant phrases (code and full text as stated in section 2 and 3)

Code	Text
H272	May intensify fire; oxidiser.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.

United Kingdom (en) Page 25 / 26

acc. to Regulation (EC) No. 1907/2006 (REACH)



# Multi-Element ICP-MS - Standard Solution ROTI®Star 21 elements in 5 % $\rm HNO_3$ - 100 mg/l

article number: 6811

Code	Text
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H350	May cause cancer.
H350i	May cause cancer by inhalation.
H360D	May damage the unborn child.
H360Df	May damage the unborn child. Suspected of damaging fertility.
H360F	May damage fertility.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

#### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.

United Kingdom (en) Page 26 / 26